

Towards a New Approach for Controlling the Reorganization Process of Multi-Agent Systems

Kalache Ayyoub, Department of Mathematics and Computer Science, University of Oum el Bouaghi, Oum el Bouaghi, Algeria

Farid Mokhati, Department of Mathematics and Computer Science, University of Oum el Bouaghi, Oum el Bouaghi & LAMIS Laboratory, University of Tébessa, Tébessa, Algeria

Mourad Badri, Department of Mathematics and Computer Science, Software Engineering Research Laboratory, University of Quebec, Trois-Rivières, Canada

ABSTRACT

Reorganization in Multi-Agent Systems plays a crucial role in the dynamic adaptation of the structure and the behaviour of organizations. In order to ensure consistency of the resulting organization, the reorganization process has to be controlled. This paper proposes a novel approach for controlling the reorganization process of Multi-Agent Systems, which are specified and implemented using the Framework OMACS (Organizational Model for Adaptive Computational Systems). The proposed control process is accomplished using the Framework MOP (Monitoring Oriented Programming) for supporting the verification of some reorganizational properties. The proposed approach, supported by a software tool that we developed, is illustrated using a concrete case study.

Keywords: Adaptation, Control, JavaMOP, MAS, OMACS, Organization, Run Time Monitoring

INTRODUCTION

Over the last decade, MAS (Multi-Agent Systems) have been more and more used to solve a wide variety of problems in a range of applications such as distributed sensing, information retrieval, workflow and business process management, air traffic control and spacecraft control (Kamboj & Decker, 2008). Each of these systems has to be flexible, reliable

and capable of operating in open dynamic and unpredictable environments (Bernon, Gleizes, Peyruqueou, & Picard, 2003; Luck, McBurney, Shehory, & Willmott, 2005), where unplanned and unspecified changes may occur at run time (system objective can change, operational behaviour can evolve), agents are heterogeneous (don't have the same architecture, don't share necessary the same purposes), and they can migrate (enter or leave the system dynamically)

DOI: 10.4018/ijats.2014040104

(Penserini, Dignum, Staikopoulos, Aldewereld, & Dignum, 2009). In order to master these difficulties, MAS have evolved by integrating new dimensions such as: organizational, social, normative and institutional (M. V. Dignum, 2004; Ferber, Gutknecht, & Michel, 2004; Vázquez-Salceda, Aldewereld, & Dignum, 2004).

Nowadays, a new point of view has emerged; the organization-centred multi-agent systems. It consists in separating between agent and organization (a complex entity which has its own objectives), where the organization is independent of agents. According to this point of view, the global behaviour of MAS is dependent on their organizational structure, not on agents' individual behaviours (Ferber et al., 2004). This allows increasing the openness, heterogeneity and the adaptability of MAS.

In order to deal with unexpected events and changes of its environment, a MAS often has to reorganize itself, of course, according to an organizational model. However, the reorganization process must undergo some constraints and satisfy some safety and/or liveness properties. So that it can remain effective and continue to survive (V. Dignum, Dignum, & Sonenberg, 2004).

In the literature, several organizational models have been proposed. We can cite among others, AGR (Ferber et al., 2004), MOISE+ (Hübner, Sichman, & Boissier, 2002), OMNI (V. Dignum, Vázquez-Salceda, & Dignum, 2005), OperA (M. V. Dignum, 2004). However, none of these models have been designed to express the dynamism of the organization to provide the system with mechanisms for its reorganization; so that it can be ready for changes in its environment.

A more recent organizational model called OMACS (Organizational Model for Adaptive Computational Systems) has been proposed (DeLoach, Oyenon, & Matson, 2008; S. DeLoach, 2009). It allows capturing and providing the system with information about its structure and its capacity; so that it can reorganize itself dynamically, respond to changes in the environment and/or to the capacity of agents.

In this paper, we propose a novel approach to on-the-fly control of MAS organizations, which are specified and implemented using the Framework OMACS (S. DeLoach, 2009). The proposed control process is accomplished using the Framework JavaMOP (Monitoring Oriented Programming) (Meredith, Jin, Griffith, Chen, & Roşu, 2012) through the verification of certain reorganizational properties.

The remainder of this paper is organized as follows. In Section 2, we give a brief overview of major related work. We present a background of the proposed approach in Section 3. Section 4 illustrates the approach we propose. We present the environment supporting our approach in section 5. Section 6 gives some conclusions and future work directions.

RELATED WORK

Reorganization for adaptation represents an important area for researchers interested in MAS. In the last few years, some works have emerged in the literature in order to deal with controlling the adaptation process of MAS at the micro level as well as at the macro level.

There are two main categories of approaches. The first category, on-the-fly approaches based on monitoring the system trace (dynamically), which rely on events and aim at observing and analysing in order to control the behaviour of the system. These approaches usually observe the execution of the multi-agent system to define its current behavioural model. Then, this model is analysed and checked to detect or anticipate the undesirable behaviours (Horling, Benyo, & Lesser, 2001; Kaminka, Pynadath, & Tambe, 2002). (Guessoum, Ziane, & Faci, 2004) have used a graph of independence to cuter and monitor the dynamic evolution of the organization of a system (nodes are agents and the arcs are labelled with information susceptible to detect the undesirable behaviour). These approaches present useful solutions to the problem of monitoring and controlling the multi-agent system's behaviour. However, they

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the product's webpage:

www.igi-global.com/article/towards-a-new-approach-for-controlling-the-reorganization-process-of-multi-agent-systems/117206?camid=4v1

This title is available in InfoSci-Journals, InfoSci-Journal Disciplines Computer Science, Security, and Information Technology, InfoSci-Artificial Intelligence and Smart Computing eJournal Collection, InfoSci-Journal Disciplines Engineering, Natural, and Physical Science, InfoSci-Select.

Recommend this product to your librarian:

www.igi-global.com/e-resources/library-recommendation/?id=2

Related Content

Hierarchical Multi-Agent Plans Using Model-Based Petri Net

Said Brahim, Ramdane Maamri and Zaidi Sahnoun (2013). *International Journal of Agent Technologies and Systems* (pp. 1-30).

www.igi-global.com/article/hierarchical-multi-agent-plans-using-model-based-petri-net/87147?camid=4v1a

Instrument Validation for Strategic Business Simulation

Chris Schlueter Langdon (2007). *Application of Agents and Intelligent Information Technologies* (pp. 108-120).

www.igi-global.com/chapter/instrument-validation-strategic-business-simulation/5111?camid=4v1a

Future Trends for Conversational Agents

Diana Pérez-Marín and Ismael Pascual-Nieto (2011). *Conversational Agents and Natural Language Interaction: Techniques and Effective Practices* (pp. 395-400).

www.igi-global.com/chapter/future-trends-conversational-agents/54648?camid=4v1a

Asynchronous Modeling and Simulation with Orthogonal Agents

Roman Tankelevich (2012). *International Journal of Agent Technologies and Systems* (pp. 17-37).

www.igi-global.com/article/asynchronous-modeling-simulation-orthogonal-agents/75447?camid=4v1a