the rate of seven grains every four hours, and a gentle laxative given immediately.

June 1.—Has enjoyed a great deal of sleep; slough gone; tongue clean; swallows easily; has some appetite; pulse 76; eruption general, of a bright red.

The cure was completed with unusual rapidity.¹

ARTICLE IX.—*On Aggregation in the Dublin Lying-in Hospital.*

By J. MATTHEWS DUNCAN, M.D., Vice-President of the Medico-Chirurgical Society.

IN this short paper, I propose to inquire what information can be derived from the statistics of the Lying-in Hospital of Dublin, as to the influence of aggregation of lying-in women on their mortality. In the records of that institution, there have been accumulating, for above 100 years, facts bearing upon this point. These facts are embodied in a table, showing the number annually delivered, and the corresponding yearly mortality. This table may be got in various places. I shall use that which is to be found at p. 30 of Dr Evory Kennedy's little book, entitled, "Hospitalism and Zymotic Diseases," etc.

I suppose no one doubts that overcrowding the wards of a maternity or of any other hospital, is one of the most certain causes of danger and death to the inmates. On this great subject I do not now propose to say a single word. I mean to show what information can be derived, with certainty, from the records of the Dublin Hospital, as to the influence on mortality resulting from the bringing together of different numbers of lying-in women. In other words, does the experience of the Dublin Hospital show that there has been, in bringing together for lying-in a small number, greater mortality than in bringing together a large number for the same purpose?

This inquiry will be valuable with a view to throwing light on the present discussion regarding hospitals. The information derived will, for reasons already given elsewhere, be more reliable for this purpose than that obtained by studying corresponding amputation statistics. Further, the information derived will be, in my opinion, valuable, so far as it goes, to a degree which no other statistical information can approach, because of the long time and the large numbers involved in this great hospital's experience—above 190,000 cases, in 113 years. These data I here give in a tabular form:—

¹ The medicine as recommended in this paper may be obtained from Messrs Duncan, Flockhart, & Co., chemists, Edinburgh, and Messrs Murdoch Brothers, chemists, Glasgow.

TABLE I.—*Showing Death-Rate per Thousand of Patients in Dublin Lying-in Hospital for the Years 1757 to 1868 inclusive.*

Year.	Patients.	Deaths.	Per 1000.	Year.	Patients.	Deaths.	Per 1000.	Year.	Patients.	Deaths.	Per 1000.	Year.	Patients.	Deaths.	Per 1000.
1757	55	1	18.1	1785	1292	8	6.2	1813	2484	62	24.9	1841	2025	23	11.4
1758	454	8	17.6	1786	1351	8	5.9	1814	2508	25	9.9	1842	2171	21	9.7
1759	406	5	12.3	1787	1347	10	7.5	1815	3075	17	5.5	1843	2188	22	10.1
1760	556	4	7.2	1788	1469	23	15.7	1816	3276	18	5.5	1844	2176	14	6.4
1761	521	9	17.3	1789	1435	25	17.4	1817	3473	32	9.2	1845	1411	35	24.8
1762	533	6	11.3	1790	1546	12	7.8	1818	3539	56	15.8	1846	2025	17	8.4
1763	488	9	18.4	1791	1602	25	15.6	1819	3197	94	29.4	1847	1703	47	27.6
1764	588	12	20.4	1792	1631	10	6.1	1820	2458	70	28.5	1848	1816	35	19.3
1765	533	6	11.3	1793	1757	19	10.8	1821	2849	22	7.7	1849	2063	38	18.4
1766	681	3	4.4	1794	1543	20	12.9	1822	2675	12	4.1	1850	1980	15	7.6
1767	664	11	16.6	1795	1503	7	4.7	1823	2584	59	22.8	1851	2070	14	6.8
1768	655	16	24.4	1796	1621	10	6.2	1824	2446	20	8.2	1852	1963	11	5.6
1769	642	8	12.5	1797	1712	13	7.6	1825	2746	26	9.5	1853	1906	17	8.9
1770	670	8	11.9	1798	1604	8	4.9	1826	2440	81	33.2	1854	1943	37	19.0
1771	695	5	7.2	1799	1537	10	6.5	1827	2550	33	12.9	1855	1060	35	33.0
1772	704	4	5.7	1800	1337	18	13.5	1828	2856	43	15.1	1856	1600	25	15.6
1773	694	13	18.7	1801	1725	30	17.4	1829	2141	34	15.9	1857	1509	33	21.9
1774	681	21	30.8	1802	1985	26	13.1	1830	2288	12	5.2	1858	1084	30	27.7
1775	728	5	6.9	1803	2028	44	21.7	1831	2176	12	5.5	1859	1389	21	15.1
1776	802	7	8.7	1804	1915	16	8.4	1832	2242	12	5.4	1860	1404	26	18.5
1777	835	7	8.4	1805	2220	12	5.4	1833	2138	12	5.6	1861	1135	59	51.9
1778	927	10	10.8	1806	2406	23	9.6	1834	2024	34	16.8	1862	800	58	72.5
1779	1011	8	7.9	1807	2511	12	4.8	1835	1902	34	17.8	1863	1228	32	26.1
1780	919	5	5.4	1808	2665	13	4.9	1836	1810	36	19.9	1864	1184	26	21.9
1781	1027	6	5.8	1809	2889	21	7.3	1837	1833	24	13.1	1865	1332	30	22.5
1782	990	6	6.1	1810	2854	29	10.2	1838	2126	45	21.2	1866	1074	40	37.2
1783	1167	15	12.8	1811	2561	24	9.4	1839	1951	25	12.8	1867	1146	40	34.9
1784	1261	11	8.7	1812	2766	43	15.6	1840	1521	26	17.1	1868	1022	39	38.2

These data have, as might be expected, been already used by students of the influence of aggregation. Especially, Dr Evory Kennedy has availed himself of them; and trusting to them almost alone, he tries to establish the proposition, "that the generation and absorption of this contagion (of puerperal metria) is in a direct proportion to the number of parturient females cohabiting in a given number of feet of atmospheric space at their parturient period, or who breathe the same atmosphere when lying-in."—(*Hospitalism*, etc., p. 25.) So important does Dr Kennedy consider this proposition, that he calls it his Redan proposition; and it truly is so. If it is secure, his cause is gained, and *vice versa*.

Dr Kennedy has made no proper analysis of the table on which he founds his proposition, but trusts to what he calls a bird's-eye view of it, and to a running commentary on its figures.—(*Hospitalism*, p. 118.) Both of these processes of taking the evidence derivable from the table, are, to me at least, quite novel. To them Dr Grimshaw adds another "upon the system of curvilinear test."—(*Hospitalism*, p. 123.) All three methods prove nothing whatever—show nothing towards proof of the proposition. They are not calculated, as they stand, to show anything. There is only one way of extracting the evidence from the table, and Dr Kennedy has not tried it. Dr Kennedy presents nothing in the way of proof of his proposition. He makes many statements bearing upon it, which different physicians will value differently, but he gives no positive proof.

Criticising Dr Kennedy's grand proposition, Dr Denham, Dr Atthill, and Dr McClinton (*Dublin Quarterly Journal of Medical Science*, August 1869, pp. 276, 262, and 232), show, that so far from the data lending it any support, they at least appear to be hostile to it. While Dr Kennedy gives no statistical evidence in proof of his proposition, they adduce abundant evidence to show that it is in the highest degree improbable. For instance, Dr Atthill produces the following:—

TABLE II.

Years.	Deliveries.	Deaths.	Rates.
1800 to 1804 inclusive,	8,990	134	1 in 67
1805 to 1809 "	12,691	81	1 in 157
1864 to 1868 "	5,758	175	1 in 31

The mortality in these periods of the hospital's history is in a sort of inverse proportion to the deliveries. This table does not disprove Dr Kennedy's proposition. It renders it highly probable that Kennedy's proposition is opposed to truth. In favour of his own proposition, Dr Kennedy adduces no evidence nearly as strong as this of Dr Atthill's against it.

But the Dublin Hospital data can, without difficulty or strain, be made to yield direct and exact evidence on the influence of aggregation upon its inmates; evidence, as already said, of the highest

value, from the unity and other characters of delivery, from the length of the hospital's existence, and the consequent greatness of its figures. It is easy to avoid a misleading bird's-eye view, or a dangerous selection of special strongly-marked years that may favour a preconceived notion. The whole data can easily be interrogated, and the answer taken for every degree of aggregation. That answer will settle the question, so far as these invaluable hospital statistics can settle it, and the result will be certain and irrefragable. To obtain the solution of this question, then, I have arranged and tabulated the data as under:—

TABLE III.—*Showing Rate of Mortality per Thousand amongst the Inmates of the Dublin Lying-in Hospital for the Years from 1757 to 1868 inclusive, arranged according to the Number of Hundreds of Inmates.*

Women delivered.	Rate of Mortality per Thousand.			Number of Years or Observations.	Mean Age of Hospital.
	Lowest.	Average.	Highest.		
Less than 100	18.1	18.1	18.1	1	1
400 and under 500 . .	12.3	16.1	18.4	3	4
500 " 600 . .	7.2	13.5	20.4	5	6
600 " 700 . .	4.4	15.8	30.8	8	14
700 " 800 . .	5.7	6.3	6.9	2	17
800 " 900 . .	8.4	29.8	72.5	3	49
900 " 1000 . .	5.4	7.4	10.8	3	24
1000 " 1100 . .	5.8	25.0	38.2	6	78
1100 " 1200 . .	12.8	30.4	51.9	4	88
1200 " 1300 . .	6.2	13.7	26.1	3	55
1300 " 1400 . .	5.9	12.9	22.5	5	63
1400 " 1500 . .	15.7	19.1	24.8	4	64
1500 " 1600 . .	4.7	11.8	21.9	6	56
1600 " 1700 . .	4.9	9.7	15.6	5	51
1700 " 1800 . .	7.6	15.8	27.6	4	53
1800 " 1900 . .	13.1	17.4	19.9	3	84
1900 " 2000 . .	5.6	11.6	19.0	8	80
2000 " 2100 . .	6.8	13.9	21.7	6	81
2100 " 2200 . .	5.5	10.6	21.2	7	81
2200 " 2300 . .	5.2	5.3	5.4	3	66
2300 " 2400 . .	—	—	—	—	—
2400 " 2500 . .	8.2	20.9	33.2	5	62
2500 " 2600 . .	4.8	20.0	22.8	5	60
2600 " 2700 . .	4.1	4.5	4.9	2	59
2700 " 2800 . .	9.5	12.5	15.6	2	62
2800 " 2900 . .	7.3	11.0	15.1	4	61
2900 " 3000 . .	—	—	—	—	—
3000 " 3100 . .	5.5	5.5	5.5	1	59
3100 " 3200 . .	29.4	29.4	29.4	1	63
3200 " 3300 . .	5.5	5.5	5.5	1	60
3300 " 3400 . .	—	—	—	—	—
3400 " 3500 . .	9.2	9.2	9.2	1	61
3500 " 3600 . .	15.8	15.8	15.8	1	62

Any one can read off for himself the results of this table. It is well worthy of study; and to facilitate the observation of its general conclusions, I give another condensed view of its facts.

TABLE IV.—*Showing the Rate of Mortality per Thousand amongst the Inmates of the Dublin Lying-in Hospital, arranged according to the Numbers of Inmates.*

Women delivered.	Rate of Mortality per Thousand.			Number of Years or Observations.	Mean Age of Hospital.
	Lowest.	Average.	Highest.		
Less than 800	9.5	14.0	18.9	19	8
800 and under 1300 . .	7.7	21.3	39.9	19	59
1300 " 1800 . .	7.8	13.9	22.5	24	57
1800 " 2300 . .	7.2	11.8	17.4	27	78
2300 " 2800 . .	6.6	14.5	19.1	14	61
2800 " 3300 . .	11.9	12.8	13.9	7	61
3300 and upwards, . . .	12.5	12.5	12.5	2	61

Taking, then, the best data which, so far as I know, the world affords, as our sole, and as, in the meantime, a sufficient guide in this matter, we find that *the mortality of the Dublin Lying-in Hospital does not increase with the increased number of the inmates—does not rise with the aggregation. The mortality of the Dublin Lying-in Hospital is neither in the direct nor in the inverse ratio of the aggregation.*

The figures, indeed, seem to favour the view that the hospital is a better and safer institution the greater the aggregation. Certainly, a smaller proportional number die when there are many in it than when there are fewer. It is plain that we cannot look to aggregation as an important cause of mortality in the Dublin Hospital. This is a great practical result; for it sets inquiry into other directions to find out the hidden sources of increased mortality. Dr Kennedy's proposition, above quoted, is not only not proved by the data he refers to:—it is proved to be false. The opposite of his proposition is shown to be nearer the truth. With the fall of his Redan proposition, fall all his conclusions regarding puerperal fever and the advantages of small hospitals.

Although the supposed paramount evil influence of aggregation in this great hospital is now disproved, much more requires to be done with a view to discover and avert the causes of so-called metria, which is the chief source of variations in its death-rate.