

Psychology of Music

<http://pom.sagepub.com/>

The effects of musical training on verbal memory

Michael S. Franklin, Katherine Sledge Moore, Chun-Yu Yip, John Jonides, Katie Rattray and Jeff Moher

Psychology of Music 2008 36: 353 originally published online 1 April 2008

DOI: 10.1177/0305735607086044

The online version of this article can be found at:

<http://pom.sagepub.com/content/36/3/353>

Published by:



<http://www.sagepublications.com>

On behalf of:

sempre:

Society for Education, Music
and Psychology Research



<http://www.sagepub.com/content/36/3/353>
Society for Education, Music and Psychology Research

Additional services and information for *Psychology of Music* can be found at:

Email Alerts: <http://pom.sagepub.com/cgi/alerts>

Subscriptions: <http://pom.sagepub.com/subscriptions>

Reprints: <http://www.sagepub.com/journalsReprints.nav>

Permissions: <http://www.sagepub.com/journalsPermissions.nav>

Citations: <http://pom.sagepub.com/content/36/3/353.refs.html>

>> [Version of Record](#) - Jul 1, 2008

[OnlineFirst Version of Record](#) - Apr 16, 2008

[OnlineFirst Version of Record](#) - Apr 1, 2008

[What is This?](#)

The effects of musical training on verbal memory

Psychology of Music

Psychology of Music

Copyright © 2008

Society for Education, Music
and Psychology Research

vol 36(3): 353–365 [0305-7356
(200807) 36:3; 353–365]

10.1177/0305735607086044
<http://pom.sagepub.com>

MICHAEL S. FRANKLIN, KATHERINE SLEDGE MOORE,
CHUN-YU YIP AND JOHN JONIDES

UNIVERSITY OF MICHIGAN, USA

KATIE RATTRAY

VANDERBILT UNIVERSITY SCHOOL OF NURSING, USA

JEFF MOHER

JOHNS HOPKINS UNIVERSITY, USA

ABSTRACT A number of studies suggest a link between musical training and general cognitive abilities. Despite some positive results, there is disagreement about which abilities are improved. One line of research leads to the hypothesis that verbal abilities in general, and verbal memory in particular, are related to musical training. In the present article, we review this line of research and present newly collected data comparing trained musicians to non-musicians on a number of tasks that recruit verbal memory. The results showed an advantage for musicians' long-term verbal memory that disappeared when articulatory suppression was introduced. In addition, we found evidence for a greater verbal working memory span in musicians. Together, these results show that musical training may influence verbal working memory and long-term memory, and they suggest that these improved abilities are due to enhanced verbal rehearsal mechanisms in musicians.

KEYWORDS: *articulatory suppression, memory span, working memory*

Introduction

The question of whether the benefits of music training extend beyond musical abilities per se has been asked by a number of researchers. While there is often variability in findings relating to this question, training studies and studies comparing skilled musicians to non-musicians have revealed two domains of non-musical skill that tend to benefit from musical training: spatial abilities (Bilhartz et al., 1999; Costa-Giomi, 1999; Drake and Palmer, 2000; Gaser and Schlaug, 2003; Hassler et al., 1985; Leng et al., 1990; Rauscher and Zupan, 2000; Rauscher et al., 1995) and verbal memory (Brandler and Rammsayer, 2003; Chan et al., 1998; Helmbold et al., 2005; Ho et al., 2003; Ohnishi et al. 2001; Schlaug et al., 1995a). In this article, we focus on the reported verbal memory advantage for musicians.

One of the first studies to show a verbal memory advantage for musicians was conducted by Chan et al. (1998). They compared skilled musicians who had at least six years of training to controls with no musical training. Participants were administered a verbal learning task in which they heard a list of 16 words read aloud three times and had to recall as many words as possible each time the list was read. The results showed that the musicians had significantly higher recall scores than the non-musicians. In another study by Jakobson et al. (2003), adults with a wide range of musical training performed a list-learning task, having to report on the order of syllables that were presented aurally. This task was designed to investigate verbal working memory. The authors found a positive correlation between years of musical training and performance on this task. They suggested that musical training might have enhanced auditory temporal processing skills, allowing for fine discriminations among rapidly changing acoustic events. A third study by Brandler and Rammsayer (2003) provides an even stronger account of the specific relationship between musicality and verbal skills, as verbal memory was the only cognitive test from an entire battery that showed a difference between musicians and non-musicians.

It should be noted, though, that not all studies investigating verbal memory for musicians have yielded similar results. In a follow-up study to that by Brandler and Rammsayer (2003), perceptual speed of processing was the only test that showed a difference between musicians and non-musicians (Helmbold et al., 2005). Because this study had twice as many participants as the original, and because it better controlled for variables such as sex, age, and level of education, the authors concluded that their previous results revealing a verbal memory advantage for musicians may have been due to sampling error. However, studies that utilize training protocols, as described below, have also revealed these verbal memory effects, suggesting that the previously discussed findings cannot be so easily dismissed.

The studies discussed so far involve groups of participants who either already have musical training, or do not. Because of this, it becomes difficult to determine whether group differences (i.e. between musicians and non-musicians) are due to musical training or are instead related to other factors such as personality or motivation that lead people to pursue extensive training in music. In contrast, training studies involve randomly assigning children to different groups, administering musical training to the experimental group, and then comparing the experimental group to untrained controls on cognitive tasks. These studies offer stronger evidence for the relationship between verbal memory and training in music because they involve random assignment and experimental manipulation, and therefore they eliminate self-selection factors.

In one such study, Ho et al. (2003) showed that musical training improves verbal but not visual memory skills. They used a hybrid cross-sectional and longitudinal design involving 90 children aged six to 15 years, each having one to five years of musical training. In the cross-sectional part of the study, the researchers tested children at different stages in their chronological and musical development on both verbal and visual memory tasks. Musical training correlated significantly with verbal but not visual memory. The longitudinal aspect of the study included a one-year follow-up of these children as well as new ones who had just started music lessons. Three groups were formed: those with experience who continued lessons; those with musical

training who discontinued their lessons; and those who were new to musical training. At pre-test, the beginners performed worse than the musically experienced groups on a verbal memory task, but at post-test, they had caught up with the children who had discontinued lessons. The experienced children who continued lessons performed the best. In the visual memory tasks, all children improved equally, though there was a trend toward lessons making a positive difference. The training portion of this study thus shows that verbal but not visual-spatial memory may be improved with musical training.

In a comprehensive study involving 144 six-year-olds, Schellenberg (2004) demonstrated that children exposed to one school-year of musical training had a greater increase in IQ-score as compared to children who were in control conditions. IQ was primarily measured using the Wechsler Intelligence Scale for Children – Third Edition (WISC–III; Wechsler, 1991), which contains a variety of subscales that examine particular subsets of intellectual abilities, such as verbal and spatial-temporal skills. There were two music groups, one of which received keyboard and the other voice lessons. In order to demonstrate that musical training is special above and beyond arts lessons more generically, one of the control groups received drama lessons while the other received no lessons. While all groups significantly improved in IQ, likely because of starting their first year of formal schooling, the music-lesson groups improved their IQ scores by an additional three points compared to the drama and no-lessons groups. The increase in IQ was distributed across different subtests, including those that measure verbal memory. Since the advantages for trained musicians on these tests were not uniquely related to verbal memory, Schellenberg concluded that musical training causes general improvement in cognition.

In addition to the training studies and studies comparing musicians to non-musicians, there is also neuro-imaging evidence consistent with improved verbal memory for musicians. A study by Ohnishi et al. (2001) used functional magnetic resonance imaging (fMRI) to investigate differences in cortical activation between musicians and non-musicians during a passive listening task. The results provide evidence linking musical expertise to verbal areas. Specifically, the authors found differences between musicians and non-musicians in the degree of activation of the planum temporale (PT) and left dorso-lateral prefrontal cortex (DLPFC), with musicians showing greater activation. The left PT, also known as Wernicke's area, is associated with language comprehension. The authors found that the degree of activation in the PT was correlated with the age at which the participant started musical training. Schlaug and colleagues (1995a) reported results consistent with this study when comparing structural MRI images of musicians and non-musicians. Specifically, they discovered that there was more PT asymmetry (larger on the left side) in musicians than in non-musicians. The authors described this asymmetry as potentially relating to language and pitch-processing skills. In addition to these MRI studies, a number of studies using EEG have shown that when musicians and non-musicians are compared, musicians often demonstrate greater left-hemisphere lateralization when presented with musical stimuli (Besson et al., 1994; Bever and Chiarello, 1974; Hirshkowitz et al., 1978). Additionally, a recent study by Fujioka et al. (2006) used magnetoencephalography (MEG) to compare brain activation of four- to six-year-olds while listening to violin tones. Several MEG components were shown to become more

left-lateralized in a subset of the participants who received music lessons throughout a year. Together, these studies support the idea that musical training may affect brain structures relating to verbal abilities and verbal memory in particular.

In the present study, we sought to investigate further the link between musical training and verbal memory with trained musicians and non-musicians equated in age, education, standardized testing scores (SATs), grade-point average (GPA), and scores on the Raven's Advanced Progressive Matrices Test (often used to test for fluid intelligence). In phase 1, we tested the long-term verbal memory effect, attempting to replicate the verbal memory advantage reported by Chan et al. (1998) by using a standardized memory test (the RAVLT).¹ In phase 2, we extended this work by introducing articulatory suppression within the same verbal memory test in order to interfere with verbal rehearsal processes. We also tested working memory for verbal information using the reading-span and operation-span tasks. Based on previous work, we hypothesize that musicians would have an advantage for verbal memory and that because this advantage may be because of an enhanced verbal rehearsal mechanism, articulatory suppression should eliminate musicians' advantage on this task. Also, we expected musicians to perform better on verbal *working* memory tasks as well as verbal long-term memory tasks because of their taking advantage of a more developed verbal rehearsal mechanism.

Methods

Data were collected from two groups of participants: musicians and non-musicians. The trained musicians all conformed to the following criteria:

- formal training in music began at age 10 or younger;
- at least nine years of continuous training in music;
- currently played and practiced at least 15 hours/week;
- enrolled in an undergraduate or graduate music program; and
- a self-rated sight-reading skill of 4 or better on a seven-point scale.

The controls were recruited for the study based on the following criteria:

- did not currently play an instrument;
- no history of playing an instrument prior to age 10;
- never played an instrument for longer than one year; and
- a self-rated sight-reading skill of 1 on a seven-point scale.

We also collected demographic information from all participants, which included education level, GPA, and standardized testing scores (SATs or ACTs, which we converted to the same scale as the SAT scores for uniformity).

The experiment was conducted in two phases. For phase 1, we tested 12 musicians and 13 non-musicians. In phase 2, there were 11 musicians and 9 non-musicians. Tables 1 and 2 display participants' demographic information for phases 1 and 2, including gender, age, education, SAT, and GPA. Also included are the *p*-values calculated from the *t*-tests (two-tailed) comparing musicians to non-musicians on these variables. Education was calculated by assigning participants a number according to the amount of education (freshman = 1, sophomore = 2, junior = 3, senior = 4,

TABLE 1 *Demographic information and the p-values for a two-tailed t-test comparing musicians and non-musicians in phase 1*

	Musicians (N = 12)	Non-musicians (N = 13)	p-value
Gender	9 females	10 females	
SAT	1283.54	1250.83	0.67
Education	2.07	2.84	0.08
Age	19.53	19.92	0.36
GPA	3.32	3.42	0.71

TABLE 2 *Demographic information and the p-values for a two-tailed t-test comparing musicians and non-musicians in phase 1*

	Musicians (N = 11)	Non-Musicians (N = 9)	p-value
Gender	4 females	6 females	
SAT	1256.67	1295.71	0.64
Education	3.81	3.40	0.57
Age	21.90	21.30	0.69
GPA	3.33	3.02	0.36

BA/BS = 5, master's = 6).² There were no statistically significant differences between musicians' and non-musicians' education, GPA, or SAT levels (all p -values $> .05$).

RAVEN'S ADVANCED PROGRESSIVE MATRICES TEST

The Raven's test was administered to all participants as a measure of fluid intelligence. In this test, participants are shown a pattern consisting of eight figures with a ninth missing, and they are asked to select from among eight choices the figure that completes the pattern. There are 36 items in the test. This test measures what is often referred to as fluid intelligence – the ability to develop new insights and to form largely non-verbal constructs that facilitate the handling of complex problems. As participants move through the task, the problems become progressively more difficult.

KEY AUDITORY VERBAL LEARNING TEST (RAVLT)

The RAVLT uses a list-learning paradigm to measure participants' verbal memory capacity. A list of 15 words (list A) is read aloud at the rate of one word per second. At the end of the list, participants are instructed to recall as many words as they can, in any order. This process is repeated four more times for a total of five 'learning' trials. Following the fifth learning trial, a different, interfering list (list B) is read, and participants are asked to recall the words from this list. Immediately following this recall, participants are again asked to recall the words from List A (without hearing the list again). After a 30-minute delay, participants are asked to recall the words from list A yet again. Finally, as a recognition test, participants are shown a list of 30 words, and are instructed to select the words from the list that they recognize as being part of list A. In phase 1 of our experiment, participants were administered the RAVLT in its canonical form, as just described. In phase 2, participants were given the additional instruction of saying the word 'the' between each word read from the list, an implementation of the technique of articulatory suppression (Baddeley et al., 1975). Articulatory suppression is a technique that prevents participants from

rehearsing verbal material to aid its storage in working memory and to aid in the transfer of this information into long-term memory. This technique has not been used in other studies that investigate musicians' verbal memory skills. We used articulatory suppression to probe whether any potential differences in verbal memory between musicians and non-musicians might be due to differences in strategies used to aid memorability, rather than to a structural difference in the memory stores themselves between the groups of participants. If musicians' performance changes (i.e. performance decreases) with articulatory suppression more than control participants, this would suggest that an overt rehearsal strategy is being used to benefit performance. Superior performance for musicians in the RAVLT with articulatory suppression would suggest that there is not an underlying rehearsal strategy that aids musicians' verbal memory; rather, increased performance is likely because of a general ability to store more verbal information.

VERBAL WORKING MEMORY

Two tests of verbal working were administered during phase 2. These were the reading span and operation span tasks.

Reading span

The reading span task is designed to assess verbal working memory. On each trial, participants are shown a sentence (which may or may not make sense) followed by a question mark and then a capitalized letter. They are asked to read the sentence aloud, say aloud whether the sentence makes sense or not ('Yes' or 'No'), and then finally read the capitalized letter out loud. After a certain number of trials, (from two to five, depending on the set) participants must recall and write down as many of the letters as they can from that particular set, in correct serial order.

Operation span

The operation span task is very similar to the reading span task, and is also designed to assess verbal working memory. In this test, instead of reading a sentence followed by a letter on each trial, participants see a simple arithmetic problem (such as 'Is $(2 \times 3) + 1 = 7$?') followed by a word. Participants read the problem aloud, respond aloud whether the equation is mathematically correct, and then read the word aloud. After a number of trials, participants are asked to recall and write down as many of the words as they can in the correct serial order.

Results

RAVEN'S

For both phase 1 (musicians: mean = 27.6, SD = 4.2; non-musicians: mean = 25.7, SD = 3.9) and phase 2 (musicians: mean = 25.7, SD = 7.9; non-musicians: mean = 28.3, SD = 5.2), *t*-tests revealed no significant difference between the Raven's scores for musicians and non-musicians ($p > .05$ for both). To this should be added the result of our selection of participants that equated the two groups on SAT scores and GPAs. Among these results, we see no reason to suppose that the two groups of participants differed on standard measures of aptitude or achievement.

LONG-TERM VERBAL MEMORY

For the RAVLT, one-tailed *t*-tests were used because previous research has shown an advantage in verbal memory for musicians. The present results reveal significant differences between musicians and non-musicians (see Figures 1 and 2). In phase 1, the largest difference was seen when combining participants' performance for the first five trials (musicians: mean = 60.7, SD = 7.2; non-musicians: mean = 53.0, SD = 5.7; $t(24) = 3.17$, $p = 0.004$). These differences disappeared with articulatory




FIGURE 1 Shows performance of musicians and non-musicians on the RAVLT during phase 1. Overall, musicians perform better on this task.




FIGURE 2 Shows performance of musicians and non-musicians on the RAVLT during phase 2, in which articulatory suppression was introduced. With this manipulation, there is no longer a difference between musicians and non-musicians.

suppression in phase 2 (musicians: mean = 55.3, SD = 8.8; non-musicians: mean = 53.1, SD = 4.7; $t(19) = 1.19$, $p = 0.31$). The RAVLT also includes an index of long-term memory that results from a delayed recall test. There was a difference in this long-term index between groups (musicians: mean = 12.2, SD = 2.9; non-musicians: mean = 10.1, SD = 2.8; $t(24) = 2.10$, $p = 0.04$) in phase 1, but this difference was not present with the introduction of articulatory suppression in phase 2 (musicians: mean = 11.7, SD = 2.7; non-musicians: mean = 11.4, SD = 1.9; $t(19) = 0.84$, $p = 0.41$). The results of phase 1 show that musical skill is related to verbal memory performance. The fact that this superior performance for musicians is erased by the introduction of articulatory suppression raises a hypothesis about the mechanism that results in superior verbal memory performance for the musicians. Trained musicians appear to be making better use of rehearsal strategies for the verbal material.

VERBAL WORKING MEMORY

Reading span

A marginally significant difference between musicians and non-musicians was revealed by *t*-tests (one-tailed) ($t(19) = 1.78$, $p = 0.08$), with musicians scoring higher (mean = 34.6, SD = 7.5) than non-musicians (mean = 29.67, SD = 8.3). One of the musicians had difficulty with the reading span task, having an absolute score of 0. If this subject is removed from the analysis, then the difference between musicians and non-musicians becomes significant ($t(18) = 2.60$, $p = 0.01$).

Operation span

A significant difference between musicians and non-musicians was revealed by *t*-tests (one-tailed) ($t(19) = 2.86$, $p = 0.01$), with musicians scoring higher (mean = 32.6, SD = 6.5) than non-musicians (mean = 23.0, SD = 7.8).

Thus, the two working memory tasks, taken together, point toward a difference in verbal working memory capacity between musicians and non-musicians.

Discussion

The results from the present experiment are consistent with a number of previous studies and therefore strengthen the claim that verbal memory skills are better for skilled musicians than non-musicians. Specifically, we report an advantage for musicians in a test of verbal memory in phase 1 of the experiment. In phase 2, articulatory suppression was introduced and the difference between groups was no longer reliable. Additionally, we found a greater verbal working memory capacity for musicians. Together, these results provide new evidence that verbal rehearsal mechanisms are contributing to a verbal memory advantage that accompanies skill in music.

Other researchers have suggested that musical training affects non-musical verbal abilities because musical training aids in the development of the auditory cortex and related areas (Brandler and Rammsayer, 2003; Chan et al., 1998; Helmbold et al., 2005; Ho et al., 2003; Ohnishi et al., 2001; Schlaug et al., 1995a). Specifically, there are reports of an increased volume of the planum temporale (Schlaug et al., 1995a) and greater left-sided lateralization or more left-hemisphere activation during a listening task (Ohnishi et al., 2001). These studies suggest that there may be a

relationship between the structural differences in musicians' brains and verbal memory processes in that verbal memory, both long-term and short-term, makes use of left-hemisphere structures. What we have found in the present study is that the behavioral outcomes associated with verbal memory may be a result of enhanced use of verbal rehearsal processes both to store information temporarily in working memory and to aid in the creation of longer-term traces of that information. The inference about rehearsal comes from the leveling effect that articulatory suppression has on the verbal memory advantage shown by musicians. In turn, then, it may be that the structural brain differences that have been documented between musicians and non-musicians may reflect an enhanced development of rehearsal strategies that mediates better memory performance.

What of causation? That is, is it musical training that results in enhanced use of rehearsal, or is it that people who become musicians are somehow a self-selected sample of the population with enhanced cognitive skill in a wider range of tasks? Our study provided a good match between musicians and non-musicians on at least gross measures of cognitive skill, including aptitude and achievement measures, and still we found verbal memory differences. So, if musicians are a more highly self-selected sample, they are not so on all cognitive measures. Also, correlational evidence of the type found by Jakobsen et al. (2003) suggests a direct relation between amount of musical training and increases in verbal memory. If musicians just happen to have greater verbal memory abilities then one would not expect more musical training to necessarily lead to greater increases in verbal memory. Likewise, findings by Schlaug et al. (1995a, 1995b), showing that certain structural differences in the brain depend upon the age in which training begins, suggest that musical training is responsible for altering brain morphology, which likely leads to subsequent behavioral correlates.

While it is impossible from this single study to infer a causal relationship between musical training and the verbal memory advantage, a growing number of studies, when taken together, are beginning to provide evidence for a causal link. For example, one might claim that it is a pre-existing verbal memory advantage among musicians that biases this group toward taking music lessons, rather than the training itself being the vehicle underlying verbal-memory improvement. However, a piece of evidence against this possibility comes from the training studies described earlier. These training studies, using a randomized-assignment, pre-test and post-test design showed differences in verbal memory specific to a musical training intervention. Additionally, a recent study by Norton et al. (2005) is beginning to answer the question of whether the structural brain differences reported between musicians and non-musicians might already exist in children who are more likely to begin and ultimately continue with musical training. In this study, the authors compared beginning musicians aged five to seven years to their non-musician peers and found no pre-existing neural, cognitive or motor differences. This study is part of an ongoing within-subjects longitudinal study that will be crucial in determining the causal link between musical training, cognitive skills, and brain morphology/function. Our own results challenge training studies of this sort to include detailed measures of verbal memory among the outcome measures in that it is now becoming clearer that verbal memory is one of the sequelae to advanced musical skill.

Besides the evidence supporting greater development of and/or reliance on left-hemisphere structures related to musicianship, a number of studies report an improvement of spatial skills as well (Bilhartz et al., 1999; Costa-Giomi, 1999; Drake and Palmer, 2000; Gaser and Schlaug, 2003; Hassler et al., 1985; Leng et al., 1990; Rauscher and Zupan, 2000; Rauscher et al., 1995). Probably the most commonly discussed phenomenon of this sort has been the Mozart Effect. Rauscher and colleagues (1993) showed that after just 10 minutes of listening to a Mozart sonata, participants performed better on three separate spatial IQ tasks as compared to controls who were listening to a relaxation tape or silence in the same 10-minute period. A number of follow-up studies have extended the original finding. The general consensus about this line of research is that improved performance on cognitive tasks does not result from listening to a particular type of music, or even to music specifically. Rather, enhancing one's mood or arousal before performing a cognitive task will improve performance (Chabris et al., 1999; Schellenberg, 2005).

Despite the controversy about the Mozart Effect, other studies that focused on musical training rather than simply listening to music have shown improvement in spatial ability related to training. Bilhartz et al. (1999) performed a training study finding that out of all of the subtests (including ones measuring both verbal and visual skills), the only test to show a significant difference (with the musically trained group performing better) was the bead memory task, which is a visual-spatial task in which participants have to remember the temporal order of objects. Other visual-spatial tasks that did not involve ordering did not show significant effects, and neither did any verbal task. Rauscher and Zupan (2000) performed a similar training study. After just four months of training, the experimental group performed better at spatial tasks, and the difference was even larger after eight months. A control test on pictorial memory (a visual, but not spatial task) did not yield a difference between the groups. In a third keyboard training study, Costa-Giomi (1999) targeted children aged nine to 12 years from low-income families to participate for three years of lessons. Her impetus stemmed from the fact that most studies of musical effects on cognition have focused on the typical upper-middle-class musician, with less attention to lower-income children. The experimental group showed a larger increase in spatial reasoning skills, but there were no differences found in verbal or quantitative skills.

This review suggests that the adult cross-sectional studies are more consistent in finding a difference in verbal memory between musicians and non-musicians, while the training studies on children are less uniform in this finding and overall seem to suggest that spatial skills are enhanced with musical training. It is possible that over time and through musical training, shifts occur in brain organization and function that lead to the integration of language areas in musical processing. This may be why the present study and others that compare adult musicians and non-musicians tend to show a verbal memory advantage, while the positive effects reported from training studies involving a few years of training in children predominate in the spatial-temporal domain.

A number of issues still remain unsettled when considering the relation between musical training and cognition. It is hoped that the present work will help clarify this relation by providing more evidence that musical training affects verbal long-term and working memory and showing that enhanced verbal rehearsal mechanisms are likely responsible for musicians' verbal memory advantage.

ACKNOWLEDGEMENT

This work was supported by the Dana Foundation.

NOTES

1. The RAVLT is commonly used as a measure of a person's ability to encode, consolidate, store, and retrieve verbal information. This has led to its use as a sensitive test of verbal learning and memory (see Schmidt, 1996 for a review; see Yamashita et al., 2005 for an example of the RAVLT used with schizophrenia patients).
2. Freshman = year 1 of undergraduate program, sophomore = year 2, junior = year 3, senior = year 4, BA = completed a 4-year degree in the arts, BS = completed a 4-year degree in the sciences.

REFERENCES

- Baddeley, A.D., Thompson, N. and Buchanan, M. (1975) 'Word Length and the Structure of Short-term Memory', *Journal of Verbal Learning and Verbal Behavior* 14: 575–89.
- Besson, M., Faita, F. and Requin, J. (1994) 'Brain Waves Associated with Musical Incongruities Differ for Musicians and Non-musicians', *Neuroscience Letters* 168(1–2): 101–5.
- Bever, T.G. and Chiarello, R.J. (1974) 'Cerebral Dominance in Musicians and Non-musicians', *Science* 185(4150): 537–9.
- Bilhartz, T.D., Bruhn, R.A. and Olson, J.E. (1999) 'The Effect of Early Music Training on Child Cognitive Development', *Journal of Applied Developmental Psychology* 20(4): 615–36.
- Brandler, S. and Rammsayer, T.H. (2003) 'Differences in Mental Abilities between Musicians and Non-musicians', *Psychology of Music* 31(2): 123–38.
- Chabris, C.F., Steele, K.M. and Bella, S.D. (1999) 'Prelude or Requiem for the "Mozart Effect"?', *Nature* 400(6747): 826–8.
- Chan, A.S., Ho, Y.-C. and Cheung, M.-C. (1998) 'Music Training Improves Verbal Memory', *Nature* 396(6707): 128.
- Costa-Giomi, E. (1999) 'The Effects of Three Years of Piano Instruction on Children's Cognitive Development', *Journal of Research in Music Education* 47(3): 198–212.
- Drake, C. and Palmer, C. (2000) 'Skill Acquisition in Music Performance: Relations between Planning and Temporal Control', *Cognition* 74(1): 1–32.
- Fujioka, T., Ross, B., Kakigi, R., Pantev, C. and Trainor, L. (2006) 'One Year of Musical Training Affects Development of Auditory Cortical-evoked Fields in Young Children', *Brain* 129: 2593–8.
- Gaser, C. and Schlaug, G. (2003) 'Brain Structures Differ between Musicians and Non-musicians', *Journal of Neuroscience* 23(27): 9240–5.
- Hassler, M., Birbaumer, N. and Feil, A. (1985) 'Musical Talent and Visual-spatial Abilities: A Longitudinal Study', *Psychology of Music* 13(2): 99–113.
- Helmbold, N., Rammsayer, T. and Altenmüller, E. (2005) 'Differences in Primary Mental Abilities between Musicians and Non-musicians', *Journal of Individual Differences* 26(2): 74–85.
- Hirshkowitz, M., Earle, J. and Paley, B. (1978) 'EEG Alpha Asymmetry in Musicians and Non-musicians: A Study of Hemispheric Specialization', *Neuropsychologia* 16(1): 125–8.
- Ho, Y.-C., Cheung, M.-C. and Chan, A.S. (2003) 'Music Training Improves Verbal but not Visual Memory: Cross-sectional and Longitudinal Explorations in Children', *Neuropsychologia* 17(3): 439–50.
- Jakobson, L.S., Cuddy, L.L. and Kilgour, A.R. (2003) 'Time Tagging: A Key to Musicians' Superior Memory', *Music Perception* 20(3): 307–13.

- Leng, X.D., Shaw, G.L. and Wright, E.L. (1990) 'Coding of Musical Structure and the Trion Model', *Music Perception* 8(1): 49–62.
- Norton, A., Winner, E., Cronin, K., Overy, K., Lee, D.J. and Schlaug, G. (2005) 'Are there Pre-existing Neural, Cognitive, or Motoric Markers for Musical Ability?' *Brain and Cognition* 59(2): 124–34.
- Ohnishi, T., Matsuda, H., Asada, T., Aruga, M., Hirakata, M., Nishikawa, M., Katoh, A. and Imabayashi, E. (2001) 'Functional Anatomy of Musical Perception in Musicians', *Cerebral Cortex* 11: 754–60.
- Rauscher, F.H. and Zupan, M.A. (2000) 'Classroom Keyboard Instruction Improves Kindergarten Children's Spatial-temporal Performance: A Field Experiment', *Early Childhood Research Quarterly* 15(2): 215–28.
- Rauscher, F.H., Shaw, G.L. and Ky, K.N. (1993) 'Music and Spatial Task Performance', *Nature* 365(6447): 611.
- Rauscher, F.H., Shaw, G.L. and Ky, K.N. (1995) 'Listening to Mozart Enhances Spatial-temporal Reasoning: Towards a Neurophysiological Basis', *Neuroscience Letters* 185(1): 44–47.
- Schellenberg, E.G. (2004) 'Music Lessons Enhance IQ', *Psychological Science* 15(8): 511–14.
- Schellenberg, E.G. (2005) 'Music and Cognitive Abilities', *Current Directions in Psychological Science* 14(6): 317–20.
- Schlaug, G., Jancke, L., Huang, Y. and Steinmetz, H. (1995a) 'In Vivo Evidence of Structural Brain Asymmetry in Musicians', *Science* 267: 699–701.
- Schlaug, G., Jancke, L., Huang, Y., Staiger, J.F. and Steinmetz, H. (1995b) 'Increased Corpus Callosum Size in Musicians', *Neuropsychologia* 33: 1047–55.
- Schmidt, M. (1996) *Key Auditory and Verbal Learning Test: A Handbook*. Los Angeles, CA: Western Psychological Services.
- Wechsler, D. (1991) *Wechsler Intelligence Scale for Children – Third Edition*. San Antonio, TX: Psychological Corp.
- Yamashita, C., Mizuno, M., Nemoto, T. and Kashima, H. (2005) 'Social Cognitive Problem Solving in Schizophrenia: Associations with Fluency and Verbal Memory', *Psychiatry Research* 134: 123–9.

MICHAEL S. FRANKLIN received his BS in Psychology and Zoology from the University of Wisconsin, Madison and an MS from Tulane University in Psychology. He is currently pursuing a PhD in Psychology at the University of Michigan, Ann Arbor, in the cognition and perception area.

Address: Department of Psychology, University of Michigan, 530 Church Street, Ann Arbor, MI 48109–1430, USA. [email: msfrankl@umich.edu]

KATIE RATTRAY received her BS in Cognitive Neuroscience from Vanderbilt University in 2003. She is currently at the Vanderbilt University School of Nursing, completing her master's degree in Acute and Critical Care.

Address: 3101 West End Ave. #213, Nashville, TN 37203, USA. [email: k.ratray@vanderbilt.edu]

KATHERINE SLEDGE MOORE is a National Science Foundation graduate fellow in the cognition and perception area of psychology. She earned her BA from the University of Pennsylvania, with a major in Cognitive Science and a minor in Music. Katherine's research interests are in selective attention and working memory.

Address: Department of Psychology, University of Michigan, 530 Church Street, Ann Arbor, MI 48109–1430, USA. [email: mooreks@umich.edu]

JEFF MOHER earned his BS in Psychology from the University of Michigan, Ann Arbor. He is currently a graduate student in psychology at Johns Hopkins University.
Address: Department of Psychological and Brain Sciences, The Johns Hopkins University, 3400 N. Charles St., Baltimore, MD 21218–2686, USA. [email: jmoher@jhu.edu]

CHUN-YU YIP received his BS degree in Electrical Engineering from Cornell University, and is currently a PhD candidate in the Electrical Engineering and Computer Science Department in University of Michigan, Ann Arbor. He is a member of the Functional MRI Laboratory, in which he is researching on techniques of recovering susceptibility-induced signal loss in functional MRI. He is an amateur string player.
Address: Functional MRI Laboratory, 2360 Bonisteel Ave., Ann Arbor, MI 48109–2108, USA. [email: chunyuy@umich.edu]

JOHN JONIDES is the Daniel J. Weintraub Professor of Psychology and Neuroscience at the University of Michigan. In addition, he is co-Director of the functional Magnetic Resonance Imaging Laboratory and editor of the journal *Cognitive, Affective, and Behavioral Neuroscience*. For over 20 years, Dr Jonides's research program has been concerned with understanding many aspects of working memory. Included in that program has been a substantial body of work to chart the characteristics of information storage in working memory. Also included is more recent research concerning the mechanisms of executive processing.
Address: Department of Psychology, University of Michigan, 530 Church Street, Ann Arbor, MI 48109–1430, USA. [email: jjonides@umich.edu]