

# Dashboards in Healthcare Settings: A Scoping Review Protocol

Danielle Helminski, Jacob E. Kurlander, Anjana Deep Renji, Jeremy B. Sussman, Paul N. Pfeiffer, Marisa L. Conte, Oliver Jintha Gadabu, Alex N. Kokaly, Rebecca Goldberg, Allison Ranusch, Laura Damschroder, Zach Landis-Lewis

Submitted to: JMIR Research Protocols  
on: November 11, 2021

**Disclaimer:** © The authors. All rights reserved. This is a privileged document currently under peer-review/community review. Authors have provided JMIR Publications with an exclusive license to publish this preprint on its website for review purposes only. While the final peer-reviewed paper may be licensed under a CC BY license on publication, at this stage authors and publisher expressly prohibit redistribution of this draft paper other than for review purposes.

## ***Table of Contents***

---

<b>Original Manuscript</b> .....	<b>5</b>
<b>Supplementary Files</b> .....	<b>24</b>
Multimedia Appendixes .....	<b>25</b>
Multimedia Appendix 1.....	<b>25</b>



# Dashboards in Healthcare Settings: A Scoping Review Protocol

Danielle Helminski<sup>1\*</sup> MPH; Jacob E. Kurlander<sup>1,2,3\*</sup> MD, MS; Anjana Deep Renji<sup>4</sup> MBA; Jeremy B. Sussman<sup>1,2,3</sup> MD, MS; Paul N. Pfeiffer<sup>2,3,5</sup> MD, MS; Marisa L. Conte<sup>4,6</sup> MLiS; Oliver Jintha Gadabu<sup>4</sup> PhD, MPH; Alex N. Kokaly<sup>7</sup> MD, MHSA; Rebecca Goldberg<sup>8</sup> BS; Allison Ranusch<sup>3</sup> MA; Laura Damschroder<sup>3</sup> MPH, MS; Zach Landis-Lewis<sup>4</sup> PhD, MLiS

<sup>1</sup>Department of Internal Medicine University of Michigan Ann Arbor US

<sup>2</sup>Institute for Healthcare Policy and Innovation University of Michigan Ann Arbor US

<sup>3</sup>VA Ann Arbor Center for Clinical Management Research (CCMR) Ann Arbor US

<sup>4</sup>Department of Learning Health Sciences University of Michigan Ann Arbor US

<sup>5</sup>Department of Psychiatry University of Michigan Ann Arbor US

<sup>6</sup>Taubman Health Sciences Library University of Michigan Ann Arbor US

<sup>7</sup>Department of Medicine UCLA Health Los Angeles US

<sup>8</sup>University of Michigan Medical School Ann Arbor US

\*these authors contributed equally

## Corresponding Author:

Danielle Helminski MPH

Department of Internal Medicine

University of Michigan

2800 Plymouth Road, NCRC Building 14

Ann Arbor

US

## Abstract

**Background:** Healthcare organizations increasingly depend on business intelligence tools, including “dashboards,” to capture, analyze, and present data on performance metrics. Ideally, dashboards allow users to quickly visualize actionable data to inform and optimize clinical and organizational performance. In reality, dashboards are typically embedded in complex healthcare organizations, with massive data streams, and end users with distinct needs. Thus, designing effective dashboards is a challenging task. Yet, theoretical underpinnings of healthcare dashboards are poorly characterized; even the concept of the dashboard remains ill-defined. Researchers, informaticists, clinical managers, and healthcare administrators will benefit from a clearer understanding of how dashboards have been developed, implemented, and evaluated, and how the design, end-user, and context influence their uptake and effectiveness.

**Objective:** This scoping review first aims to survey the vast published literature of “dashboards” to describe where, why, and for whom they are used in healthcare settings, as well as how they are developed, implemented, and evaluated. Further, we will examine how dashboard design and content is informed by intended purpose and end-users.

**Methods:** In July 2020, we searched Medline, EMBASE, Web of Science, and the Cochrane Library for peer-reviewed literature using a targeted strategy developed with a research librarian and retrieved 5,188 results. Following deduplication, 3,306 studies were screened in duplicate for title and abstract. Any abstracts mentioning a healthcare dashboard were retrieved in full-text and are undergoing duplicate review for eligibility. Articles will be included for data extraction and analysis if they describe the development, implementation, or evaluation of a dashboard that was successfully used in routine workflow. Articles will be excluded if they were published before 2015, unavailable in full-text, in a non-English language, or describe dashboards used for public health tracking, in settings where direct patient care is not provided, or in undergraduate medical education. Any discrepancies in eligibility determination will be adjudicated by a third reviewer. We chose to focus on articles published after 2015 and those that describe dashboards that were successfully used in routine practice to identify the most recent and relevant literature to support future dashboard development in the rapidly evolving field of healthcare informatics.

**Results:** All articles have undergone dual review for title and abstract, with 2,019 articles mentioning use of a healthcare dashboard retrieved in full-text for further review. We are currently reviewing all full-text articles in duplicate. We aim to publish findings by summer of 2022. Findings will be reported following guidance from the PRISMA-ScR checklist.

**Conclusions:** This scoping review will provide stakeholders with an overview of existing dashboard tools, highlighting the ways in which dashboards have been developed, implemented, and evaluated in different settings and end-user groups, and identify potential research gaps. Findings will guide efforts to design and utilize dashboards in the healthcare sector more effectively.

(JMIR Preprints 11/11/2021:34894)

DOI: <https://doi.org/10.2196/preprints.34894>

## Preprint Settings

1) Would you like to publish your submitted manuscript as preprint?

✓ **Please make my preprint PDF available to anyone at any time (recommended).**

Please make my preprint PDF available only to logged-in users; I understand that my title and abstract will remain visible to all users.

Only make the preprint title and abstract visible.

No, I do not wish to publish my submitted manuscript as a preprint.

2) If accepted for publication in a JMIR journal, would you like the PDF to be visible to the public?

✓ **Yes, please make my accepted manuscript PDF available to anyone at any time (Recommended).**

Yes, but please make my accepted manuscript PDF available only to logged-in users; I understand that the title and abstract will remain visible to all users.

Yes, but only make the title and abstract visible (see Important note, above). I understand that if I later pay to participate in [JMIR Publications](#)

**Original Manuscript**



**Review Title**

Dashboards in Healthcare Settings: A Scoping Review Protocol

**Authors**

Danielle Helminski, MPH\* <sup>1</sup>; Jacob E. Kurlander, MD, MS\* <sup>1, 2, 3</sup>; Anjana Deep Renji, MBA <sup>4</sup>; Jeremy B. Sussman, MD, MS <sup>1, 2, 3</sup>; Paul N. Pfeiffer, MD, MS <sup>2, 3, 5</sup>; Marisa L. Conte, MLIS <sup>4,6</sup>; Oliver Jintha Gadabu, PhD, MPH <sup>4</sup>; Alex N. Kokaly, MD, MHSA <sup>7</sup>; Rebecca Goldberg, BS <sup>8</sup>; Allison Ranusch, MA <sup>3</sup>; Laura Damschroder, MS, MPH <sup>3</sup>; Zach Landis-Lewis, PhD, MLIS <sup>4</sup>

\* Co-Primary Authors

**Affiliations**

1. Department of Internal Medicine, University of Michigan, Ann Arbor, MI
2. Institute for Healthcare Policy and Innovation, University of Michigan, Ann Arbor, MI
3. VA Ann Arbor Center for Clinical Management Research (CCMR), Ann Arbor, MI
4. Department of Learning Health Sciences, University of Michigan, Ann Arbor, MI
5. Department of Psychiatry, University of Michigan, Ann Arbor, MI
6. Taubman Health Sciences Library, University of Michigan, Ann Arbor, MI
7. Department of Medicine, UCLA Health, Los Angeles, CA
8. University of Michigan Medical School, Ann Arbor, MI

**Corresponding Author**

Danielle Helminski  
Department of Internal Medicine  
University of Michigan  
2800 Plymouth Rd, NCRC Building 14  
Ann Arbor, MI 48109-2800, USA  
Email: [dhelmins@umich.edu](mailto:dhelmins@umich.edu)

**Word Count:** 2,092

**Keywords**

Dashboard, mHealth, Medical Informatics, Quality Improvement, Scoping Review

**Disclosures**

None to report.

**Conflicts of Interest**

None to report.

**Funding**

This scoping review was funded by the National Institute of Diabetes and Digestive and Kidney Diseases through a K23 award (K23DK118179) (JEK), and the U.S. Department of Veterans Affairs (1 I50 HX003251-01) Maintaining Implementation Through Dynamic Adaptations (MIDAS) (QUE 20-025). The funders played no role in the study design, decision to publish, or drafting of the manuscript.

**Author Contributions**

DH – Study concept and design, pretesting and refinement of search strategy, citation and database management, screening of identified articles, drafting of manuscript

JEK – Study concept and design, pretesting and refinement of search strategy, drafting of manuscript

ADR – Study concept and design, screening of identified articles, critical revision of the manuscript

JS – Study concept and design and critical revision of the manuscript

PNP – Study concept and design and critical revision of the manuscript

MLC – Pretesting and refinement of search strategy, screening of identified articles, critical revision of the manuscript

OJG – Study concept and design and screening of identified articles

ANK – Screening of identified articles

RG – Screening of identified articles

AR – Screening of identified articles

LJD – Study concept and design and critical revision of the manuscript

ZLL – Study concept and design and critical revision of the manuscript

All authors read and approved the paper for submission.

## **Abstract**

### **Background**

Healthcare organizations increasingly depend on business intelligence tools, including “dashboards,” to capture, analyze, and present data on performance metrics. Ideally, dashboards allow users to quickly visualize actionable data to inform and optimize clinical and organizational performance. In reality, dashboards are typically embedded in complex healthcare organizations, with massive data streams, and end users with distinct needs. Thus, designing effective dashboards is a challenging task. Yet, theoretical underpinnings of healthcare dashboards are poorly characterized; even the concept of the dashboard remains ill-defined. Researchers, informaticists, clinical managers, and healthcare administrators will benefit from a clearer understanding of how dashboards have been developed, implemented, and evaluated, and how the design, end-user, and context influence their uptake and effectiveness.

### **Objective**

This scoping review first aims to survey the vast published literature of “dashboards” to describe where, why, and for whom they are used in healthcare settings, as well as how they are developed, implemented, and evaluated. Further, we will examine how dashboard design and content is informed by intended purpose and end-users.

### **Methods**

In July 2020, we searched Medline, EMBASE, Web of Science, and the Cochrane Library for peer-reviewed literature using a targeted strategy developed with a research librarian and retrieved 5,188 results. Following deduplication, 3,306 studies were screened in duplicate for title and abstract. Any abstracts mentioning a healthcare dashboard were retrieved in full-text and are undergoing duplicate review for eligibility. Articles will be included for data extraction and analysis if they describe the development, implementation, or evaluation of a dashboard that was successfully used in routine workflow. Articles will be excluded if they were published before 2015, unavailable in full-text, in a non-English language, or describe dashboards used for public health tracking, in settings where direct patient care is not provided, or in undergraduate medical education. Any discrepancies in eligibility determination will be adjudicated by a third reviewer. We chose to focus on articles published after 2015 and those that describe dashboards that were successfully used in routine practice to identify the most recent and relevant literature to support future dashboard development in the rapidly evolving field of healthcare informatics.

### **Results**

All articles have undergone dual review for title and abstract, with 2,019 articles mentioning use of a healthcare dashboard retrieved in full-text for further review. We are currently reviewing all full-text articles in duplicate. We aim to publish findings by summer of 2022. Findings will be reported following guidance from the PRISMA-ScR checklist.

### **Conclusions**

This scoping review will provide stakeholders with an overview of existing dashboard tools, highlighting the ways in which dashboards have been developed, implemented, and evaluated in different settings and end-user groups, and identify potential research gaps. Findings will guide efforts to design and utilize dashboards in the healthcare sector more effectively.



## Introduction

Effectively measuring, monitoring, and responding to metrics about health-related decisions, practices, and outcomes has become an essential business function for modern healthcare organizations. Nimble health care organizations employ data for all manner of daily operational decision-making, ranging from supply chain management and staff scheduling to individual treatment planning and population health management [1]. For certain key performance metrics, payers have linked reimbursement to value-based payment programs [2] and accrediting bodies have required monitoring and disclosure of performance for accreditation or certification [3], incentivizing organizations to effectively monitor and track their performance against established benchmarks [4]. With the rapid proliferation of electronic health records (EHRs), there is an abundance of patient- and provider-level data to use for assessing performance [5]–[7]. At the same time, vast data alone are of little use without systems to derive timely and actionable insights.

Health systems have increasingly adopted business intelligence (BI) software to track performance metrics in an automated way [8]. These applications have been defined by Loewen and Roudsari as “specialized tools to collect, analyze, and present organizational data to operational leaders in user-friendly format(s) to support organizational objectives” [9]. One such tool that has seen considerable expansion in healthcare settings is the “dashboard”, a BI tool that uses data visualization to provide actionable feedback to improve performance, adherence to evidence-based practices, workflow management, and resource utilization [10], [11]. Dashboards often display performance trends, peer comparisons, benchmarks, or goals, and use visual elements such as graphs and color-coding to improve interpretability [12].

To create an effective dashboard, developers must make multiple complex decisions. End users’

information needs are highly contextual and depend on the clinical setting, professional roles, and the patient population, which impact selection of appropriate data elements, visualizations, and interactivity [13]–[15]. While health care executives may prefer to see graphic performance trends over weeks or months, clinicians working with vulnerable patient groups may require real-time, patient-level health data so they can intervene quickly if needed. Indeed, numerous techniques for developing dashboards and selecting key metrics have been described, including focus groups, iterative usability testing, and a Delphi method [16], [17]. More sophisticated dashboards also incorporate forecasting and decision support, which carries its own challenges [18], [19]. The range and most common strategies used to address these essential steps in dashboard development are unknown.

Developing effective dashboards tailored to the needs of the intended end-user is only the first step in the healthcare performance improvement cycle. Developers and organizational leadership must also employ implementation strategies to promote uptake and use of the dashboard, such as the identification and involvement of “champions”, ongoing training of end-users, and changes in policy that mandate or incentivize dashboard use [20]. As development and maintenance of data-rich BI tools, like dashboards, can be time- and resource-intensive, it is essential that these tools both function effectively and result in measurable improvements. Iterative evaluation of dashboard performance throughout development, implementation and beyond are critical to identify user- and system-level barriers to use as well as potential errors that may only be identified after extended use.

In this scoping review, we will survey peer-reviewed literature to describe the contexts in which dashboards have been used in healthcare settings, as well as how they were developed, implemented, and evaluated.

## **Aims and Comparison with Prior Work**

This scoping review will provide a narrative overview of design elements and characteristics of healthcare dashboards, including where they exist geographically, the intended end-users, information presented, whether/how the end-user and setting impact dashboard design, and the processes used for development, implementation, and evaluation. While previous reviews on healthcare dashboards have focused on identifying important design features and effectiveness of dashboards in improving patient outcomes and clinician satisfaction [11], [14], [15], [21], [22], an updated review of *how* dashboard tools are used, and *by whom* will provide meaningful insight into how intended end-user and setting impact the design, development and implementation of the dashboard, i.e., the relationship of form and function. This information is essential to provide insights into 1) *how* and *why* dashboards work in different settings for different users, to allow relevant stakeholders to make more informed decisions about where to implement and 2) how to effectively design dashboards based on their intended purpose and target audience. Given the rapidly evolving field of health informatics, the scoping review will also provide insight into the latest trends in dashboards, from initial conception and development through implementation and evaluation. Previous reviews of dashboards have included publications only as recently as 2017 [11], [14], [21]–[23].

## **Methods**

### ***Study Design***

The aims of this study can be best accomplished through a scoping review, which differs from a systematic review in that scoping reviews generally have a broader scope and are exploratory, not requiring critical quantitative appraisal of synthesized findings [24], [25]. For this study, we

will follow the framework for conducting scoping reviews developed by Arksey & O'Malley [26] and further refined by Levac et al [27]. A description of each step is provided below.

### ***Step 1. Identifying the Research Question***

The key research questions, which were established through a process of team discussions and preliminary searches of the literature on healthcare dashboards, are:

- (1) What design features are most frequently incorporated in healthcare dashboards?
- (2) For what purposes are dashboards developed in healthcare settings?
- (3) Where, and by whom, are dashboards used?
- (4) What processes and/or frameworks are used for development, implementation, and evaluation of dashboards?

### ***Step 2. Identifying Relevant Studies***

We searched Medline, EMBASE, Web of Science, and the Cochrane Library databases in July 2020 for relevant articles using comprehensive search strategies for each database that were developed in collaboration with a research librarian (MLC) and are available in Appendix 1. These databases were selected since they represent a broad sample of literature relevant to the health sciences. Search terms included a variety of keywords and medical subject headings (MeSH) related to clinical healthcare and information technology. Search strategies were developed around the following key terms: “dashboard”, “information technology”, “healthcare”, “electronic health record”, “electronic medical record”, “quality”, “safety”, “key performance indicators”, “decision making”, “decision support”, “benchmark,” and “informatics”. Boolean operators “AND”, “OR”, and “NOT” were used to construct each search, with “NOT” operators used to reduce the number of results related to automotive and learning analytics dashboards. No date, language, or other restrictions were imposed in the database searches. Grey literature

sources were not searched.

### **Step 3. Study Selection**

All articles retrieved by the search were imported into and initially reviewed using Covidence [28], a screening and data extraction tool adopted by Cochrane in 2015 as the standard platform for producing Cochrane Reviews. Two of four authors (DH, ADR, MLC, OJG) independently screened all titles and abstracts to identify potentially eligible studies. All articles that mentioned use of a “dashboard” in a healthcare setting were reviewed in full text and are currently undergoing duplicate review by two of seven authors (DH, ADR, MLC, OJG, ANK, RG, AR) to determine eligibility, applying the inclusion and exclusion criteria listed in table 1. We excluded articles published prior to 2015 and those describing dashboards that were not successfully used in routine workflow or were only used in a pre-testing environment. We believe these exclusions are justified as rapid advancements in technology warrant a focus on newer research that is more likely to be reproducible. Additionally, limiting our analysis to dashboards that were successfully implemented or used outside of a pre-testing environment provides a clearer view of existing barriers and facilitators to designing and implementing dashboards in real-world practice. Any disagreements that arise during full text screening will be resolved through adjudication by a third author. For any studies that are reviewed in full-text but not deemed eligible for inclusion in the scoping review, a reason for exclusion will be documented and provided with the results of the scoping review in a PRISMA flow diagram.

**Table 1. Eligibility Criteria for Full-Text Review**

<b>Inclusion Criteria</b>
Peer-reviewed articles that describe the development, implementation, and/or evaluation of a dashboard used in a healthcare setting outside of a pre-testing environment. Healthcare settings include clinics, hospitals, health systems or any other settings where medical care is provided. Both quantitative and qualitative evaluations of dashboards will be included.

**Exclusion Criteria**

- Non-English language publication
- Articles published prior to 2015
- Articles that describe pre-testing of pilot or prototype dashboards that were not successfully implemented or used outside of a testing environment
- Articles that describe public health dashboards used for geographic tracking of disease or comparing city or country level data not used for clinical or management-level decision making in a healthcare setting where patient care is provided
- Articles that describe dashboards used in undergraduate medical education, or in educational contexts where there is no direct association with patients, patient care, or facility management
- Articles for which full text manuscript is unavailable

**Step 4. Charting the Data**

A preliminary list of data elements for charting is presented in table 2. However, in accordance with recommendations from Levac et al [27], an iterative process will be used to identify additional elements for data extraction and analysis as the study progresses. Using an iterative process improves the quality of the review by allowing reviewers to gain familiarity with included studies and add or revise data extraction elements accordingly. A standardized data extraction form will be developed and reviewed by all authors. The form will be pilot tested by two authors who will independently complete data extraction for a subset of articles to ensure consistency among extractors. Once a high-level of agreement is achieved between extractors, the pilot extraction form will be approved, and two authors will independently extract data from each included study. Any disagreements in data extraction will be resolved by discussion between the two authors; if the reviewers are unable to reach consensus, a third author will serve as arbiter.

**Table 2. Preliminary List of Data Extraction Elements**

**Data Extraction Elements****Article Information**

- Title
- Author
- Publication year
- Journal
- Study type

**Contextual Factors**

- Geographic location of the described dashboard
- Healthcare setting
- Intended end-user(s)

**Primary Purpose or Goal of the Dashboard**

- Reason stated for development or use of dashboard

**Development**

- Software used
- Framework(s) used to guide development or pre-testing
- Usability testing conducted
- Involvement of users in development process

**Implementation**

- Adjunct strategies used in conjunction with dashboard (such as academic detailing, audit and feedback, or financial incentivization)
- Identification of potential barriers and facilitators to use of dashboard prior to implementation
- Identification and involvement of champions
- Training of stakeholders or distribution of educational materials on how to use the dashboard
- Protocol or policy changes that mandate use of the dashboard

**Evaluation**

- Type of evaluation (qualitative or quantitative)

**Design Features**

- Format (including delivery channel and timing)
  - Frequency of data updates
  - Use of visual elements
  - Delivery channel (website, email, wall display...)

- Information content
  - Descriptions of performance summary data (including indicators, time intervals, comparators, and their performance levels)
  - Patient lists (typically patients who have actionable data, such as guideline discordant care) ('yes' or 'no')
  - Patient-level data ('yes' or 'no')
  - Recommended actions ('yes' or 'no')
  - Metrics or evaluation based on benchmarks established by accrediting bodies, healthcare payer organizations, or national guidelines ('yes' or 'no')
- Functionality ('yes' or 'no')
  - Multi-level presentation of data
  - Interface customizability
  - Goal-setting / action planning
  - Task performance (i.e., ordering, flagging, prescribing)

### ***Step 5. Collating, Summarizing, and Reporting the Results***

Data extraction will be performed using Microsoft Excel. The data elements for each dashboard identified will be displayed and coded in a spreadsheet, which will be used for analysis, mainly counts. This scoping review will follow the Preferred Reporting Items for Systematic Reviews and Meta-Analyses extension for Scoping Reviews (PRISMA-ScR) checklist [29] for reporting of methods and outcomes.

### **Results**

In July 2020, electronic database searches were completed using the search strategies outlined in Appendix 1, and 5,188 results were retrieved. After removal of duplicate results, 3,306 articles were identified for title and abstract screening. A total of 2,019 articles were retrieved for full-text review and will be reviewed in duplicate for eligibility. We aim to finish the review and draft the final report by the summer of 2022. Findings will be summarized in a narrative fashion while employing use of tables and graphs to illustrate key characteristics of dashboards in healthcare



and will be submitted for publication along with the completed PRISMA-ScR reporting checklist.

## **Discussion**

### ***Future Planned Work***

Currently, available literature lacks standard, consensus hierarchical descriptions of the different types of healthcare dashboards in use and their distinct design and implementation processes [15], [30]. As the use of dashboards continues to increase, it is important for stakeholders to be able to communicate effectively with the designers and users of these tools. The authors intend to use the findings of this scoping review to inform the development of a taxonomy of the various types of dashboards a healthcare organization may choose to employ. This taxonomy will identify the relevant design elements that each type of dashboard includes to inform evidence about healthcare dashboard usability and purpose of use, and stakeholders, including end-users. Finally, the review will provide evidence of the extent to which rigorous practices are used in the development, evaluation, and implementation of healthcare dashboards, each of which ultimately contributes to a dashboard's success.

The findings of this scoping review will additionally inform the design of a future meta-analysis and meta-synthesis of dashboard evaluations, if possible, in consideration of the heterogeneity of the studies identified in this scoping review.

### ***Limitations***

This scoping review methodology has several limitations. First, the search strategy does not include grey literature or conference abstracts since these are expected to provide insufficient detail for the data elements we plan to extract. This may cause some dashboards described in government and committee reports, dissertations, and conference proceedings to be overlooked.

However, since the data extracted will mainly be summarized, and since we are not evaluating any causal effects or performing quantitative analyses, which would be more susceptible to publication bias, this will not be a major limitation. Second, because of the inclusion criteria, our findings will be most applicable to dashboards used in settings that provide direct healthcare; they will be less informative about public health tracking dashboards, including those used to monitor the 2019 novel coronavirus pandemic and to perform contact tracing [31], [32].

### ***Conclusion***

Health information technology continues to rapidly change the way healthcare organizations operate, and dashboards are an increasingly common tool. It is essential that key stakeholders have a clear understanding of what dashboards are, and which features are essential to specific end-users for dashboard development. This scoping review will advance the field of health informatics by providing organizational leaders, clinical staff, dashboard developers, and quality improvement researchers with a clear and concise overview of the literature in this field, and by highlighting research gaps.

### ***Ethics and Dissemination***

Ethical approval is not required as all included data will be retrieved from existing peer-reviewed publications and there is no human subject participation in this study. The results of this scoping review will be disseminated through presentation at academic conferences and submitted for publication in a peer-reviewed journal.

## References

- [1] “Unlocking Business Intelligence in Healthcare,” *Tableau*. <https://www.tableau.com/learn/articles/business-intelligence/healthcare> (accessed Nov. 30, 2020).
- [2] N. Catalyst, “What Is Pay for Performance in Healthcare?,” *NEJM Catal.*, Mar. 2018, Accessed: Sep. 18, 2020. [Online]. Available: <https://catalyst.nejm.org/doi/abs/10.1056/CAT.18.0245>
- [3] “2021 ORYX Performance Measure Reporting Requirements: Hospital Accreditation Program (HAP) and Critical Access Hospital Accreditation (CAH) Program.” The Joint Commission, Oct. 2020. Accessed: Mar. 25, 2021. [Online]. Available: <https://www.jointcommission.org/-/media/tjc/documents/measurement/oryx/cy2021-oryx-reporting-requirements-oct2020.pdf>
- [4] K. Kyeremanteng, R. Robidoux, G. D’Egidio, S. M. Fernando, and D. Neilipovitz, “An Analysis of Pay-for-Performance Schemes and Their Potential Impacts on Health Systems and Outcomes for Patients,” *Crit. Care Res. Pract.*, vol. 2019, Jun. 2019, doi: 10.1155/2019/8943972.
- [5] “Office-based Physician Electronic Health Record Adoption.” /quickstats/pages/physician-ehr-adoption-trends.php (accessed Dec. 01, 2020).
- [6] “Non-federal Acute Care Hospital Electronic Health Record Adoption.” /quickstats/pages/FIG-Hospital-EHR-Adoption.php (accessed Dec. 01, 2020).
- [7] H. Atasoy, B. N. Greenwood, and J. S. McCullough, “The Digitization of Patient Care: A Review of the Effects of Electronic Health Records on Health Care Quality and Utilization,” *Annu. Rev. Public Health*, vol. 40, no. 1, pp. 487–500, 2019, doi: 10.1146/annurev-publhealth-040218-044206.
- [8] W. Bonney, “Applicability of Business Intelligence in Electronic Health Record,” *Procedia - Soc. Behav. Sci.*, vol. 73, pp. 257–262, Feb. 2013, doi: 10.1016/j.sbspro.2013.02.050.
- [9] L. Loewen and A. Roudsari, “Evidence for Business Intelligence in Health Care: A Literature Review,” *Stud. Health Technol. Inform.*, vol. 235, pp. 579–583, 2017.
- [10] C. Rivas *et al.*, *Automated analysis of free-text comments and dashboard representations in patient experience surveys: a multimethod co-design study*. Southampton (UK): NIHR Journals Library, 2019. Accessed: Sep. 03, 2020. [Online]. Available: <http://www.ncbi.nlm.nih.gov/books/NBK543270/>
- [11] S. C. Buttigieg, A. Pace, and C. Rathert, “Hospital performance dashboards: a literature review,” *J. Health Organ. Manag.*, vol. 31, no. 3, pp. 385–406, May 2017, doi: 10.1108/JHOM-04-2017-0088.
- [12] D. Costar, “Making Healthcare Safer III. Cross-Cutting Patient Safety Topics/Practices,” *Agency Healthc. Res. Qual. Rockv. MD*, p. 235, Apr. 2020.
- [13] V. Panicker *et al.*, “Designing tailored displays for clinical practice feedback: Developing requirements with user stories,” *Stud. Health Technol. Inform.*, vol. 264, pp. 1308–1312, Aug. 2019, doi: 10.3233/SHTI190438.
- [14] S. S. Khairat, A. Dukkipati, H. A. Lauria, T. Bice, D. Travers, and S. S. Carson, “The Impact of Visualization Dashboards on Quality of Care and Clinician Satisfaction: Integrative Literature Review,” *JMIR Hum. Factors*, vol. 5, no. 2, p. e22, May 2018, doi: 10.2196/humanfactors.9328.
- [15] A. Vázquez-Ingelmo, F. J. Garcia-Peñalvo, and R. Therón, “Information Dashboards and

- Tailoring Capabilities - A Systematic Literature Review,” *IEEE Access*, vol. 7, pp. 109673–109688, 2019, doi: 10.1109/ACCESS.2019.2933472.
- [16] G. Laurent, M. D. Moussa, C. Cirenei, B. Tavernier, R. Marcilly, and A. Lamer, “Development, implementation and preliminary evaluation of clinical dashboards in a department of anesthesia,” *J. Clin. Monit. Comput.*, vol. 35, no. 3, pp. 617–626, May 2021, doi: 10.1007/s10877-020-00522-x.
- [17] K. J. Bunch, B. Allin, M. Jolly, T. Hardie, and M. Knight, “Developing a set of consensus indicators to support maternity service quality improvement: using Core Outcome Set methodology including a Delphi process,” *BJOG Int. J. Obstet. Gynaecol.*, vol. 125, no. 12, pp. 1612–1618, Nov. 2018, doi: 10.1111/1471-0528.15282.
- [18] D. R. Mould, R. N. Upton, J. Wojciechowski, B. L. Phan, S. Tse, and M. C. Dubinsky, “Dashboards for Therapeutic Monoclonal Antibodies: Learning and Confirming,” *AAPS J.*, vol. 20, no. 4, p. 76, Jul. 2018, doi: 10.1208/s12248-018-0237-2.
- [19] A. Eser *et al.*, “Prediction of Individual Serum Infliximab Concentrations in Inflammatory Bowel Disease by a Bayesian Dashboard System,” *J. Clin. Pharmacol.*, vol. 58, no. 6, pp. 790–802, Jun. 2018, doi: 10.1002/jcph.1069.
- [20] T. J. Waltz *et al.*, “Use of concept mapping to characterize relationships among implementation strategies and assess their feasibility and importance: results from the Expert Recommendations for Implementing Change (ERIC) study,” *Implement. Sci.*, vol. 10, no. 1, Art. no. 1, Dec. 2015, doi: 10.1186/s13012-015-0295-0.
- [21] D. Dowding *et al.*, “Dashboards for improving patient care: review of the literature,” *Int. J. Med. Inf.*, vol. 84, no. 2, pp. 87–100, Feb. 2015, doi: 10.1016/j.ijmedinf.2014.10.001.
- [22] C. Rivas *et al.*, *Scoping review of clinical digital toolkit design*. NIHR Journals Library, 2019. Accessed: Aug. 18, 2020. [Online]. Available: <http://www.ncbi.nlm.nih.gov/books/NBK543278/>
- [23] B. A. Wilbanks and P. A. Langford, “A review of dashboards for data analytics in nursing,” *Comput. Inform. Nurs. CIN*, vol. 32, no. 11, pp. 545–549, Nov. 2014, doi: 10.1097/CIN.000000000000106.
- [24] M. Aromataris, E. Z., “JBI Manual for Evidence Synthesis,” *JBI*, 2020. <https://synthesismanual.jbi.global>. <https://doi.org/10.46658/JBIMES-20-01>
- [25] Z. Munn, M. D. J. Peters, C. Stern, C. Tufanaru, A. McArthur, and E. Aromataris, “Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach,” *BMC Med. Res. Methodol.*, vol. 18, no. 1, p. 143, Dec. 2018, doi: 10.1186/s12874-018-0611-x.
- [26] H. Arksey and L. O’Malley, “Scoping studies: towards a methodological framework,” *Int. J. Soc. Res. Methodol.*, vol. 8, no. 1, pp. 19–32, Feb. 2005, doi: 10.1080/1364557032000119616.
- [27] D. Levac, H. Colquhoun, and K. K. O’Brien, “Scoping studies: advancing the methodology,” *Implement. Sci.*, vol. 5, no. 1, p. 69, Sep. 2010, doi: 10.1186/1748-5908-5-69.
- [28] “Covidence Systematic Review Software, Veritas Health Innovation, Melbourne, Australia.” [www.covidence.org](http://www.covidence.org)
- [29] A. C. Tricco *et al.*, “PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation,” *Ann. Intern. Med.*, vol. 169, no. 7, pp. 467–473, Sep. 2018, doi: 10.7326/M18-0850.
- [30] T. J. Barnum, K. Vaez, D. Cesarone, and C. T. Y. O. J. of N. I. Contributors, “Your Data

Looks Good on a Dashboard,” Nov. 25, 2019. <https://www.himss.org/resources/your-data-looks-good-dashboard> (accessed Mar. 25, 2021).

- [31] I. Berry, J.-P. R. Soucy, A. Tuite, D. Fisman, and C.-19 C. O. Data, “Open access epidemiologic data and an interactive dashboard to monitor the COVID-19 outbreak in Canada,” *Can. Med. Assoc. J.*, vol. 192, no. 15, p. E420, Apr. 2020, doi: 10.1503/cmaj.75262.
- [32] M. D. Verhagen, D. M. Brazel, J. B. Dowd, I. Kashnitsky, and M. C. Mills, “Forecasting spatial, socioeconomic and demographic variation in COVID-19 health care demand in England and Wales.,” *BMC Med.*, vol. 18, no. 1, p. 203, 2020, doi: 10.1186/s12916-020-01646-2.


Preprint  
JMIR Publications

### Appendix 1. Database Search Strategies

Database	Search Strategy
<b>Medline</b> – <b>OVID</b>	((informatics or "information technology" or "health IT" or "electronic health record\$" or "electronic medical record\$" or "hospital management system\$" or "clinical management system\$" or inpatient\$ or hospital\$ or outpatient\$ or ambulatory or emergency or "service improvement" or benchmark or "decision support" or "decision making" or performance or productivity or outcome\$ or "key performance indicator\$" or KPI or workflow or clinical\$ or clinic\$ or "health care" or safety or quality or "point of care" or alert\$ or reminder\$ or monitor\$) and dashboard\$).ab,ti OR (exp medical informatics/ OR exp nursing informatics/ OR exp medical records systems, computerized/ OR exp "health care quality access and evaluation"/) AND dashboard\$.ab,ti OR (dashboard\$ not (car or cars or automobile\$ or vehicle\$ or traffic or police or "learning analytic\$")).ab,ti.
<b>EMBASE</b>	(informatics:ab,ti OR 'information technology':ab,ti OR 'health it':ab,ti OR "electronic health record\$":ab,ti OR "electronic medical record\$":ab,ti OR "hospital management system\$":ab,ti OR "clinical management system\$":ab,ti OR inpatient\$:ab,ti OR hospital*:ab,ti OR outpatient\$:ab,ti OR ambulatory:ab,ti OR emergency:ab,ti OR 'service improvement':ab,ti OR benchmark:ab,ti OR 'decision support':ab,ti OR 'decision making':ab,ti OR performance:ab,ti OR productivity:ab,ti OR outcome\$:ab,ti OR "key performance indicator\$":ab,ti OR kpi:ab,ti OR workflow\$:ab,ti OR clinic*:ab,ti OR 'health care':ab,ti OR safety:ab,ti OR quality:ab,ti OR 'point of care':ab,ti OR alert\$:ab,ti OR reminder\$:ab,ti OR monitor*:ab,ti) AND dashboard\$:ab,ti OR ('health care quality'/exp OR 'information processing'/exp) AND dashboard\$:ab,ti OR dashboard\$:ab,ti NOT (car:ab,ti OR cars:ab,ti OR automobile\$:ab,ti OR vehicle\$:ab,ti OR traffic:ab,ti OR police:ab,ti OR "learning analytic\$":ab,ti)
<b>Web of Science</b>	TS=((informatics or "information technology" or "health IT" or "electronic health record\$" or "electronic medical record\$" or "hospital management system\$" or "clinical management system\$" or inpatient\$ or hospital\$ or outpatient\$ or

	<p>ambulatory or emergency or "service improvement" or benchmark or "decision support" or "decision making" or performance or productivity or outcome\$ or "key performance indicator\$" or KPI or workflow or clinical\$ or clinic\$ or "health care" or safety or quality or "point of care" or alert\$ or reminder\$ or monitor\$) and dashboard\$)</p> <p>OR</p> <p>TS=(("health care quality" OR "information processing") AND dashboard\$)</p> <p>OR</p> <p>TS=</p> <p>(dashboard\$ not (car or cars or automobile\$ or vehicle\$ or traffic or police or "learning analytic\$"))</p>
<b>Cochrane Library</b>	((dashboard OR dashboards)):ti,ab,kw

## Supplementary Files





## Multimedia Appendixes

Database search strategies.

URL: <http://asset.jmir.pub/assets/1b092676467a1ff9483314d5d65bfdec.docx>