Modern Chemical Enhanced Oil Recovery

Theory and Practice

James J. Sheng, Ph. D.



AMSTERDAM • BOSTON • HEIDELBERG • LONDON NEW YORK • OXFORD • PARIS • SAN DIEGO SAN FRANCISCO • SINGAPORE • SYDNEY • TOKYO Gulf Professional Publishing is an imprint of Elsevier



Contents

| | Preface Nomenclature | xiii xvii |
|--------|---|--------------|
| Chapte | er 1 Introduction | 1 |
| 1.1 | Enhanced Oil Recovery's Potential | 1 |
| 1.2 | Definitions of EOR and IOR | 1 |
| | Existing Definitions | 2 |
| | Proposed Definitions | 3 |
| 1.3 | General Description of Chemical EOR Processes | 4 |
| 1.4 | Performance Evaluation of EOR Processes | 5 |
| 1.5 | Screening Criteria for Chemical EOR Processes | 8 |
| | Formation | 8 |
| | Oil Composition and Oil Viscosity | 8 |
| | Formation Water Salinity and Divalents | 8 |
| | Reservoir Temperature | 9 |
| 1.0 | Formation Permeability | 9 |
| 1.0 | Naming Conventions and Units | 9 11 |
| 1.7 | Organization of This book | 11 |
| Chante | er 2 Transport of Chemicals and Fractional | |
| Flow (| Curve Analysis | 13 |
| 2.1 | Introduction | 13 |
| 2.2 | Diffusion | 13 |
| | Diffusion in a Bulk Liquid or Gas Phase | 13 |
| | Diffusion in a Tortuous Pore | 14 |
| | Statistical Representation of Diffusion | 15 |
| 2.3 | Dispersion | 16 |
| | Concept of Dispersion | 16 |
| | Estimate Longitudinal Dispersion Coefficient from | |
| | Experimental Data | 17 |
| | Empirical Correlations for the Longitudinal Dispersion | _ |
| | Coefficient | 22 |
| | Empirical Correlations for the Transverse Dispersion Coefficient Evaluation of the Contributions of Diffusion, Convection, | 24 |
| | and Dispersion to the Front Spread | 25 |
| | Dispersivity | 26 |
| 2.4 | Retardation of Chemicals in Single-Phase Flow | 28 |
| 2.5 | Types of Fronts | 29 |
| | Spreading Front | 31 |
| | Indifferent Front | 31 |
| | Sharpening Front | 32 |

| 2.6 | Fractional Flow Curve Analysis of Two-Phase Flow Saturation Shock | 36 36 |
|--------|---|----------|
| | Fractional Flow Equation | 37 |
| | Retardation of Chemicals in Two-Phase Flow | 39 |
| | Fractional Flow Curve Analysis of Waterflooding | 41 |
| | Fractional Flow Curve Analysis of Polymer Flooding | 43 |
| | Fractional Flow Curve Analysis of Surfactant Flooding | 48 |
| Chapte | er 3 Salinity Effect and Ion Exchange | 51 |
| 3.1 | Introduction | 51 |
| 3.2 | Salinity | 51 |
| 3.3 | Ion Exchange | 54 |
| | Ion Exchange Equations | 55 |
| | Values of Other Exchange Coefficients | 61 |
| | Calculation of Exchange Composition | 62 |
| | Calculation of Mass Action Constant at Different | |
| | Temperatures | 63 |
| | Effect of Diluting an Equilibrium Solution | 63 |
| | Chromatography | 64 |
| | Effect of pH | 67 |
| 3.4 | Low-Salinity Waterflooding in Sandstone Reservoirs | 67 |
| | Observations of Low-Salinity Waterflooding Effect | 68 |
| | Proposed Mechanisms | 68 |
| 3.5 | Salinity Effect on Waterflooding in Carbonate Reservoirs Wettability Alteration by Seawater Injection into Chalk | 73 |
| | Formation | 74 |
| Chapt | er 4 Mobility Control Requirement | |
| in EOF | C Processes | 79 |
| 4.1 | Introduction | 79 |
| 4.2 | Background | 79 |
| 4.3 | Setup of Simulation Model | 82 |
| 4.4 | Discussion of the Concept of Mobility Control Requirement | 84 |
| 4.5 | Theoretical Investigation | 90 |
| 4.6 | Numerical Investigation | 93 |
| | Effect of Mobility Ratio in a Homogeneous Formation | 93 |
| | Effect of Mobility Ratio in a Layered Formation | 96 |
| | Effect of Mobility Ratio in a Heterogeneous Formation | 96 |
| 4.7 | Experimental Justification | 96 |
| 4.8 | Further Discussion | 99 |
| Chapte | er 5 Polymer Flooding | 101 |
| 5.1 | Introduction | 101 |
| 5.2 | Types of Polymers and Polymer-Related Systems | 101 |
| | Hydrolyzed Polyacrylamide | 102 |
| | Xanthan Gum | 104 |

vi

| | ٠ | • |
|---|---|---|
| v | Ì | 1 |
| | - | - |

| | Salinity-Tolerant Polyacrylamide—KYPAM | 104 |
|------|--|-----|
| | Hydrophobically Associating Polymer | 110 |
| | 2-Acrylamide-2-Methyl Propane-Sulfonate Copolymer | 117 |
| | Movable Gels | 119 |
| | pH-Sensitive Polymers | 121 |
| | BrightWater | 122 |
| | Microball | 125 |
| | Inverse Polymer Emulsion | 127 |
| | Preformed Particle Gel | 128 |
| 5.3 | Properties of Polymer Solutions | 129 |
| | Polymer Viscosity | 129 |
| | Polymer Stability | 135 |
| 5.4 | Polymer Flow Behavior in Porous Media | 148 |
| | Polymer Rheology in Porous Media | 148 |
| | Polymer Retention | 153 |
| | Inaccessible Pore Volume | 164 |
| | Permeability Reduction | 165 |
| | Relative Permeabilities in Polymer Flooding | 171 |
| 5.5 | Displacement Mechanisms in Polymer Flooding | 176 |
| 5.6 | Amount of Polymer Injected | 177 |
| 5.7 | Performance Analysis by Hall Plot | 178 |
| 5.8 | Polymer Mixing and Well Operations Related | 101 |
| | Polymer Injection | 181 |
| | Completion | 181 |
| | Completion | 182 |
| | Injection velocity | 183 |
| | Separate Layer Injection | 183 |
| | Removing Plugging | 183 |
| 5.9 | Special Cases, Pilot Tests, and Field Applications | 100 |
| | Drafile Control by Injection of Delymour with Different | 183 |
| | Adoptular Weighte | 104 |
| | Protecular weights | 184 |
| | Polymer injection in viscous Oil Reservoirs | 185 |
| | Profile Control in a Strong Bottom and Edge Water | 100 |
| | Drive Reservoir | 188 |
| | Unshore Polymer Flooding | 189 |
| | Uses of Produced Water | 191 |
| | Early Pilot lests in Daqing | 192 |
| | PO and PT Pliot Tests in Daging | 192 |
| | Large-Scale Field Applications | 194 |
| | Polymer Flooding Pilot in the Sabel Transition Zone | 197 |
| | Dagang Gangxi Block 4 PF Pilot with Profile Control | 198 |
| | Raramay Crosslinked Polymer Solution Pilot Polymer Flooding in a High-Temperature and High-Salinity | 199 |
| | Reservoir | 200 |
| 5.10 | Polymer Flooding Experience and Learning in China | 202 |
| | Performance Characteristics during Different Periods | 202 |
| | Experience and Learning | 202 |
| | - | |

| Chapte | er 6 Polymer Viscoelastic Behavior and Its | |
|------------|---|-----|
| Effect | on Field Facilities and Operations | 207 |
| 6.1 | Introduction | 207 |
| 6.2 | Viscoelasticity | 207 |
| 6.3 | Polymer Viscoelastic Behavior | 212 |
| | Shear-Thickening Viscosity | 213 |
| | Apparent Viscosity Model for a Full Velocity Range | 215 |
| | Total Pressure Drop of Viscoelastic Fluids | 217 |
| <i>.</i> . | Factors Affecting Polymer Viscoelastic Behavior | 218 |
| 6.4 | Observations of Viscoelastic Effect | 221 |
| | Core Flood Observations | 221 |
| | Relative Permeability Curves | 225 |
| 65 | Displacement Mechanisms of Visconlastic Polymers | 220 |
| 0.5 | Pulling Mechanism | 227 |
| | Stripping Mechanism | 220 |
| | Mechanism of Oil Thread Flow | 230 |
| | Mechanism of Shear-Thickening Effect | 232 |
| 6.6 | Effect of Polymer Solution Viscoelasticity on Injection | |
| | and Production Facilities | 232 |
| | Vibration Problem with Flow Lines | 232 |
| | Problems with Pump Valves | 234 |
| | Problems with Maturation Tanks | 234 |
| | Problems with Beam Pumps | 235 |
| | Problems with Centrifugal Pumps | 237 |
| Chapt | er 7 Surfactant Flooding | 239 |
| 7.1 | Introduction | 239 |
| 7.2 | Surfactants | 239 |
| | Types of Surfactants | 239 |
| | Methods to Characterize Surfactants | 240 |
| 7.3 | Types of Microemulsions | 244 |
| 7.4 | Phase Behavior Tests | 247 |
| 7.5 | Surfactant Phase Behavior of Microemulsions and IFT | 254 |
| | Ternary Diagrams | 254 |
| | Hand's Kule | 261 |
| | Effect of Cosolyant (Alcohol) on Phase Benavior | 268 |
| | Two-Phase Approximation of Phase Behavior without | 277 |
| | Type III Environment | 281 |
| | Quantitative Representation of Interfacial Tension | 286 |
| | Factors Affecting Phase Behavior and IFT | 288 |
| 7.6 | Viscosity of Microemulsion | 291 |
| 7.7 | Capillary Number | 293 |
| | Definitions: Which One to Use | 293 |
| | How to Calculate Capillary Number | 297 |

| 7.8 | Trapping Number | 301 |
|----------|--|-------------|
| 7.9 | Capillary Desaturation Curve | 307 |
| 7.10 | Relative Permeabilities in Surfactant Flooding | 314 |
| | General Discussion of Relative Permeabilities | 314 |
| | Relative Permeability Models | 315 |
| | IFT Effect on the Relative Permeability Ratio k _{rw} /k _{ro} | 319 |
| 7.11 | Surfactant Retention | 322 |
| | Precipitation | 322 |
| | Adsorption | 325 |
| | Phase Trapping | 3 31 |
| 7.12 | Displacement Mechanisms | 332 |
| | Displacement Mechanisms in Dilute Surfactant Flooding | 332 |
| | Displacement Mechanisms in Micellar Flooding | 3 33 |
| 7.13 | Amount of Surfactant Needed and Process Optimization | 334 |
| 7.14 | An Experimental Study of Surfactant Flooding | 334 |
| Chapte | er 8 Optimum Phase Type and Optimum | |
| Salinity | ⁷ Profile in Surfactant Flooding | 337 |
| 8.1 | Introduction | 337 |
| 8.2 | Literature Review | 338 |
| | Optimum Phase Types | 338 |
| | Optimum Salinity versus Surfactant Concentration | 339 |
| | Optimum Salinity Gradients | 342 |
| 8.3 | Sensitivity Study | 345 |
| | Basic Model Parameters | 345 |
| | Sensitivity Results | 345 |
| 8.4 | Further Discussions | 360 |
| | Effect of k. Curves and Optimum Phase Type | 360 |
| | Effect of Phase Velocity | 361 |
| | Negative Salinity Gradient | 362 |
| 8.5 | Optimum Phase Type and Optimum Salinity Profile Concepts | 365 |
| • • • | Optimum Phase Type | 365 |
| | Optimum Salinity Profile | 366 |
| 8.6 | Summary | 369 |
| | | 505 |
| Chapte | r 9 Surfactant-Polymer Flooding | 371 |
| 9.1 | Introduction | 371 |
| 9.2 | Surfactant-Polymer Competitive Adsorption | 371 |
| 9,3 | Surfactant-Polymer Interaction and Compatibility | 372 |
| | Observations about Surfactant-Polymer Interaction | 372 |
| | Factors Affecting Surfactant-Polymer Interaction | 374 |
| 9.4 | Optimization of Surfactant-Polymer Injection Schemes | 379 |
| | Placement of Polymer | 379 |
| | Effect of the Amounts of Polymer and Surfactant Injected | 380 |
| | Time to Shift Waterflood to SP | 381 |
| | Optimization of the Chemical Flooding Process | 383 |
| 9.5 | A Field Case of SP Flooding | 384 |

ix

| Chapte | r 10 Alkaline Flooding | 389 |
|--------|--|-----|
| 10.1 | Introduction | 389 |
| 10.2 | Comparison of Alkalis Used in Alkaline Flooding | 389 |
| | General Comparison and pH | 389 |
| | Polyphosphate | 391 |
| | Silicate versus Carbonate | 391 |
| | Precipitation Problems | 394 |
| 10.3 | Alkaline Reaction with Crude Oil | 395 |
| | In Situ Soap Generation | 396 |
| | Emulsification | 398 |
| | Effects of Ionic Strength and pH on IFT | 400 |
| 10.4 | Measurement of Acid Number | 402 |
| 10.5 | Alkali Interactions with Rock | 405 |
| | Alkaline Ion Exchange with Rock | 406 |
| | Alkaline Reaction with Kock | 409 |
| | Alkali-Water Reactions | 419 |
| 10.6 | Pocovory Machanisms | 420 |
| 10.0 | A Brief Summary of Mechanisms | 420 |
| | IFT Function in Alkaline Flooding | 420 |
| 10.7 | Simulation of Alkaline Flooding | 427 |
| 10.7 | Mathematical Formulation of Reactions and Equilibria | 428 |
| | Mathematical Formulation of Alkaline Flooding | 430 |
| | EOBATCH and UTCHEM | 432 |
| | A Case with Clay and Silica Dissolution/Precipitation | |
| | Included | 455 |
| 10.8 | Alkaline Concentration and Slug Size in Field Projects | 456 |
| 10.9 | Surveillance and Monitoring in Pilot Testing | 458 |
| 10.10 | Application Conditions of Alkaline Flooding | 458 |
| Chapte | r 11 Alkaline-Polymer Flooding | 461 |
| 11.1 | Introduction | 461 |
| 11.2 | Interaction between Alkali and Polymer | 461 |
| | Alkaline Effects on Polymer Viscosity | 461 |
| | Polymer Effect on Alkaline/Oil IFT | 464 |
| | Alkaline Consumption in Alkaline-Polymer Systems | 465 |
| 11.3 | Synergy between Alkali and Polymer | 466 |
| 11.4 | Field AP Application Example: Liaohe Field | 468 |
| Chapte | r 12 Alkaline-Surfactant Flooding | 473 |
| 12.1 | Introduction | 473 |
| 12.2 | Phase Behavior Tests for the Alkaline-Surfactant Process | 473 |
| 12.3 | Quantitative Representation of Phase Behavior | |
| | of an Alkaline-Surfactant System | 474 |
| 12.4 | Activity Maps | 477 |
| 12.5 | Synergy between Alkali and Surfactant | 480 |

х

| 12.6 | Synergy between Alkali and Surfactant in Heavy Oil | |
|--------|---|------------|
| | Recovery | 482 |
| 12.7 | pH Effect on Surfactant Adsorption | 486 |
| 12.8 | Recovery Mechanisms | 492 |
| 12.9 | Simulation of Phase Behavior of the Alkaline-Surfactant | |
| | System | 492 |
| | Setup of Alkaline-Surfactant Batch Model | 492 |
| | Analysis of Alkaline-Surfactant Phase Behavior | 493 |
| Chapte | r 13 Alkaline-Surfactant-Polymer Flooding | 501 |
| 13.1 | Introduction | 501 |
| 13.2 | Synergy of Alkali, Surfactant, and Polymer | 501 |
| 13.3 | Interactions of ASP Fluids and Their Compatibility | 501 |
| | Alcohol Effect on AS Compatibility | 502 |
| | Alkaline and Surfactant Effects in ASP Systems | 502 |
| | Polymer Effect in ASP Systems | 503 |
| | Factors Affecting Phase Separation | 504 |
| | Factors Affecting IFT | 506 |
| | Factors Affecting Wettability | 508 |
| 13.4 | Relative Permeabilities in ASP | 509 |
| 13.5 | Emulsions in ASP Flooding | 510 |
| | Types of Emulsions | 511 |
| | Properties of Emulsions | 513 |
| | Factors Affecting Emulsion Stability | 518 |
| 12.6 | Diagle compared Mandeman | 521 |
| 13.0 | Displacement mechanisms | 521 |
| 13.7 | Effect of Alkali and Surfactant Concentration Cradiente | 522 |
| | Produced Surfactant Injection | 522 |
| 12.8 | Amounts of Chemicals Injection | 522 |
| 13.0 | Vertical Lift Methods in ASP Flooding | 525 |
| 13.10 | Problems Associated with ASP | 520 527 |
| 10110 | Chromatographic Separation of Alkali Surfactant | 527 |
| | and Polymer | 528 |
| | Chromatographic Separation of Surfactant Compositions | 530 |
| | Precipitation and Scale Problems | 534 |
| | Formation Damage | 535 |
| | Produced Emulsions | 536 |
| 13.11 | ASP Examples of Field Pilots and Applications | 536 |
| | Daqing ASP Pilot Test in Sa-Zhong-Xi (S-ZX) | 536 |
| | Daging ASP Pilot in Xing-5-Zhong (X5-Z) | 540 |
| | ASP Pilot in Xing-Er-Xi (X2-X) | 542 |
| | Daqing's Largest ASP Application (X2-Z) | 545 |
| | Daqing ASPF Pilot Test | 549 |
| | Shengli Gudong ASP Pilot | 553 |
| | Shengli Gudao ASP Pilot | 556 |
| | Karamay ASP Pilot | 558 |

xi

| Jilin Honggang ASP Pilots | 562 |
|--------------------------------|-----|
| Zhongyuan Huzhuangji ASP Pilot | 563 |
| Yumen Laojunmao A/S/P Pilot | 565 |
| | |
| References | 569 |
| | |
| | |