

## Graph Theoretical Analysis of Zigzag Polyhexamethylene Biguanide, Polyhexamethylene Adipamide, Polyhexamethylene Biguanide Gauze and Polyhexamethylene Biguanide Hydrochloride (PHMB) Boron Nitride Nanotubes (BNNTs), Amorphous Boron Nitride Nanotubes (a-BNNTs) and Hexagonal Boron Nitride Nanotubes (h-BNNTs)

Alireza Heidari\*

Faculty of Chemistry, California South University, 14731 Comet St. Irvine, CA 92604, USA

\*Corresponding author: Alireza Heidari, Faculty of Chemistry, California South University (CSU), 14731 Comet St. Irvine, CA 92604, USA, Tel: 1-775-410-4974; E-mail: Scholar.Researcher.Scientist@gmail.com

Received date: October 06, 2016, Accepted date: October 06, 2016, Published date: October 16, 2016

Copyright: © 2016 Heidari A. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

### Editorial

In this editorial, the relationship among energy, electric quadrupole and hexadecapole moments with a topological index has known Padmakar-Ivan (PI) index of some different types of zigzag polyhexamethylene biguanide, polyhexamethylene adipamide, polyhexamethylene biguanide gauze and polyhexamethylene biguanide hydrochloride (phmb) Boron Nitride Nanotubes (BNNTs), Amorphous Boron Nitride Nanotubes (a-BNNTs) and Hexagonal Boron Nitride Nanotubes (h-BNNTs) is presented. Based on the graph theory, a new method for the prediction of topological, quantum chemical, physical and molecular spectroscopic properties and also other properties of zigzag polyhexamethylene biguanide, polyhexamethylene adipamide, polyhexamethylene biguanide gauze and polyhexamethylene biguanide hydrochloride (phmb) Boron Nitride Nanotubes (BNNTs), Amorphous Boron Nitride Nanotubes (a-BNNTs) and Hexagonal Boron Nitride Nanotubes (h-BNNTs) is investigated [1-10]. Furthermore, graph theory has been extensively applied to predict the topological, quantum chemical, physical and molecular spectroscopic properties of small molecules such as Boron Nitride Nanotubes (BNNTs), Amorphous Boron Nitride Nanotubes (a-BNNTs) and Hexagonal Boron Nitride Nanotubes (h-BNNTs) through Quantitative Structure-Activity Relationship (QSAR) and Quantitative Structure-Property Relationship (QSPR) studies [11-22]. Also, this demonstrates strong correlations among quantum chemical, physical and molecular spectroscopic properties and one more topological indices. It should be noted that topological indices present a mathematical definition arising from the field of graph theory.

On the other hand, the energy, electric quadrupole and hexadecapole moments of these Nanotubes were performed using Hartree-Fock (HF) calculations and also Density Functional Theory (DFT) methods by performing HF, PM3, MM2, MM3, AM1, MP2, MP3, MP4, CCSD, CCSD(T), LDA, BVWN, BLYP and B3LYP levels of theory using the standard 31G, 6-31G\*, 6-31+G\*, 6-31G(3df, 3pd), 6-311G, 6-311G\* and 6-311+G\* basis sets of the Gaussian 09. Moreover, according to the extracted data from logarithmic values of Padmakar-Ivan (PI) index, by increasing the values of the logarithmic energy, electric quadrupole and hexadecapole moments of zigzag polyhexamethylene biguanide, polyhexamethylene adipamide, polyhexamethylene biguanide gauze and polyhexamethylene biguanide hydrochloride (phmb) Boron Nitride Nanotubes (BNNTs), Amorphous Boron Nitride Nanotubes (a-BNNTs) and Hexagonal Boron Nitride Nanotubes (h-BNNTs), the values of the topological

index will be increased with the number of Boron or Nanotubes circumference. In addition, dimensional diagrams are presented well-related of logarithmic values of Padmakar-Ivan (PI) index with logarithmic energy, electric quadrupole and hexadecapole moments of these Nanotubes. It can be concluded that the results of such studies were used to get into Quantitative Structure-Activity Relationship (QSAR) and Quantitative Structure-Property Relationship (QSPR) subjects. Also, study of Quantitative Structure-Activity Relationship (QSAR) and Quantitative Structure-Property Relationship (QSPR) shows that energy, electric quadrupole and hexadecapole moments of these Nanotubes could be well predicted.

### References

1. Heidari A (2016) A Combined Computational and QM/MM Molecular Dynamics Study on Boron Nitride Nanotubes (BNNTs), Amorphous Boron Nitride Nanotubes (a-BNNTs) and Hexagonal Boron Nitride Nanotubes (h-BNNTs) as Hydrogen Storage. *Struct Chem Crystallogr Commun* 2: 1.
2. Dompok KA, Mensah NG, Mensah SY (2016) Acoustoelectric effect in graphene with degenerate energy dispersion. *Physica E: Low-dimensional Systems and Nanostructures* 85: 160-163.
3. Wang X, Zhang YC, Xia XH, Huang CH (2004) Effective bending modulus of carbon nanotubes with rippling deformation. *International Journal of Solids and Structures* 41: 6429-6439.
4. Tian Y, He Y, Zhu Y (2004) Low temperature synthesis and characterization of molybdenum disulfide nanotubes and nanorods. *Materials Chemistry and Physics* 87: 87-90.
5. Xu Y, Xiong G (2004) Quadratic electro-optic effects and electro-absorption process in semiconductor carbon nanotubes. *Physica E: Low-dimensional Systems and Nanostructures* 25: 23-28.
6. Wang XY, Wang X (2004) Numerical simulation for bending modulus of carbon nanotubes and some explanations for experiment. *Composites Part B: Engineering* 35: 79-86.
7. Mendoza D, Morales F, Escudero R (2004) Conductance of bulk samples of multiwall carbon nanotubes-metal junctions. *Solid State Communications* 130: 317-320.
8. Ecino E, Buitelaar M, Mart n-Rodero M, Schönenberger C, Yeyati LA (2004) Conductance properties of nanotubes coupled to superconducting leads: signatures of Andreev states dynamics. *Solid State Communications* 131: 625-630.
9. Breton Y, Désarmot G, Salvétat JP, Delpeux S, Sinturel C, et al. (2004) Mechanical properties of multiwall carbon nanotubes/epoxy composites: influence of network morphology. *Carbon* 42: 1027-1030.
10. Shiratori Y, Hiraoka H, Yamamoto M (2004) Vertically aligned carbon nanotubes produced by radio-frequency plasma-enhanced chemical

- vapor deposition at low temperature and their growth mechanism. *Materials Chemistry and Physics* 87: 31-38.
11. Mensah SY, Allotey FKA, Nkrumah G, Mensah NG (2004) High electron thermal conductivity of chiral carbon nanotubes. *Physical E: Low-dimensional Systems and Nanostructures* 23: 152-158.
  12. Mensah NG, Nkrumah G, Mensah SY, Allotey FKA (2004) Temperature dependence of the thermal conductivity in chiral carbon nanotubes. *Physics Letters A* 329: 369-378.
  13. Villalpando-Páez F, Romero AH, Muñoz-Sandoval E, Mart LM, Terrones M (2004) Fabrication of vapor and gas sensors using films of aligned CNx nanotubes. *Chemical Physics Letters* 386: 137-143.
  14. Xu Y, Xiong G (2004) Third-order optical nonlinearity of semiconductor carbon nanotubes for third harmonic generation. *Chemical Physics Letters* 388: 330-336.
  15. Izard N, Ménard C, Riehl D, Doris E, Mioskowski E (2004) Combination of carbon nanotubes and two-photon absorbers for broadband optical limiting. *Chemical Physics Letters* 391: 124-128.
  16. Kymakis E, Gehan A, Amaratunga J (2004) Optical properties of polymer-nanotube composites. *Synthetic Metals* 142: 161-167.
  17. Terrones M, Jorio A, Endo M, Rao AM, Kim YA, T, et al. (2004) New direction in nanotube science. *Materials Today* 7: 30-45.
  18. Kim KS, Bae DL, Kim JR, Kyung A, Lee YH, et al. (2004) Band gap engineering of a carbon nanotube by hydrogen functionalization. *Current Applied Physics* 4: 559-562.
  19. Zou Y, Feng Y, Wang L, Liu X (2004) Processing and properties of MWNT/HDPE composites. *Carbon*: 271-277.
  20. Chik H, Xu JM (2004) Nanometric superlattices: non-lithographic fabrication, materials, and prospects. *Materials Science and Engineering: R: Reports* 43: 103-138.
  21. Ding F, Rosén A, Bolton K (2004) The role of the catalytic particle temperature gradient for SWNT growth from small particles. *Chemical Physics Letters* 393: 309-313.
  22. Blackman M (2004) World patent information-the first 25 years. *World Patent Information* 26: 13-24.