

Checkpoint Inhibition of KIR2D with the Monoclonal Antibody IPH2101 Induces Contraction and Hyporesponsiveness of NK Cells in Patients with Myeloma

Mattias Carlsten, Neha Korde, Ritesh Kotecha, et al.

Clin Cancer Res 2016;22:5211-5222. Published OnlineFirst June 15, 2016.

Updated version	Access the most recent version of this article at: doi: 10.1158/1078-0432.CCR-16-1108
Supplementary Material	Access the most recent supplemental material at: http://clincancerres.aacrjournals.org/content/suppl/2016/06/15/1078-0432.CCR-16-1108.DC1

Cited articles	This article cites 43 articles, 20 of which you can access for free at: http://clincancerres.aacrjournals.org/content/22/21/5211.full#ref-list-1
Citing articles	This article has been cited by 3 HighWire-hosted articles. Access the articles at: http://clincancerres.aacrjournals.org/content/22/21/5211.full#related-urls

E-mail alerts	Sign up to receive free email-alerts related to this article or journal.
Reprints and Subscriptions	To order reprints of this article or to subscribe to the journal, contact the AACR Publications Department at pubs@aacr.org .
Permissions	To request permission to re-use all or part of this article, contact the AACR Publications Department at permissions@aacr.org .