

University of Groningen

A void perspective of the cosmic web

Platen, Erwin

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2009

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Platen, E. (2009). A void perspective of the cosmic web. Groningen: s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.



rijksuniversiteit
 groningen

A Void Perspective of the Cosmic Web

Proefschrift

ter verkrijging van het doctoraat in de
Wiskunde en Natuurwetenschappen
aan de Rijksuniversiteit Groningen
op gezag van de
Rector Magnificus, dr. F. Zwarts,
in het openbaar te verdedigen op
vrijdag 13 november 2009
om 13:15 uur

door

Erwin Platen


geboren op 7 april 1981
te Emmen, Nederland

Promotores : Prof. dr. M. A. M. van de Weygaert
Prof. dr. B. J. T. Jones

Beoordelingscommissie : Prof. dr. J. R. Bond
Prof. dr. P. J. E. Peebles
Prof. dr. R. K. Sheth

ISBN 978-90-367-4068-5
ISBN 978-90-367-4067-8 (electronic version)

Voor mijn grootouders



The Cover – is a Gesamtkunstwerk inspired on a ukiyo-e print from Ogata Gekkō's Views of Mt. Fuji. It is further combined with my own artwork, and digital artwork from Niels Bos.

Printed by: Ipskamp Drukkers, Enschede, the Netherlands

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 11 |
| 1.1 | A Cosmopolitan Universe, life in the slow lane | 11 |
| 1.2 | Large Scale Structure Formation | 13 |
| 1.2.1 | Gravitational Instability | 14 |
| 1.2.2 | Initial Fluctuations | 15 |
| 1.2.3 | Galaxy Biasing | 17 |
| 1.2.4 | Hierarchical Evolution | 18 |
| 1.3 | Cosmic Web | 18 |
| 1.3.1 | Zel'dovich Approximation | 18 |
| 1.3.2 | Cosmic Web in CDM | 21 |
| 1.4 | Voids | 23 |
| 1.4.1 | Basic Void properties | 23 |
| 1.5 | Beyond Isolation | 24 |
| 1.5.1 | Void Shape | 25 |
| 1.5.2 | Adhesion Voids and the anisotropic Void collapse | 25 |
| 1.6 | Void Hierarchy | 26 |
| 1.7 | The Evolution of the Void population | 27 |
| 1.8 | Voids as Cosmological Probes | 27 |
| 1.9 | Matter and Galaxies inside Voids | 30 |
| 1.9.1 | Void Haloes | 30 |
| 1.10 | The properties of Void galaxies | 32 |
| 1.10.1 | The Void Phenomenon, is it explained? | 34 |
| 1.10.2 | The Void Future | 35 |
| 1.11 | Structure Identification | 35 |
| 1.11.1 | Void Definition | 36 |
| 1.11.2 | Void Finding | 36 |
| 1.11.3 | Watershed Void Finder | 38 |
| 1.12 | This Thesis | 38 |
| 2 | A Cosmic Watershed: the WVF Void Detection Technique | 41 |
| 2.1 | Introduction | 41 |
| 2.2 | the Watershed Void Finder | 43 |
| 2.2.1 | the Watershed Transform (WST) | 43 |
| 2.2.2 | Watershed segments: qualities | 44 |
| 2.2.3 | Voids and watersheds | 45 |
| 2.2.4 | The Watershed Void Finder: Outline | 45 |
| 2.2.5 | WVF by example: Voids in a Λ CDM simulation | 46 |
| 2.3 | Method: detailed description | 48 |

| | | |
|----------|--|-----------|
| 2.3.1 | The DTFE density field | 48 |
| 2.3.2 | Natural Neighbour Rank-Ordered filtering | 50 |
| 2.3.3 | Markers and False Segment Removal | 52 |
| 2.3.4 | Hierarchy Merging | 52 |
| 2.4 | WVF Test: Voronoi Clustering Model | 54 |
| 2.4.1 | Voronoi Model: Watershed Segmentation | 55 |
| 2.5 | Voronoi Clustering Model: Quantitative Results Watershed | 56 |
| 2.5.1 | Datasets | 57 |
| 2.5.2 | Detection Rate | 58 |
| 2.5.3 | Volume Comparison | 60 |
| 2.5.4 | Surface Comparison | 60 |
| 2.6 | Discussion and Prospects | 61 |
| 2.A | Appendix A: Mathematical Morphology | 62 |
| 2.A.1 | Images | 63 |
| 2.A.2 | Erosion and Dilation | 63 |
| 2.A.3 | Opening and Closing | 64 |
| 2.A.4 | Greyscale Images | 65 |
| 2.B | Appendix B: Watershed Transform | 65 |
| 2.B.1 | Distance | 66 |
| 2.B.2 | Segmentation | 66 |
| 2.B.3 | The watershed transform: Algorithms | 67 |
| 2.B.4 | Ordered Queues Algorithm | 69 |
| 2.C | Appendix C: Kinematic Voronoi models | 70 |
| 2.C.1 | Initial Conditions | 71 |
| 2.C.2 | Voronoi Tracks | 72 |
| 3 | Alignment of Voids in the Cosmic Web | 75 |
| 3.1 | Introduction | 75 |
| 3.2 | The Void Sample | 78 |
| 3.2.1 | Void Identification | 78 |
| 3.3 | Void Characteristics | 78 |
| 3.3.1 | Void Size | 79 |
| 3.3.2 | Void Shape | 79 |
| 3.3.3 | Results on Void Shapes | 79 |
| 3.4 | Void Alignments | 80 |
| 3.4.1 | Void Alignments: definitions | 80 |
| 3.4.2 | Void Alignments: significance | 81 |
| 3.4.3 | Void Alignments: results | 82 |
| 3.5 | The cause of Void Alignment | 83 |
| 3.5.1 | Initial conditions | 83 |
| 3.5.2 | Void packing | 83 |
| 3.5.3 | Large Scale Tidal Forces | 84 |
| 3.6 | Influence of Tidal Field | 84 |
| 3.6.1 | Tidal Field | 84 |
| 3.6.2 | Void-Tidal Field alignment: results | 86 |
| 3.6.3 | Tidal Connections | 87 |
| 3.7 | Conclusion and Discussion | 88 |
| 3.7.1 | Overview of Results | 88 |
| 3.7.2 | Insights | 89 |

| | | |
|----------|---|------------|
| 4 | The Spine of the Cosmic Web | 91 |
| 4.1 | Introduction | 91 |
| 4.1.1 | the Cosmic Web | 91 |
| 4.1.2 | Closing in on the Cosmic Web | 92 |
| 4.1.3 | Watershed and Cosmic Spine | 94 |
| 4.2 | Watershed Segmentation of the Cosmic Web | 95 |
| 4.2.1 | Watershed Transform | 95 |
| 4.2.2 | A watershed search for voids | 95 |
| 4.2.3 | Morse theory | 95 |
| 4.2.4 | the Cosmic Spine | 98 |
| 4.3 | The Spineweb Procedure | 98 |
| 4.3.1 | The Discrete Watershed Transform | 99 |
| 4.3.2 | Watershed Implementation | 99 |
| 4.3.3 | from Watershed to Spineweb | 100 |
| 4.3.4 | Image Grid Representation | 101 |
| 4.4 | Voronoi Clustering models | 102 |
| 4.4.1 | Clean Voronoi clustering model | 102 |
| 4.4.2 | Spine identification | 103 |
| 4.4.3 | Real vs. false detections | 104 |
| 4.4.4 | Voronoi Clustering models with density reconstruction | 105 |
| 4.5 | Single-scale Λ CDM Spine | 106 |
| 4.5.1 | Density field estimation | 106 |
| 4.5.2 | Density field morphology | 107 |
| 4.5.3 | Cellular Morphology | 107 |
| 4.5.4 | Cosmic Spine: Filaments and Walls | 110 |
| 4.6 | Analysis Wall & Filament Sample | 111 |
| 4.6.1 | Density distribution | 111 |
| 4.6.2 | Minkowski-Bouligand dimension | 114 |
| 4.6.3 | LSS complexity and local density | 115 |
| 4.7 | Conclusion and future work | 116 |
| 4.8 | Acknowledgements | 116 |
| 5 | The SDSS Density Field Reconstruction, the Methods | 117 |
| 5.1 | Introduction | 117 |
| 5.1.1 | Reconstruction Methods | 119 |
| 5.2 | The Data | 122 |
| 5.2.1 | The SDSS galaxy sample | 123 |
| 5.2.2 | Selection function | 124 |
| 5.2.3 | The SDSS mock sample | 124 |
| 5.3 | Local Density Estimates | 125 |
| 5.3.1 | Shot noise errors | 126 |
| 5.3.2 | Centroidal Voronoi tessellation | 127 |
| 5.4 | Delaunay Tessellation Field Estimator | 127 |
| 5.5 | Natural Neighbour Field Estimator | 130 |
| 5.6 | Kriging Interpolation | 131 |
| 5.6.1 | The Kriging method | 132 |
| 5.6.2 | Practical Issues | 133 |
| 5.6.3 | Variogram estimation | 133 |
| 5.6.4 | Nonlinear Kriging | 134 |
| 5.6.5 | Peak-Correlation Overshoot & Gibbs oscillations | 135 |

| | | |
|----------|--|------------|
| 5.6.6 | Natural Lognormal Kriging | 137 |
| 5.7 | Computational Requirements | 139 |
| 5.8 | Qualitative Density Comparison | 139 |
| 5.8.1 | Maps of the density field | 139 |
| 5.8.2 | Density Profiles | 144 |
| 5.8.3 | Intrinsic Smoothing Scale | 145 |
| 5.9 | Quantitative Density analysis | 145 |
| 5.9.1 | Error Analysis | 146 |
| 5.9.2 | Density field Correlation | 147 |
| 5.9.3 | Intrinsic Smoothing & Nonlinearities | 149 |
| 5.9.4 | Magnitude limited versus Volume limited | 150 |
| 5.10 | Topological Comparison | 153 |
| 5.10.1 | Quantification of Topological Errors | 153 |
| 5.11 | SDSS-DR6 density reconstruction | 156 |
| 5.12 | Improvements | 156 |
| 5.12.1 | Mass Conservation & Density Estimation | 156 |
| 5.12.2 | Grid Improvements | 158 |
| 5.12.3 | Kriging Improvements | 158 |
| 5.13 | Summary and Future Work | 159 |
| 5.A | SDSS Coordinate System | 161 |
| 5.B | DTFE implementation | 161 |
| 5.C | Radial Basis Interpolation | 163 |
| 5.D | Derivation of the Kriging equation | 164 |
| 5.D.1 | Gaussian Probability, alternative derivation | 165 |
| 5.E | Local Lognormal Kriging Algorithm | 166 |
| 5.F | Sampling schema and artifacts | 167 |
| 6 | The Cosmography of the SDSS Density Map | 169 |
| 6.1 | Introduction | 169 |
| 6.2 | SDSS DR7 Data set | 173 |
| 6.3 | Analysis and Visualisation Tools | 173 |
| 6.3.1 | Density Field | 174 |
| 6.3.2 | 3D Isodensity Images | 174 |
| 6.3.3 | Integrated density Maps | 174 |
| 6.3.4 | Contour Map Slices | 174 |
| 6.3.5 | Connectivity Filtering | 175 |
| 6.4 | The Coma Great Wall | 175 |
| 6.5 | In between two Great Walls | 176 |
| 6.5.1 | Boötes & Virgo Supervoids versus Coma & Hercules Superclusters | 176 |
| 6.5.2 | The Bahcall-Soneira Rift | 177 |
| 6.6 | The Sloan Great Wall | 178 |
| 6.6.1 | Another Brick in the Wall | 178 |
| 6.6.2 | Another Gap in the Wall | 178 |
| 6.6.3 | The assembly of Great Walls | 179 |
| 6.7 | Bridging the Walls | 179 |
| 6.8 | Beyond the Sloan Great Wall | 182 |
| 6.8.1 | The Great Pillar | 182 |
| 6.8.2 | Sloan Supervoid | 182 |
| 6.9 | Summary and Discussion | 183 |
| 6.A | SDSS DR7 Coordinate System | 186 |

| | | |
|----------|---|------------|
| 6.B | Sloan Large Scale Structure | 187 |
| 7 | Statistics and Biasing of the SDSS Density Field | 197 |
| 7.1 | Introduction | 198 |
| 7.1.1 | Galaxy Biasing | 198 |
| 7.1.2 | One Point Distribution | 200 |
| 7.1.3 | Cosmic Structure | 201 |
| 7.1.4 | This Work | 201 |
| 7.2 | Data | 204 |
| 7.2.1 | SDSS-DR7 | 204 |
| 7.2.2 | Millennium Simulation | 204 |
| 7.2.3 | The Dark Matter Distribution | 205 |
| 7.3 | Systematics in the Density field | 205 |
| 7.3.1 | Measurement Systematics | 206 |
| 7.3.2 | Method Systematics | 207 |
| 7.4 | Galaxy Biasing | 212 |
| 7.4.1 | Biasing in Simulations | 213 |
| 7.5 | Redshift Space Distortions | 218 |
| 7.5.1 | The $1h^{-1}$ Mpc scale | 218 |
| 7.5.2 | The $4h^{-1}$ Mpc scale | 220 |
| 7.6 | Summary of the Distortions | 220 |
| 7.7 | The One-Point Distribution Function | 221 |
| 7.7.1 | Measuring the Observed Distribution | 221 |
| 7.7.2 | Higher order moments | 222 |
| 7.7.3 | Distribution Models | 222 |
| 7.7.4 | Dark Matter PDF | 223 |
| 7.7.5 | Millennium Galaxies PDF | 225 |
| 7.8 | The SDSS PDF | 228 |
| 7.8.1 | Comparison to SDSS Mock samples | 228 |
| 7.8.2 | Comparison to the Dark Matter PDF | 228 |
| 7.8.3 | Low Density Tail | 229 |
| 7.9 | Higher Order Moments | 231 |
| 7.10 | Discussion and Future Work | 231 |
| 7.11 | Summary and Conclusions | 234 |
| 7.A | Biasing definitions | 236 |
| 7.A.1 | Measuring the Bias | 237 |
| 7.B | Lognormal Fitting | 237 |
| 8 | Polar disk galaxy found in wall between voids | 239 |
| 8.1 | Introduction | 239 |
| 8.2 | Observations | 240 |
| 8.3 | Results | 241 |
| 8.3.1 | Galaxy Parameters | 241 |
| 8.3.2 | Large Scale Environment | 242 |
| 8.4 | Discussion | 243 |

| | | |
|----------|--|------------|
| 9 | Een Leeg Perspectief op Kosmisch Structuur | 247 |
| 9.1 | Een Structuur van Bellen en Filamenten | 248 |
| 9.1.1 | De Voids in de Grote Schaal Structuur | 250 |
| 9.2 | Het ontstaan van een Kosmisch Web | 251 |
| 9.2.1 | Donkere Materie | 251 |
| 9.2.2 | De Ruimtelijke Verdeling | 252 |
| 9.3 | De Overvloedige Leegte | 252 |
| 9.3.1 | Void detectie, een kwestie van waterscheiding | 253 |
| 9.3.2 | Voidvormen | 254 |
| 9.3.3 | De Ruggengraat van het Kosmische Web | 254 |
| 9.3.4 | De Reconstructie van het Dichtheidsveld | 254 |
| 9.3.5 | De Kosmografie van de Grote Schaal Structuur | 255 |
| 9.3.6 | Statistiek van de Massaverdeling | 255 |
| 9.3.7 | Een Voidsterrenstelsel met een Polaire Gasschijf | 256 |
| | Dankwoord | 271 |