























- [30] Brooks D, Ravetch JV. Fc receptor signaling. *Adv Exp Med Biol* 1994;365:185.
- [31] Crowley MT, Costello PS, Fitzer-Attas CJ, Turnre M, Meng F, Lowell C, Tylulewicz V, DeFranco AL. A critical role for Syk in signal transduction and phagocytosis mediated by Fc $\gamma$  receptors in macrophages. *J Exp Med* 1997;186:1027.
- [32] Kiefer F, Brumell J, Al-Alawi N, Latour S, Cheng A, Veillette A, Grinstein S, Pawson T. The Syk protein tyrosine kinase is essential for Fc gamma receptor signaling in macrophages and neutrophils. *Mol Cell Biol* 1998;18:4209.
- [33] Ravetch JV. Fc receptors: rubor redux. *Cell* 1994;78:553.
- [34] Park RK, Kyono WT, Liu Y, Durden DL. Cbl–Crb2 interaction in myeloid immunoreceptor tyrosine activation motif signaling. *J Immunol* 1998;160:5018.
- [35] Erdreich-Epstein A, Liu M, Kant AM, Izadi KD, Nolte JA, Durden DL. Cbl functions downstream of Src kinases in Fc gamma RI signaling in primary human macrophages. *J Leukoc Biol* 1999;65:523.
- [36] Pawson T. Protein modules and signaling networks. *Nature* 1995;373:573.
- [37] Boyle WJ. Growth factors and tyrosine kinase receptors during development and cancer. *Curr Opin Oncol* 1992;4:156.
- [38] Shannon K. The Ras signaling pathway and the molecular basis of myeloid leukemogenesis. *Curr Opin Hemat* 1995;2:305.
- [39] Zanke B, Squire J, Griesser H, Henry M, Suzuki H, Patterson B, Minden M, Mak TW. A hematopoietic protein tyrosine phosphatase (HePTP) gene that is amplified and overexpressed in myeloid malignancies maps to chromosome 1q32.1. *Leukemia* 1994;8:236.
- [40] Sievers EL. Targeted therapy of acute myeloid leukemia with monoclonal antibodies and immunoconjugates. *Cancer Chemother Pharmacol* 2000;46(Suppl.):S18.
- [41] Caron PC, Lai LT, Scheinberg DA. Interleukin-2 enhancement of cytotoxicity by humanized monoclonal antibody M195 (anti-CD33) in myelogenous leukemia. *Clin Cancer Res* 1995;1:63.