


Data Driven Guides:



Supporting expressive design for Information graphics



Nam Wook Kim
Harvard



Eston Schweickart
Cornell



Zhicheng Leo Liu
Adobe



Mira Dontcheva
Adobe



Wilmot Li
Adobe



Jovan Popović
Adobe



Hanspeter Pfister
Harvard

infographic


Search term

data visualization

Search term

Source: Google Search Trends




2016



infographic
Search term

data visualization
Search term

Source: Google Search Trends




Analysts & Researchers


infographic
Search term

data visualization
Search term


Source: Google Search Trends



*Artists,
Journalists,
Bloggers,
Designers*



Visualization Design Tools



Tableau



Excel



Plot.ly



Spotfire



ManyEyes

INFOACTIVE

Lyra

iVisDesigner

RAW



DataVisual

SageBrush

Improvise



Illustrator



CorelDRAW



AffinityDesigner



Photoshop



Inkscape



InDesign

Less expressive
(Automatic)

More expressive
(Manual)

Visualization Design Tools



Tableau



Excel



Plot.ly



Spotfire



ManyEyes

INFOACTIVE

Lyra

iVisDesigner

RAW



DataVisual

SageBrush

Improvise




Illustrator



CorelDRAW



AffinityDesigner



Photoshop



Inkscape




InDesign

Less expressive
(Automatic)

More expressive
(Manual)

Visualization Design Tools



Tableau




Excel



Plot.ly



Spotfire



ManyEyes



Lyra

iVisDesigner



DataVisual

SageBrush

Improvise



Illustrator



CorelDRAW



AffinityDesigner



Photoshop



Inkscape




InDesign

Less expressive
(Automatic)

More expressive
(Manual)

Visualization Design Tools



Tableau




Excel



Plot.ly



Spotfire



ManyEyes

INFOACTIVE

Lyra

iVisDesigner

RAW



DataVisual

SageBrush

Improvise



Illustrator



CorelDRAW



AffinityDesigner



Photoshop



Inkscape




InDesign

Less expressive
(Automatic)

More expressive
(Manual)

Visualization Design Tools



Tableau



Excel



Plot.ly



Spotfire



ManyEyes

INFOACTIVE

Lyra

iVisDesigner

RAW



DataVisual

SageBrush

Improvise



Illustrator



CorelDRAW



AffinityDesigner



Photoshop



Inkscape



InDesign

Less expressive
(Automatic)

More expressive
(Manual)

Interviews with infographic designers.

Interviews with infographic designers.

Participants

- 2 professional designers
- 3 master student designers
- 1 visualization researcher.

Interviews with infographic designers.

Participants

- 2 professional designers
3 master student designers
1 visualization researcher.
- 2 ~ 10 years of experience in graphic & infographic design.

Interviews with infographic designers.

Participants

- 2 professional designers
3 master student designers
1 visualization researcher.
- 2 ~ 10 years of experience in graphic & infographic design.
- Mostly use vector editing tools such as Adobe Illustrator.

Interviews with infographic designers.

Participants

- 2 professional designers
3 master student designers
1 visualization researcher.
- 2 ~ 10 years of experience in graphic & infographic design.
- Mostly use vector editing tools such as Adobe Illustrator.

Questions

- What difficulties they face in creating infographics?

Interviews with infographic designers.

Participants

- 2 professional designers
3 master student designers
1 visualization researcher.
- 2 ~ 10 years of experience in graphic & infographic design.
- Mostly use vector editing tools such as Adobe Illustrator.

Questions

- What difficulties they face in creating infographics?
- Overall design practice.

Interviews with infographic designers.

Participants

- 2 professional designers
3 master student designers
1 visualization researcher.
- 2 ~ 10 years of experience in graphic & infographic design.
- Mostly use vector editing tools such as Adobe Illustrator.

Questions

- What difficulties they face in creating infographics?
- Overall design practice.
- How they manually encode data into graphics.

Interviews with infographic designers.

Participants

- 2 professional designers
3 master student designers
1 visualization researcher.
- 2 ~ 10 years of experience in graphic & infographic design.
- Mostly use vector editing tools such as Adobe Illustrator.


Questions

- What difficulties they face in creating infographics?
- Overall design practice.
- How they manually encode data into graphics.

Related work

Bigelow et al (AVI, 2014).

1. Lack of flexible design in visualization construction tools



1. Lack of flexible design in visualization construction tools



Tableau



Excel



Plot.ly



Spotfire



ManyEyes

INFOACTIVE

Lyra

iVisDesign

RAW




DataViz

SageBrush

Improvise

Difficult to add annotations & embellishments.



Less expressive
(Automatic)

More expressive
(Manual)

1. Lack of flexible design in visualization construction tools



Tableau




Excel



Plot.ly



Spotfire



ManyEyes

INFOACTIVE

Lyra

iVisDesign

RAW



DataViz

SageBrush

Improvise

Difficult to add annotations & embellishments.

Pagev

15K

10K

5K

0K

Dec 4

Page Performance

4K

3K

2K

1K

0K

0%

20%

40%

60%

% Exit

1-12 of 12

+ NEW TRANSFORM

Wheat and Wages

Monarchs

From Source: wheat

Formula

Formula

As

Formula

As

Data

name

start

end

index

common...

offset

1565

1603

1625

1649

1660

0

1

2

3

false

false

true

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0


0

0


0

0

2. Tedious manual encoding required in graphic design tools



2. Tedious manual encoding required in graphic design tools



Illustrator



CorelDRAW



AffinityDesigner



Photoshop




Inkscape





InDesign

**More expressive
(Manual)**

3. Absence of data binding for custom/imported charts in graphic design tools



3. Absence of data binding for custom/imported charts in graphic design tools



Graph Tool in Illustrator

To customize this chart, ungrouping is required resulting in **loss of data binding**.



Illustrator



CorelDRAW



AffinityDesigner



Photoshop



Inkscape



InDesign

Design Goals

Design Goals

1. Maintain **flexibility** in the design process.


e.g., not enforcing a predefined outcome
or specific order of operations.

Design Goals


1. Maintain **flexibility** in the design process.
2. Provide methods for accurate **data-driven drawing**.

Design Goals

1. Maintain **flexibility** in the design process.
2. Provide methods for accurate **data-driven drawing**.
3. Support persistent **data binding** for freeform graphics.



Length guide





Area guide

Data Driven Guides:

Supporting expressive design for Information graphics

A	B	C	D



Data Table



Graph

A	B	C	D



Data Table




Graph

A	B	C	D

Data Table




Data-Driven Guides




Flexible direct manipulation

To manipulate to create a custom layout




Maintain proportional lengths

To preserve data integrity




Snap to a guide

To support accurate data-driven drawing




Data-binding using guides
as the backbone of associated shapes.
(2D deformation for vector graphic)

Logo Design




User Interface Design




Designer' Friends: Rulers, Grids, Guides


Architectural Design




Drawing



Default guide color: **Cyan**



Length guide



Area guide


Length and area guides can also be used as a **Position guide**.

Visual variables

Fundamental channels for encoding information .

Bertin's Original Visual Variables	
Position changes in the x, y location	
Size change in length, area or repetition	
Shape infinite number of shapes	
Value changes from light to dark	
Colour changes in hue at a given value	
Orientation changes in alignment	
Texture variation in 'grain'	

J. Bertin., 1983.




Rankings of visual variables by J. Mackinlay., 1986.

Visual variables

Fundamental channels for encoding information .

Bertin's Original Visual Variables	
Position changes in the x, y location	
Size change in length, area or repetition	
Shape infinite number of shapes	
Value changes from light to dark	
Colour changes in hue at a given value	
Orientation changes in alignment	
Texture variation in 'grain'	

J. Bertin., 1983.




Rankings of visual variables by J. Mackinlay., 1986.

Use Cases

Use cases

1. Drawing data-driven graphics



Select

Control

PanZoom

Pen


Text

Shape

DataGuide

OECD Better Life Index by GDP of G7 Countries.

Source: OECD better life index and World Bank Open Data (2016).



LinkStyleTextLayer

Fill

#34495e

Stroke

#808080

Stroke Width

1

Opacity

1

Select

Control

PanZoom

Pen


Text

Shape

DataGuide

OECD Better Life Index by GDP of G7 Countries.

Source: OECD better life index and World Bank Open Data (2016).



LinkStyleTextLayer

Fill

#34495e

Stroke

#808080


Stroke Width

1

Opacity

1

Cyan: Data-Driven Guides



Create & manipulate

selection tool
x: 630, y: 296

Select

Control

PanZoom

Pen

Text

Shape

DataGuide

LinkStyleTextLayer

Fill

#ffffff

Stroke

#808080

Stroke Width

1

Opacity

1

penTool

x: 249, y: 738

Select

Control

PanZoom

Pen

Text

Shape

DataGuide

LinkStyleTextLayer

Fill#1abc9c

Stroke#808080

Stroke Width1

Opacity0.8


Radial layout & link inspection

penTool

x: 249, y: 738

Select

Control

PanZoom

Pen

Text

Shape

DataGuide



Link

Style

Text

Layer

Fill

#2980b9

Stroke

#808080

Stroke Width

1


Opacity


1


Composite structure & copy and paste


penTool


x: 249, y: 738


Select


Control

PanZoom

Pen

Text

Shape

DataGuide



Link

Style

Text

Layer

Fill

#2980b9

Stroke

#808080



Stroke Width



1



Opacity

1

Label generation







Deforms




$$p'_i = \sum_{j=1}^m w_{ij} T_j p_i,$$


Linear blend skinning

Related Work

1. Bounded biharmonic weights for real-time deformation. Jacobson, Alec, et al. ACM Trans. Graph., 2011
2. Skinning cubic Bézier splines and Catmull-Clark subdivision surfaces. Liu, Songrun, et al. ACM Trans. Graph., 2014.



Rest pose




Old point in a shape.

$$p'_i = \sum_{j=1}^m w_{ij} T_j p_i$$


Linear blend skinning

Related Work


1. Bounded biharmonic weights for real-time deformation. Jacobson, Alec, et al. ACM Trans. Graph., 2011
2. Skinning cubic Bézier splines and Catmull-Clark subdivision surfaces. Liu, Songrun, et al. ACM Trans. Graph., 2014.



Rest pose



*Spatial Transformations
(changes in **guides**)*




Deformed

$$p'_i = \sum_{j=1}^m w_{ij} T_j p_i,$$


Linear blend skinning

Related Work

1. Bounded biharmonic weights for real-time deformation. Jacobson, Alec, et al. ACM Trans. Graph., 2011
2. Skinning cubic Bézier splines and Catmull-Clark subdivision surfaces. Liu, Songrun, et al. ACM Trans. Graph., 2014.



Rest pose



Deformed


*Skinning weight
(Transformation amount)*

$$p'_i = \sum_{j=1}^m w_{ij} T_j p_i,$$

Linear blend skinning




Related Work





1. Bounded biharmonic weights for real-time deformation. Jacobson, Alec, et al. ACM Trans. Graph., 2011
2. Skinning cubic Bézier splines and Catmull-Clark subdivision surfaces. Liu, Songrun, et al. ACM Trans. Graph., 2014.



Related Work

1. Bounded biharmonic weights for real-time deformation. Jacobson, Alec, et al. ACM Trans. Graph., 2011
2. Skinning cubic Bézier splines and Catmull-Clark subdivision surfaces. Liu, Songrun, et al. ACM Trans. Graph., 2014.






*Used as a
Position Guide*

Cyan: Data-Driven Guides


American's Uninsured Rate Dips Below 10%

Source: CDC/NCHS, National Health Interview Survey, 2010-2015.
% of uninsured rate in the U.S.



Crowdfunded Projects on Kickstarter in 2012


Source: Company Reports, Economist.



Used as flexible rulers.

GDP to CO2 Emissions, G5 Countries


Cyan: Data-Driven Guides




Four area guides are used to encode a **single shape**.

Use cases

1. Drawing data-driven graphics



2. Retargeting existing artworks



Select

Control


PanZoom

Pen

Text

Shape

DataGuide



Original
By Nigel Holmes

Select

Control


PanZoom

Pen

Text

Shape

DataGuide



Link

Style

Text

Layer

Fill

#ffffff


Stroke

#808080

Stroke Width

1


Opacity



Original
By Nigel Holmes

Use cases



1. Drawing data-driven graphics




2. Retargeting existing artworks



3. Proofreading existing infographics



Proofreading existing infographics




Cyan: Data-Driven Guides

By Nigel Holmes.




By Tiffany Farrant-Gonzalez.

Proofreading existing infographics



The length of marks **do not match** the length of guides (curved).




Original

By Nigel Holmes.

Proofreading existing infographics

Length guide (Radius)

Area guide



By Tiffany Farrant-Gonzalez.

Informal usability evaluation with designers.

Participants

- **13** master student **designers**
(architecture, urban planning, and
infographic design etc)

Informal usability evaluation with designers.

Participants

- **13** master student **designers**
(architecture, urban planning, and infographic design etc)
- **2 ~ 10 years of experience** in infographic design.

Informal usability evaluation with designers.

Participants

- **13** master student **designers**
(architecture, urban planning, and infographic design etc)
- **2 ~ 10 years of experience** in infographic design.
- Frequently used tools include **vector & image editors**
(programming: only 2 people).

Informal usability evaluation with designers.

Participants

- **13** master student **designers** (architecture, urban planning, and infographic design etc)
- **2 ~ 10 years of experience** in infographic design.
- Frequently used tools include **vector & image editors** (programming: only 2 people).

Procedure

- A **60 min** session with a **15 min** tutorial

Informal usability evaluation with designers.


Participants

- **13** master student **designers** (architecture, urban planning, and infographic design etc)
- **2 ~ 10 years of experience** in infographic design.
- Frequently used tools include **vector & image editors** (programming: only 2 people).

Procedure

- A **60 min** session with a **15 min** tutorial

Pre-task and **post-task** surveys



Informal usability evaluation with designers.

Participants



- **13** master student **designers** (architecture, urban planning, and infographic design etc)
- **2 ~ 10 years of experience** in infographic design.
- Frequently used tools include **vector & image editors** (programming: only 2 people).

Procedure

- A **60 min** session with a **15 min** tutorial

Pre-task and **post-task** surveys

- **2 replication** tasks
- **1 creative** task




* We did not measure time

Results

Creative Tasks

- Two selected infographics created by participants.



Data: GDP of G5 Countries.


Results

Creative Tasks

- Two selected infographics created by participants.

Post-task surveys (5-point Likert scale)

- Interactions with DDG were intuitive.
($\mu=4.0$, $\sigma=0.71$)



Data: GDP of G5 Countries.

Results


Creative Tasks

- Two selected infographics created by participants.

Post-task surveys (5-point Likert scale)

- Interactions with DDG were intuitive.
($\mu=4.0$, $\sigma=0.71$)

- DDG is useful for positioning and measuring custom shapes based on data compared to rulers or grids.
($\mu=4.7$, $\sigma=0.63$)




Data: GDP of G5 Countries.

Results

Creative Tasks

- Two selected infographics created by participants.



Data: GDP of G5 Countries.

Post-task surveys (5-point Likert scale)

1. Interactions with DDG were intuitive. ($\mu=4.0$, $\sigma=0.71$)
2. DDG is useful for positioning and measuring custom shapes based on data compared to rulers or grids. ($\mu=4.7$, $\sigma=0.63$)
3. DDG is useful for designing creative and expressive infographics ($\mu=4.9$, $\sigma=0.38$)

Results: qualitative feedback

*“Currently, I need a **calculator** to make **data graphic**, which is **pretty arduous**. This tool makes it much **easier** to try things out and experiment with the graphics.” - P10.*

Results: qualitative feedback

*“Currently, I need a **calculator** to make **data graphic**, which is **pretty arduous**. This tool makes it much **easier** to try things out and experiment with the graphics.” - P10.*

*“I think that this would be a **wonderful aid** in creating graphics for **architectural representations**.” - P3.*

Results: qualitative feedback

*“Currently, I need a **calculator** to make **data graphic**, which is **pretty arduous**. This tool makes it much **easier** to try things out and experiment with the graphics.” - P10.*

*“I think that this would be a **wonderful aid** in creating graphics for **architectural representations**.” - P3.*

*“I usually do very **analytical infographics**, using traditional forms like bars or circles. Because of that, I’m **not quite sure** if data guides might be very **useful**” - P5.*

Limitations

1. Data-driven guides currently works with a tabular dataset.

Guide Data				
	Apr	May	Jun	Jul
	55	42	70	58


Limitations

1. *Data-driven guides currently works with a tabular dataset.*

Guide Data

	Apr	May	Jun	Jul
	55	42	70	58

2. *Difficult to generate guide elements such as axes and legends.*




Limitations

1. *Data-driven guides currently works with a tabular dataset.*

Guide Data				
	Apr	May	Jun	Jul
	55	42	70	58

2. *Difficult to generate guide elements such as axes and legends.*




3. *Other visual variables have to be manually encoded such color or angle.*

Value changes from light to dark	
Colour changes in hue at a given value	
Orientation changes in alignment	


Future work

1. *Reusable* creative infographic *templates*.




Future work

1. *Reusable* creative infographic *templates*.




2. Data-driven guides for *other visual variables*.




Future work

1. *Reusable* creative infographic *templates*.




2. *Data-driven* guides for *other visual variables*.



3. *Intelligent* systems for *automatically* providing *design feedback*.




Incorrect size



Area vs radius

Data Driven Guides:



Supporting expressive design for Information graphics

www.namwkim.org/ddg



HARVARD
John A. Paulson
School of Engineering
and Applied Sciences

Cornell
Engineering



Adobe