

TWENTYFOURTH SYMPOSIUM ON
NUCLEIC ACIDS CHEMISTRY

HELD AT
TOKYO, JAPAN
NOVEMBER 10–12, 1997

Symposium Organizer:

Prof. Kimitsuna Watanabe
Department of Chemistry and Biotechnology
School of Engineering
University of Tokyo
Hongo 7-3-1
Tokyo 113, Japan

**NUCLEIC ACIDS
SYMPOSIUM SERIES**

No.37

UB/TIB Hannover 89
117 820 61X



OXFORD UNIVERSITY PRESS

A new approach to oligonucleotide synthesis in solution C.B.Reese and Q.Song	1-2
A highly efficient synthesis of cyclaradine and its behaviour towards adenosine deaminase N.Katagiri, H.Kokufuda, M.Makino, Y.Matsushashi, C.Kaneko and R.Vince	3-4
Synthesis of novel dioxane nucleosides having two bases, physico-chemical properties, and their biological activities N.Kajimoto, J.Yamaizumi, M.Aida, K.Harada and M.Maeda	5-6
Synthesis of bisnetropsin-linked hydroxamic acids and their DNA cleavage properties in the presence of transition or lanthanide metal ions S.Hashimoto, K.Itai, Y.Takeuchi and Y.Nakamura	7-8
Specific interaction between 5'-aminonucleosides and borates and influence of borates on nucleoside conformations T.Wada, N.Minamimoto, Y.Inaki and Y.Inoue	9-10
Synthesis of DHPA analogs and their inhibitory activities of human recombinant S-adenosyl-L-homocysteine hydrolase Y.Kitade, M.Nakanishi, A.Hosoya, A.Hiraoka, M.Hayashi, K.Mori, T.Gotoh and C.Yatome	11-12
Synthesis of echiguanine analogs and their ribofuranosyl glycosides that inhibit phosphatidylinositol 4-kinase Y.Saito, K.Kato and K.Umezawa	13-14
Intramolecular oxyseleation of (5'S)-C-(4-phenyl-1,3-butadienyl)uridine: synthesis of octosyl nucleosides K.Haraguchi, M.Hosoe, H.Tanaka, S.Tsuruoka, K.Kanmuri and T.Miyasaka	15-16
Synthesis of the 2'-deoxy-2'-fluoro and 3'-deoxy-3'-fluoro analogues of 8-bromoadenosine T.Maruyama, Y.Sato, T.Sakamoto and T.Manabe	17-18
Chemical synthesis of H-phosphonate DNA without using N-protecting groups T.Wada, F.Honda, Y.Sato, S.Kawahara and M.Sekine	19-20
Imidazolium triflate as an efficient promoter for O-selective phosphitylation of N-unprotected nucleosides via the phosphoramidite approach M.Kataoka, S.Heidenhain and Y.Hayakawa	21-22
Synthesis and incorporation of tricyclic-imidazo[5',4':4,5]pyrido-[2,3-d]pyrimidine nucleosides into oligonucleotides and their thermal stability N.Kojima, Y.Ueno, N.Minakawa and A.Matsuda	23-24
Isopoly-L-ornithine derivative as nucleic acid model Y.Inaki, N.Tohnai, K.Miyabayashi and M.Miyata	25-26
Studies on the mechanism of DNA sequence selective alkylation by kapurimycin A₃ analogs A.Okamoto, K.Nakatani and I.Saito	27-28

- Synthesis of oligodeoxyribonucleotide containing novel C-5 reactive 2'-deoxyuridine derivative and its functional modification via post-synthetic technique** 29–30
S.Kohgo, A.Umeda, H.Ozaki, K.Shinozuka and H.Sawai
- A spectrometric method for determining the capability of intermolecular interaction: mono- and dideoxynucleotides** 31–32
M.Takayama, T.Shida and A.Tsugita
- Synthesis and evaluation of oligonucleotides incorporating novel artificial nucleobases for the selective formation of non-natural type triplexes** 33–34
S.Nakashima, N.Matsuura, F.Nagatsugi, M.Maeda and S.Sasaki
- Synthesis of stereoselectively 5'-monodeuterated nucleoside with defined *S/R*-ratios. An application to the assignment of 5'-methylene signals of DNA oligomers** 35–36
Y.Oogo, A.(M.)Ono, S.Tate, A.(S.)Ono and M.Kainosho
- Raman scattering tensors of adenine** 37–38
K.Ushizawa, A.Yimit, T.Ueda and M.Tsuboi
- Analysis of guanine oxidation product via electron transfer in 5'-d(TTGGTA)-3'** 39–40
K.Kino, H.Sugiyama and I.Saito
- Michael addition reactions of some nucleobases to 1-(4,6-*O*-benzylidene-2,3-didehydro-2,3-dideoxy-3-nitro- β -D-hexopyranosyl)uracil** 41–42
H.Hibino, K.Minamoto, S.Suzuki and T.Ukai
- Synthesis of 2'-deoxy-2'-fluoro-4'-thioarabinonucleosides using the Pummerer rearrangement and their biological evaluation** 43–44
Y.Yoshimura, K.Kitano, K.Yamada, S.Sakata, S.Miura, N.Ashida, H.Machida and A.Matsuda
- Oligonucleotide synthesis by the use of a 2-(levulinylloxymethyl)-5-nitrobenzoyl (LMNBz) group for the 5'-hydroxyl group of ribonucleoside and 2'-deoxyribonucleoside 3'-phosphoramidites** 45–46
K.Kamaike, H.Takahashi, T.Kakinuma, K.Morohoshi and Y.Ishido
- Highly diastereoselective synthesis of 2'-deoxy[2'-²H]ribonucleoside derivatives by the use of tris(trimethylsilyl)[²H]silane** 47–48
E.Kawashima, S.Uchida and Y.Ishido
- Synthesis of 5'-deoxy-5'-substituted pyrimidine nucleosides employing intramolecular glycosylation** 49–50
H.Sugimura and Y.Kato
- Structure of DNA containing aristeromycin analog** 51–52
T.Fujiwara, H.Sugiyama and I.Saito
- Preparation of thietane derivatives from 2-(3-hydroxyalkylthio)benzoxazoles and their conversion into thietane nucleosides** 53–54
D.Ikemizu, A.Matsuyama, T.Endo and O.Mitsunobu

Synthesis of cyclodeca-1,5-diyne derivatives having <i>o</i>-nitrophenylseleno group M.Michida, K.Sakagami, T.Shimono and O.Mitsunobu	55-56
Stereocontrolled cyclization at the anomeric position of 6-(hydroxyalkyl)uridines using hypiodite reaction A.Kittaka, H.Tanaka, H.Kato, T.Asakura, K.T.Nakamura and T.Miyasaka	57-58
Synthesis of 6-aminouracils and pyrrolo[2,3-<i>d</i>]pyrimidine-2,4-diones and their inhibitory effect on thymidine phosphorylase K.Hirota, M.Sawada, H.Sajiki and M.Sako	59-60
Asymmetric synthesis of 4'-α-alkylcarbovir derivatives K.Kato, H.Suzuki, H.Tanaka and T.Miyasaka	61-62
Synthesis of nucleosides having unusual branched sugars as potential antiviral agents K.Kato, S.Nishiyama and S.Yamamura	63-64
Synthesis and properties of carbocyclic oligothymidylate lacking the 5'-methylene M.Koga, M.Yamamoto, T.Nishi, Y.Endo, T.Suzuki and T.Saeki	65-66
Novel cross-linking reaction of oligonucleotides incorporating new base analogs with selective reactivity toward cytidine F.Nagatsugi, T.Kawasaki, M.Maeda and S.Sasaki	67-68
Synthesis and properties of oligonucleotide derivatives containing a hydrophobic fluorescent dye at the 2'-position T.Mitsui, H.Hayashi, K.Yamana and H.Nakano	69-70
Preparation of DNA-peptide conjugate using oxime resin M.Fujii, T.Hasegawa and I.Koujima	71-72
Synthesis of stereoselectively $^{13}\text{C}/^2\text{H}$-doubly labeled DNA oligomers by the combined use of chemical and enzymatic reactions A.(M.)Ono, Y.Oogo, S.Tate, A.(S.)Ono and M.Kainosho	73-74
Selective multiple labeling strategy to obtain accurate NMR parameters for nucleic acids. Conformational analysis around the glycosidic bond A.(S.)Ono, N.Takaishi, M.Tatebe, A.(M.)Ono, S.Tate and M.Kainosho	75-76
Solid phase synthesis of U1 RNA oligomers containing a TMG cap structure M.Kadokura, M.Ushioda, T.Wada and M.Sekine	77-78
Non-intercalative and sequence selective interaction between four intercalative reagents and dinucleotides T.Ito, R.Shirai, Y.Hashimoto and S.Iwasaki	79-80
Mechanistic studies on the neighboring base damage induced by KMnO_4 oxidation of 8-oxoguanine in DNA M.Fukuoka, T.Yamauchi, S.Koizume, H.Inoue and E.Ohtsuka	81-82

Optimal configuration of pyrene excimer induced by the excimer-forming two-probe nucleic acid hybridization method M.Masuko, S.Toyoda, M.Suwa, S.Mitaku, A.Shimazu and H.Ohtani	83-84
Photoinduced cleavage of single and double stranded DNA at single guanine proximal to target sequence by dibenzoyldiazomethane-ODN conjugate K.Nakatani, S.Sando and I.Saito	85-86
-GG- specific cleavage via hole hopping through double-stranded DNA T.Nakamura, C.Dohno, K.Nakatani and I.Saito	87-88
Mechanistic investigation of photoreduction of 5-bromouracil-containing oligomers K.Fujimoto, S.Ishihara and I.Saito	89-90
Cooperative alkylation by duocarmycin A-distamycin A heterodimer Y.Ozeki, H.Sugiyama and I.Saito	91-92
Photoreaction of 5-halouracil-containing Z-form DNA K.Kawai, H.Sugiyama and I.Saito	93-94
Raman scattering tensors of 5-iodouracil T.Ueda, K.Shinozaki, K.Ushizawa, A.Yimit and M.Tsuboi	95-96
X-ray analysis of DNA dodecamer containing 2'-deoxy-N⁶-methoxyadenosine T.Chatake, T.Toyoda, M.Tsunoda, T.Sunai, A.Ono, Y.Ueno, A.Matsuda and A.Takenaka	97-98
Interaction of nitrosyl Fe(II) complex of bleomycin with DNA M.Chikira, K.Sakamoto and W.E.Antholine	99-100
Fluorescence properties of quinacrine enantiomers complexed with synthetic double-stranded polyribonucleotides S.Tani and Y.Kubota	101-102
The structures of nucleic acids composed exclusively of non-standard base pairs S.Kobayasi, R.Kamisato, M.Kanagawa, M.Katahira and S.Uesugi	103-104
Hydrophobic effect of alkyl substituents on DNA intercalation of a dye S.Takenaka, M.Takagi, J.Tanaka, M.Nishi and H.Kondo	105-106
Three-dimensional structural analysis of avian-teratogenic pyrimidine dialkyl phosphate esters and their analogs by molecular orbital calculations M.Eto	107-108
Molecular cloning of the gene encoding a 2Fe-2S ferredoxin from extremely halophilic archaeon <i>Haloarcula japonica</i> strain TR-1 A.Ikeda, T.Ichimata, D.Sugimori and S.Nakamura	109-110

Primary structure of the novel bacterial rhodopsin from extremely halophilic archaeon <i>Haloarcula japonica</i> strain TR-1 R.Yatsunami, T.Kawakami, H.Ohtani and S.Nakamura	111–112
Sequence specific homogeneous detection of HCV RNA by fluorescence monitoring of <i>in vitro</i> transcription with intercalator-linked oligonucleotide probe J.Saitoh and T.Ishiguro	113–114
Codon reading properties of tRNA variants substituted within the anticodon loop R.Ouchi, K.Takai, S.Yokoyama and H.Takaku	115–116
Codon recognition by artificial tRNA molecules with modified nucleosides in the anticodon A.Satoh, K.Takai, S.Yokoyama and H.Takaku	117–118
Expression of GCF protein is dependent on the cell cycle P.Mao, M.Takimoto, G.Weil, N.Sakai, N.Senmaru, H.Fujita and N.Kuzumaki	119–120
Re-examination of 5' end of cDNA of transcription factor GCF M.Takimoto, P.Mao, G.Weil, A.C.Johnson and N.Kuzumaki	121–122
Recognition of tRNA^{gly} by three widely diverged glycyl-tRNA synthetases: evolution of tRNA recognition N.Nameki, K.Tamura, H.Asahara and T.Hasegawa	123–124
Use of biotinylated-cysteinyl-tRNA as a non-R1 probe in protein synthesis H.Ohtsuka, T.Yokogawa, H.Asahara and K.Nishikawa	125–126
Deoxyribonuclease secreted from an insectivorous plant <i>Drosera adelae</i> T.Okabe, H.Mori and T.Ohyama	127–128
Quadruplex formation of oligonucleotides containing G clusters and their nuclease resistance T.Shida, M.Suda and J.Sekiguchi	129–130
Mechanism of substrate recognition by the ribotoxin, α-sarcin E.Takeda, X.Bi, S.Yoshinari and Y.Endo	131–132
Role of the CCA end of tRNA and its vicinity in aminoacylation K.Tamura and T.Hasegawa	133–134
The molecular mechanisms of 5-fluoro-2'-deoxyuridine induced cell death A.Nagano, T.Kakutani, Y.Matsumoto, Y.Ebara, K.Kanja, S.Kankawa and Y.Wataya	135–136
Cytotoxic mechanisms of new antitumor nucleoside analogues, 3'-ethynylcytidine (ECyd) and 3'-ethynyluridine (Eurd) H.Kanda, S.Takatori, A.Matsuda, T.Sasaki, M.Tanaka, M.Fukushima and Y.Wataya	137–138
Preparation of DNA-chitosan columns and their applications: binding of carcinogens to the column H.Hayatsu, Y.Tanaka and K.Negishi	139–140

Molecular mechanism of the alternative expression of the <i>Chlorella</i> virus CVK2 chitosanase gene S.Hiramatsu, S.Ishihara, M.Fujie and T.Yamada	141-142
Designing of plant artificial chromosome (PAC) by using the <i>Chlorella</i> smallest chromosome as a model system Y.Noutoshi, R.Arai, M.Fujie and T.Yamada	143-144
Conformational change of DNA on the formation of DNA-anti-DNA antibody immune complex H.Kitamura, K.Shindo, M.Sasabe, E.Matsuura, N.Sakairi and N.Nishi	145-146
Experimental quantitation of cation effect on nucleic acid stability N.Sugimoto, S.Nakano and M.Fujimoto	147-148
Parallel-stranded duplexes and quartet assemblies formed by oligonucleotides containing isoguanine F.Seela, C.Weij, A.Melenewski and P.Leonard	149-150
Different contributions of three zinc fingers of transcription factor Sp1 to DNA recognition: novel binding mode of N-terminal finger 1 N.Saegusa, M.Yokono, K.Matsushita and Y.Sugiura	151-152
New multi zinc finger protein: biosynthetic design and characteristics of DNA recognition T.Kamiuchi, M.Imanishi, E.Abe and Y.Sugiura	153-154
Preliminary investigation of tRNA modification enzymes with Se in bovine liver T.Watanabe, K.Kanaya, T.Fujiwara and T.Mizutani	155-156
Construction of a novel conjugative plasmid harboring a GFP reporter gene and its introduction into animal cells by transfection and trans-kingdom conjugation K.Yoshida, T.Takegami, A.Katoh, M.Nishikawa and T.Nishida	157-158
Genome structure of pTi-SAKURA (I): strategy for DNA sequencing of a Japanese cherry-Ti plasmid Y.Hattori, K.Suzuki, M.Uraji, N.Ohta, A.Katoh and K.Yoshida	159-160
Genome structure of pTi-SAKURA (II): genetic map constructed by complete DNA sequencing K.Suzuki, Y.Hattori, M.Uraji, N.Ohta, A.Katoh and K.Yoshida	161-162
High-salt effects on the structure and damage of chromosomal DNA in <i>Halobacterium salinarium</i>, an extremely halophilic bacterium H.R.Shahmohammadi, H.Terato, E.Asgarani, T.Saito, H.Fumamizu, Y.Ohyama, K.Gekko and H.Ide	163-164

Mechanisms of the genotoxic effects associated with 5-formyluracil: effect of exogenous 5-formyl-2'-deoxyuridine H.Ide, H.Terato, A.Masaoka, N.Nagasawa and Y.Ohyama	165–166
Random amplified polymorphic DNA observed in <i>Eucalyptus</i> by PCR study with random primers M.Izumi, E.Kojima, M.Matsuda, T.Shimizu, A.Murakami, T.Tanabe and K.Murakami	167–168
Novel primers designed for microsatellite loci in <i>Eucalyptus</i> and identification by PCR fingerprints M.Matsuda, E.Kojima, M.Izumi and K.Murakami	169–170
Identification of <i>Eucalyptus citriodora</i> clones micropropagated in tissue culture E.Kojima, M.Izumi, T.Tanabe, M.Matsuda, T.Shimizu, A.Murakami and K.Murakami	171–172
Biological behavior of 6-chloro-2',3'-dideoxyguanosine and 6-chloro-2',3'-dideoxyinosine in the brains of mice Y.Fujii, E.Kojima, I.Ohtani, R.Mukai, K.Murakami and Y.Yoshikawa	173–174
Dissection of the DNA binding domain of yeast Zn-finger protein Rme1p, a repressor of meiotic activator <i>IME1</i> M.Shimizu, M.Hara, A.Murase, H.Shindo and A.P.Mitchell	175–176
Synthesis of guanosine 5'-triphosphate analogues and their effect on microtubule assembly M.Muraoka, H.Fukuzawa, A.Nisita, K.Okano, T.Tsuchihara and H.Sakai	177–178
Translational pauses during the synthesis of proteins and mRNA structure M.Zama	179–180
Chiral influences of feedback inhibition with dCTP on murine deoxycytidine kinase A.Tomikawa, T.Yamaguchi, T.Kawaguchi, K.Shudo and M.Saneyoshi	181–182
A mechanism for unsplicing and exon skipping in human α- and β-globin mutant pre-mRNA splicing Y.Iida	183–184
<i>Escherichia coli</i> tmRNA (10Sa RNA) in trans-translation H.Himeno, N.Nameki, T.Tadaki, M.Sato, K.Hanawa, M.Fukushima, M.Ishii, C.Ushida and A.Muto	185–186
Purification of a <i>Mycoplasma capricolum</i> MCS4 RNA binding protein and cloning its gene T.Matsuda, K.Ando, T.Sasaki, C.Ushida and A.Muto	187–188
Essentially minimal sequence for substrate recognition by tRNA (guanosine-2')-methyltransferase from <i>Thermus thermophilus</i> HB27 H.Hori, N.Yamazaki, T.Matsumoto, T.Ueda, K.Nishikawa, I.Kumagai and K.Watanabe	189–190

Expression of <i>Xenopus laevis</i> translation initiation factor 4E (eIF-4E) by baculovirus-insect cell system H.Miyoshi, K.Ito, N.Sakai, J.Mizushima, K.Okamoto, H.Hori, T.Nishino, M.Wakiyama and K.Miura	191–192
Effect of a low-calcium environment on EGF inducible AP-1 binding activity in osteoblastic MC3T3-E1 cells A.Deyama, Y.Deyama, A.Matsumoto, M.Okitsu, Y.Yoshimura, K.Suzuki and Y.Totsuka	193–194
Mitochondrial methionyl-tRNA transformylase from bovine liver N.Takeuchi, M.Kawakami, T.Ueda, L.L.Sprengli and K.Watanabe	195–196
5-formylecytidine (f^5C) found at the wobble position of the anticodon of squid mitochondrial tRNA^{Met}CAU K.Tomita, T.Ueda and K.Watanabe	197–198
Stabilities of internal rU-dG and rG-dT pairs in RNA/DNA hybrids N.Sugimoto, I.Yasumatsu and M.Fujimoto	199–200
Evolution of a phosphorothioate RNA library during <i>in vitro</i> selection J.Kawakami and N.Sugimoto	201–202
Gene regulation by decoy approach (I): synthesis and properties of photo-crosslinked oligonucleotides R.Iwase, M.Namba, T.Yamaoka and A.Murakami	203–204
Study of RNA structure by pyrene-labeled oligonucleotides R.Iwase, H.Tsuchida, T.Yamaoka, K.Yamana and A.Murakami	205–206
Structural analysis of nucleic acids by using fluorescence resonance energy transfer (FRET) N.Ota, K.Hirano, M.Warashina, A.Andrus, B.Mullah, K.Hatanaka and K.Taira	207–208
Sequence-selective RNA scission by oligoamine–DNA conjugates (1) A.Kuzuya, Y.Azuma, T.Inokawa, K.Yoshinari and M.Komiyama	209–210
Homogeneous catalyst for DNA hydrolysis (4). Efficient DNA hydrolysis by lanthanide–saccharide complexes J.Sumaoka, A.Kajimura and M.Komiyama	211–212
Comparison of activities between hammerhead ribozymes and DNA enzymes targeted to L6 BCR-ABL chimeric (b2a2) mRNA M.Warashina, T.Kuwabara and K.Taira	213–214
Synthesis and anti-HIV activity of phosphorothioate antisense DNA containing C-5 polyamine substituted 2'-deoxyuridine and/or acridine residues K.Shinozuka, T.Okamoto, M.Matsukura and H.Sawai	215–216

Study on site specific cleavage of RNA H.Shirakura, K.Hosono, G.Kawai, K.Takai, T.Ohtsuki, K.Watanabe, K.Sakamoto, S.Yokoyama and H.Takaku	217–218
Synthesis and anti-influenza virus-A activity of circular dumbbell RNA–DNA chimeric oligonucleotides T.Abe, T.Hatta, H.Yamakawa, K.Takai, T.Yokota and H.Takaku	219–220
Inhibition of HIV-1 replication by foldback triple-helix forming oligonucleotides T.Hiratou, S.Tsukahara, K.Takai, Y.Koyanagi, N.Yamamoto and H.Takaku	221–222
Design and <i>in vitro</i> activity of ribozymes against mRNA of a rat membrane inhibitor of complement O.Inui, T.Tanaka, N.Dohi, N.Okada, H.Okada and Y.Kikuchi	223–224
Poly(L-lysine)-graft-dextran copolymer is a novel stabilizer of triplex DNA (I): stabilization of poly(dA)·2poly(dT) triplex A.Maruyama, H.Watanabe, A.Ferdous and T.Akaike	225–226
Three-dimensional model of <i>Tetrahymena</i> group I intron M.Amano	227–228
Hypnotic activities of <i>N</i>³-benzyl and xylyl substituted arabinofuranosyluracil T.Kimura, Y.S.Chun, M.Ikeda, K.Kobana, K.Watanabe, S.Kondo, I.K.Ho and I.Yamamoto	229–230
Luminescence properties of lanthanide ion-phenanthroline–DNA triple helix systems S.Sueda, T.Ihara, B.Juskowiak and M.Takagi	231–232
DNA labeling reagent containing carbodiimide G.Masuda, K.Matsumoto and O.Suzuki	233–234
Affinity capillary electrophoresis using DNA conjugates Y.Ozaki, T.Ihara, Y.Katayama and M.Maeda	235–236
Specific RNA aptamers to NS3 protease domain of hepatitis C virus K.Fukuda, D.Vishinuvardhan, S.Sekiya, N.Kakiuchi, K.Shimotohno, P.K.R.Kumar and S.Nishikawa	237–238
Detection of 2'-deoxyoxanosine by capillary electrophoresis T.Suzuki, M.Yamada, H.Furukawa, K.Kanaori, K.Tajima and K.Makino	239–240
Intermediate in reaction of 2'-deoxycytidine with nitrous acid T.Suzuki, T.Nakamura, K.Kanaori, K.Tajima and K.Makino	241–242
Selection of functional DNAs which bind to a transition state analog T.Kato, K.Ikebukuro and I.Karube	243–244
Mechanistic analogy between metal ion-catalyzed self-splicing of protein and RNA T.Takarada, A.Yamamura, M.Yashiro and M.Komiyama	245–246

Novel detection system of flow injection analysis (1). The existence of significant relation between secondary structure of DNA and sensitivity in signal detection S.Sawata, E.Kai, K.Ikebukuro, T.Iida, T.Honda and I.Karube	247–248
RNA aptamers to a protease, subtilisin H.Takeno, T.Tanaka and Y.Kikuchi	249–250
Interaction between tris(bpy)osmium(II/III) complex and immobilized DNA on a carbon electrode Y.Mishima, J.Motonaka, K.Maruyama, K.Minagawa and S.Ikeda	251–252
Recognition of DNA sequence utilizing osmium complex by amperometric technique Y.Mishima, J.Motonaka, K.Maruyama, K.Minagawa and S.Ikeda	253–254
Structural analogues of TaqMan probes for real-time quantitative PCR R.G.Kuimelis, K.J.Livak, B.Mullah and A.Andrus	255–256
Thrombin-binding properties of thrombin aptamer derivatives K.Sumikura, K.Yano, K.Ikebukuro and I.Karube	257–258
Modified nucleic acids for <i>in vitro</i> selection Y.Ito	259–260
Inclusion of nucleic acid contribution into assessment of protein 3d-1D compatibility and prediction of binding sites for nucleic acids S.Fujii and Y.Yamagata	261–262
Non-enzymatic hydrolyses of aryl esters of thymidine 3'-monophosphate as probes for the rate-determining step in DNA hydrolysis N.Takeda, Y.Okada, M.Yashiro and M.Komiyama	263–264
DNA sequence dependent binding modes of bis(vinylpyridinium)benzene derivatives B.Juskowiak, S.Takenaka, M.Takagi and H.Kondo	265–266
Effect of chemical modification of oligohomopyrimidine on triplex formation: thermodynamic and kinetic studies H.Torigoe, R.Shimizume, A.Sarai and H.Shindo	267–268
Conformational distortion of sugar moieties in the RecA-bound DNA structure determined by a simulated annealing method T.Nishinaka, Y.Ito, S.Yokoyama and T.Shibata	269–270
Structure model and physicochemical properties of the C-U mismatch pair in the double stranded RNA in solution Y.Tanaka, C.Kojima, T.Yamazaki, Y.Kyogoku, S.Miyashita, A.Ono and M.Kainosho	271–272
Preparation and characterization of antibacterial alginate film containing DNA as a carrier of silver ion H.Kitamura, Y.Kondo, N.Sakairi and N.Nishi	273–274

Morphological variation in folded duplex DNA chains Y.Yoshikawa	275-276
Detection, purification and characterization of a protein that binds the (6-4) photoproduct-containing DNA in HeLa cells Y.Fujiwara, C.Masutani, F.Hanaoka and S.Iwai	277-278
Characterization of DNA fragments that show anomalously rapid migration in non-denaturing polyacrylamide gels H.Tsujibayashi, H.Tagashira and T.Ohyama	279-280
Preliminary studies for interaction of a cyclobutane thymine dimer region with its cognate antibody Y.Komatsu, T.Tujino, T.Suzuki, O.Nikaido and E.Ohtsuka	281-282
<i>In vitro</i> selection of aptamers that bind to ribosome-inactivating toxins I.Hirao, S.Yoshinari, S.Yokoyama, Y.Endo and A.D.Ellington	283-284
Crystal structures of nucleic acid complexes of ribonuclease U₂ N.Noda, S.Noguchi and Y.Satow	285-286
Colicin E5 as a new type of cytotoxin, which cleaves a specific group of tRNAs H.Masaki, T.Ogawa, K.Tomita, T.Ueda, K.Watanabe and T.Uozumi	287-288
Yeast oligonucleotide transformation: its mechanism and application to analysis of mutations induced by defined DNA lesions K.Negishi, Y.Hata, K.Sanda and H.Hayatsu	289-290
Mammalian tRNA₃^{Lys} and pre-tRNA₃^{Lys} variants as primers and inhibitors of viral cDNA synthesis by HIV reverse transcriptase <i>in vitro</i> S.Schäfer, H.Heumann and H.J.Gross	291-292
A variant of <i>Plasmodium ovale</i>; analysis of its 18S ribosomal RNA gene sequence H.Miyake, S.Suwa, M.Kimura and Y.Wataya	293-294
Recognition system of class II tRNA in <i>Escherichia coli</i> and yeast A.Soma and H.Himeno	295-296
Characteristic distribution of bases and codons around the initiation and termination codons in whole reading frames in bacteria and yeast genomes H.Watanabe, T.Gojobori, M.Terabe, M.Wakiyama and K.Miura	297-298
Effect of nucleotide sequence and metal ions at the active site on a short ribozyme activation N.Sugimoto and T.Ohmichi	299-300
Poly(L-lysine)-graft-dextran copolymer is a novel stabilizer of triplex DNA(II): potassium-insensitive triplex formation A.Ferdous, H.Watanabe, A.Maruyama and T.Akaike	301-302

Analysis for the subcellular distribution of oligonucleotide/lipid complexes T.Sato, H.Nishi, Y.Okahata, Y.Shoji and J.Shimada	303–304
Aminoacyl-tRNA synthesis in Archaea M.Ibba, I.Celic, A.Curnow, H.Kim, J.Pelaschier, D.Tumbula, U.Vothknecht, C.Woese and D.Söll	305–306
Activities of tRNA-embedded dimeric minizymes T.Kuwabara, M.Warashina, A.Nakayama, J.Ohkawa and K.Taira	307–308
Structure–activity correlation for an HDV ribozyme composed of three RNA strands Y.Tanaka, T.Sakamoto, K.Sasa, T.Kuwabara, M.H.Kim, Y.Kurihara, M.Katahira and S.Uesugi	309–310
Selective recognition of tandemly repeated DNA sequences by homo- and heterodimers of short peptides Y.Aizawa, T.Morii and Y.Sugiura	311–312
Mechanism and intermediate for formation of 2'-deoxyoxanosine T.Suzuki, K.Kanaori, K.Tajima and K.Makino	313–314
Analytical application of host-guest chemistry using <i>in vitro</i> selection Y.Ito	315–316
High-throughput synthesis of functionalized oligonucleotides A.Andrus, S.Cox, S.Beavers, A.Parker, J.Anuskiewicz and B.Mullah	317–318
Removing tRNA from a cell-free protein synthesis system for use in protein production T.Kanda, K.Takai, S.Yokoyama and H.Takaku	319–320
Novel DNA detection system of flow injection analysis (2). The distinctive properties of a novel system employing PNA (peptide nucleic acid) as a probe for specific DNA detection E.Kai, S.Sawata, K.Ikebukuro, T.Iida, T.Honda and I.Karube	321–322
Author index	