

Fuzzy Logic = Computing with Words

Lotfi A. Zadeh, *Life Fellow, IEEE*

Abstract—As its name suggests, computing with words (CW) is a methodology in which words are used in place of numbers for computing and reasoning. The point of this note is that fuzzy logic plays a pivotal role in CW and vice-versa. Thus, as an approximation, fuzzy logic may be equated to CW. There are two major imperatives for computing with words. First, computing with words is a necessity when the available information is too imprecise to justify the use of numbers, and second, when there is a tolerance for imprecision which can be exploited to achieve tractability, robustness, low solution cost, and better rapport with reality. Exploitation of the tolerance for imprecision is an issue of central importance in CW. In CW, a word is viewed as a label of a granule; that is, a fuzzy set of points drawn together by similarity, with the fuzzy set playing the role of a fuzzy constraint on a variable. The premises are assumed to be expressed as propositions in a natural language. For purposes of computation, the propositions are expressed as canonical forms which serve to place in evidence the fuzzy constraints that are implicit in the premises. Then, the rules of inference in fuzzy logic are employed to propagate the constraints from premises to conclusions. At this juncture, the techniques of computing with words underlie—in one way or another—almost all applications of fuzzy logic. In coming years, computing with words is likely to evolve into a basic methodology in its own right with wide-ranging ramifications on both basic and applied levels.

I. INTRODUCTION

FUZZY logic has come of age. Its foundations have become firmer, its applications have grown in number and variety, and its influence within the basic sciences—especially in mathematical and physical sciences—has become more visible and more substantive. Yet, there are two questions that are still frequently raised: a) what is fuzzy logic and b) what can be done with fuzzy logic that cannot be done equally well with other methodologies, e.g., predicate logic, probability theory, neural network theory, Bayesian networks, and classical control?

The title of this note is intended to suggest a succinct answer: the main contribution of fuzzy logic is a methodology for computing with words. No other methodology serves this purpose. What follows is an elaboration on this suggestion. A fuller exposition of the methodology of computing with words (CW) will appear in a forthcoming paper.

Needless to say, there is more to fuzzy logic than a methodology for CW. Thus, strictly speaking, the equality in the title of this note should be an inclusion; using the equality

serves to accentuate the importance of computing with words as a branch of fuzzy logic.

II. WHAT IS CW?

In its traditional sense, computing involves (for the most part) manipulation of numbers and symbols. By contrast, humans employ mostly words in computing and reasoning, arriving at conclusions expressed as words from premises expressed in a natural language or having the form of mental perceptions. As used by humans, words have fuzzy denotations. The same applies to the role played by words in CW.

The concept of CW is rooted in several papers starting with [39] in which the concepts of a linguistic variable and granulation were introduced. The concepts of a fuzzy constraint and fuzzy constraint propagation were introduced in [32], and developed more fully in [35] and [37]. Application of fuzzy logic to meaning representation and its role in test-score semantics are discussed in [33] and [36].

Although the foundations of computing with words were laid some time ago, its evolution into a distinct methodology in its own right reflects many advances in our understanding of fuzzy logic and soft computing—advances which took place within the past few years. A key aspect of CW is that it involves a fusion of natural languages and computation with fuzzy variables. It is this fusion that is likely to result in an evolution of CW into a basic methodology in its own right, with wide-ranging ramifications and applications.

We begin our exposition of CW with a few definitions. It should be understood that the definitions are dispositional; that is, they do not apply in some cases.

The point of departure in CW is the concept of a granule. In essence, a granule is a fuzzy set of points having the form of a clump of elements drawn together by similarity. A word w is a label of a granule g and, conversely, g is the denotation of w . A word may be atomic (as in *young*) or composite (as in *not very young*). Unless stated to the contrary, a word will be assumed to be composite. The denotation of a word may be a higher order predicate, as in Montague grammar [23].

In CW, a granule g which is the denotation of a word w is viewed as a fuzzy constraint on a variable. A pivotal role in CW is played by fuzzy constraint propagation from premises to conclusions. It should be noted that as a basic technique, constraint propagation plays important roles in many methodologies, especially in mathematical programming, constraint programming, and logic programming.

As a simple illustration, consider the proposition *Mary is young*. In this case, *young* is the label of a granule *young* (note that for simplicity, the same symbol is used both for a

Manuscript received June 20, 1995; revised September 8, 1995. This work was supported in part by NASA Grant NCC2-275 and the Berkeley Initiative in Soft Computing Program (BISC).

The author is with the Computer Science Division, Department of Electrical Engineering and Computer Sciences, University of California, Berkeley, CA 94720 USA.

Publisher Item Identifier S 1063-6706(96)03283-3.

word and its denotation). The fuzzy set *young* plays the role of a fuzzy constraint on the age of Mary.

As a further example, consider the propositions

$$p_1 = \text{Carol lives near Mary}$$

and

$$p_2 = \text{Mary lives near Pat.}$$

In this case, the words "lives near" in p_1 and p_2 play the role of fuzzy constraints on the distances between the residences of Carol and Mary and Mary and Pat, respectively. If the query is, "How far is Carol from Pat?" an answer yielded by fuzzy constraint propagation might be expressed as p_3 , where

$$p_3 = \text{Carol lives not far from Pat.}$$

More about fuzzy constraint propagation will be discussed at a later point.

A basic assumption in CW is that information is conveyed by constraining the values of variables. Furthermore, information is assumed to consist of a collection of propositions expressed in a natural or synthetic language.

A basic generic problem in CW is the following.

We are given a collection of propositions expressed in a natural language which constitute the initial data set (IDS).

From the IDS we wish to infer an answer to a query expressed in a natural language. The answer, also expressed in a natural language, is referred to as the terminal data set (TDS). The problem is to derive TDS from IDS.

A few problems will serve to illustrate these concepts. At this juncture, the problems will be formulated but not solved.

- 1) Assume that a function $f, f: U \rightarrow V, X \in U, Y \in V$ is described in words by the fuzzy IF-THEN rules

$$\begin{aligned} f: & \text{ if } X \text{ is small then } Y \text{ is small} \\ & \text{ if } X \text{ is medium then } Y \text{ is large} \\ & \text{ if } X \text{ is large then } Y \text{ is small.} \end{aligned}$$

What this implies is that f is approximated to by the fuzzy graph f^* (Fig. 1), where

$$\begin{aligned} f^* = & \text{ small} \times \text{small} + \text{medium} \times \text{large} \\ & + \text{large} \times \text{small.} \end{aligned}$$

In f^* , $+$, and \times denote, respectively, the disjunction and Cartesian product. An expression of the form $A \times B$, where A and B are words, will be referred to as a *cartesian granule*. In this sense, a fuzzy graph may be viewed as a disjunction of cartesian granules. In essence, a fuzzy graph serves as an approximation to a function or a relation [31], [38].

In the example under consideration, the IDS consists of the fuzzy-rule set f . The query is, "What is the maximum value of f^* (Fig. 2)?" More broadly, the problem is, "How can one compute an attribute of a function f , e.g., its maximum value or its area or its roots, if f is described in words as a collection of fuzzy IF-THEN rules?"

- 2) A box contains ten balls of various sizes of which several are large and a few are small. What is the probability that a ball drawn at random is neither large nor small? In this case, the IDS is a verbal description of the contents of the box: the TDS is the desired probability.
- 3) A less simple example of computing with words is the following: let X and Y be independent random variables taking values in a finite set $V = \{v_1, \dots, v_n\}$ with probabilities p_1, \dots, p_n and q_1, \dots, q_n , respectively. For simplicity of notation, the same symbols will be used to denote X and Y and their generic values, with p and q denoting the probabilities of X and Y , respectively. Assume that the probability distributions of X and Y are described in words through the fuzzy IF-THEN rules

$$\begin{aligned} P: & \text{ if } X \text{ is small then } p \text{ is small} \\ & \text{ if } X \text{ is medium then } p \text{ is large} \\ & \text{ if } X \text{ is large then } p \text{ is small} \end{aligned}$$

and

$$\begin{aligned} Q: & \text{ if } Y \text{ is small then } q \text{ is large} \\ & \text{ if } Y \text{ is medium then } q \text{ is small} \\ & \text{ if } Y \text{ is large then } q \text{ is large} \end{aligned}$$

where the granules small, medium, and large are the values of the linguistic variables X and Y in their respective universe of discourse. In the example under consideration, these rule sets constitute the IDS. Note that small in P need not have the same meaning as small in Q , and likewise for medium and large.

The query is, "How can we describe, in words, the joint probability distribution of X and Y ?" This probability distribution is the TDS.

For convenience, the probability distributions of X and Y may be represented as fuzzy graphs

$$\begin{aligned} P: & \text{ small} \times \text{small} + \text{medium} \times \text{large} + \text{large} \times \text{small} \\ Q: & \text{ small} \times \text{large} + \text{medium} \times \text{large} + \text{large} \times \text{large} \end{aligned}$$

with the understanding that the underlying numerical probabilities must add up to unity.

Since X and Y are independent random variables, their joint probability distribution (P, Q) is the product of P and Q . In other words, the product may be expressed as [38]

$$\begin{aligned} (P, Q): & \text{ small} \times \text{small} \times (\text{small} * \text{large}) + \text{small} \\ & \times \text{medium} \times (\text{small} * \text{small}) + \text{small} \times \text{large} \\ & \times (\text{small} * \text{large}) + \dots + \text{large} \times \text{large} \\ & \times (\text{small} * \text{large}) \end{aligned}$$

where $*$ is the arithmetic product in fuzzy arithmetic [14], [19]. In effect, what we have done in this example amounts to a derivation of a linguistic characterization of the joint probability distribution of X and Y , starting with linguistic characterizations of the probability distribution of X and the probability distribution of Y .

A few comments are in order. In linguistic characterizations of variables and their dependencies, words serve as the values




Fig. 1. f^* is a fuzzy graph which approximates a function f .




Fig. 2. Maximization of a crisp function, an interval-valued function, and a fuzzy graph.

of variables and play the role of fuzzy constraints. In this perspective, the use of words may be viewed as a form of granulation, which in turn may be regarded as a form of fuzzy quantization.

Granulation plays a key role in human cognition. For humans, it serves as a way of achieving data compression. This is one of the pivotal advantages accruing through the use of words in human, machine, and man-machine communication.

In the final analysis, the rationale for computing with words rests on two major imperatives. First, computing with words is a necessity when the available information is too imprecise to justify the use of numbers, and second, when there is a tolerance for imprecision which can be exploited to achieve tractability, robustness, low solution cost, and better rapport with reality.

The conceptual structure of computing with words is schematized in Fig. 3(a) and (b). Basically, CW may be viewed as a confluence of two related streams: fuzzy logic and test-score semantics, with the latter based on fuzzy logic. The point of contact is the collection of canonical forms of the premises, which are assumed to be propositions expressed in a natural language (NL). The function of canonical forms is to explicitate the implicit fuzzy constraints which are resident in the premises. With canonical forms as the point of departure, fuzzy constraint propagation leads to conclusions in the form of induced fuzzy constraints. Finally, the induced constraints are translated into NL through the use of linguistic approximation [30], [18].

In computing with words, there are two core issues that arise. First is the issue of representation of fuzzy constraints. More specifically, the question is, "How can the fuzzy constraints which are implicit in propositions (expressed in a natural language) be made explicit." Second is the issue of fuzzy constraint propagation; that is, the question of how can fuzzy constraints in premises be propagated to conclusions. These are the issues which are addressed in the following section.

III. REPRESENTATION OF FUZZY CONSTRAINTS AND CANONICAL FORMS

Our approach to the representation of fuzzy constraints is based on test-score semantics [33], [36]. In outline, in this semantics, a proposition p in a natural language is viewed as a network of fuzzy (elastic) constraints. Upon aggregation, the constraints which are embodied in p result in an overall fuzzy constraint which can be represented as an expression of the form

$$X \text{ is } R$$

where R is a constraining fuzzy relation and X is the constrained variable. The expression in question is called a *canonical form*. The function of a canonical form is to place in evidence the fuzzy constraint which is implicit in p . This is represented schematically as

$$p \rightarrow X \text{ is } R$$

in which the arrow \rightarrow denotes explicitation. The variable X may be vector-valued and/or conditioned.

In this perspective, the meaning of p is defined by two procedures. The first procedure acts on a so-called explanatory database (ED) and returns the constrained variable X . The second procedure acts on ED and returns the constraining relation R .

An ED is a collection of relations in terms of which the meaning of p is defined. The relations are empty; that is, they consist of relation names, relations attributes, and attribute domains, with no entries in the relations. When there are entries in ED, ED is said to be *instantiated* and is denoted





Fig. 3. (a) Conceptual structure of CW and (b) a more detailed version.

EDI. EDI may be viewed as a description of a possible world in possible world semantics [6], while ED defines a collection of possible worlds, with each possible world in the collection corresponding to a particular instantiation of ED.

As a simple illustration, consider the proposition

$$p = \text{Mary is not young.}$$

Assume that the explanatory database is chosen to be

$$ED = \text{POPULATION}[\text{Name}; \text{Age}] + \text{YOUNG}[\text{Age}; \mu]$$

in which POPULATION is a relation with arguments Name and Age, YOUNG is a relation with arguments Age and μ , and + is the disjunction. In this case, the constrained variable is the age of Mary which, in terms of ED, may be expressed as

$$X = \text{Age}(\text{Mary}) =_{\text{Age}} \text{POPULATION}[\text{Name} = \text{Mary}].$$

This expression specifies the procedure which acts on ED and returns X. More specifically, in this procedure, Name is instantiated to Mary and the resulting relation is projected on Age, yielding the age of Mary.

The constraining relation R is given by

$$R = ({}^2\text{YOUNG})'$$

which implies that the intensifier *very* is interpreted as a squaring operation, and the negation *not* as the operation of complementation.

Equivalently, R may be expressed as

$$R = \text{YOUNG}[\text{Age}; 1 - \mu^2].$$

As a further example, consider the proposition

$$p = \text{Carol lives in a small city near San Francisco}$$

and assume that the explanatory database is

$$ED = \text{POPULATION}[\text{Name}; \text{Residence}] + \text{SMALL}[\text{City}; \mu] + \text{NEAR}[\text{City 1}; \text{City 2}; \mu].$$

In this case

$$X = \text{Residence}(\text{Carol}) =_{\text{Residence}} \text{POPULATION}[\text{Name} = \text{Carol}]$$

and

$$R = \text{SMALL}[\text{City}; \mu] \cap_{\text{City1}} \text{NEAR}[\text{City 2} = \text{San Francisco}].$$

In R, the first constituent is the fuzzy set of small cities, the second constituent is the fuzzy set of cities which are near San Francisco, and \cap denotes the intersection of these sets. So far, we have confined our attention to constraints of the form

$$X \text{ is } R.$$

In fact, constraints can have a variety of forms. In particular, a constraint—expressed as a canonical form—can be conditional; that is, of the form

$$\text{if } X \text{ is } R \text{ then } Y \text{ is } S$$

which may also be written as

$$Y \text{ is } S \text{ if } X \text{ is } R.$$

The constraints in question will be referred to as *basic*.

For purposes of meaning representation, the richness of natural languages necessitates a wide variety of constraints in relation to which the basic constraints form an important, though special class. The so-called generalized constraints [37] contain the basic constraints as a special case and are defined as follows.

A generalized constraint is represented as

$$X \text{ isr } R$$

where *isr* (pronounced “ezar”) is a variable copula which defines the way in which *R* constrains *X*. More specifically, the role of *R* in relation to *X* is defined by the value of the discrete variable *r*. The values of *r* and their interpretations are defined below:

- e: equal (abbreviated to =)
- d: disjunctive (possibilistic) (abbreviated to blank)
- c: conjunctive
- p: probabilistic
- λ: probability value
- u: usuality
- rs: random set
- rsf: random fuzzy set
- fg: fuzzy graph
- ps: rough set (Pawlak Set)
- ∴ ∴ ∴

As an illustration, when *r* = *e*, the constraint is an equality constraint and is abbreviated to =. When *r* takes the value *d*, the constraint was *disjunctive* (possibilistic), and “isd” abbreviated to “is” led to the expression

$$X \text{ is } R$$

in which *R* is a fuzzy relation which constrains *X* by playing the role of the possibility distribution of *X*. More specifically, if *X* takes values in a universe of discourse, $U = \{u\}$, then $\text{Poss}\{X = u\} = \mu_R(u)$, where μ_R is the membership function of *R*, and Π_X is the possibility distribution of *X*; that is, the fuzzy set of its possible values. In schematic form

$$\begin{aligned} X \text{ is } R & \quad \Pi_X = R \\ & \quad \text{Poss}\{X = u\} = \mu_R(u). \end{aligned}$$

Similarly, when *R* takes the value *c*, the constraint is *conjunctive*. In the case

$$X \text{ isc } R$$

means that if the grade of membership of *u* in *R* is μ , then $X = u$ has truth value μ . For example, a canonical form of the proposition

$$p = \text{John is proficient in English, French, and German}$$

may be expressed as

$$\text{Proficiency}(\text{John}) \text{ isc } (1/\text{English} + 0.7/\text{French} + 0.6/\text{German})$$

in which 1.0, 0.7, and 0.6 represent, respectively, the truth values of the propositions John is proficient in English, John is proficient in French, and John is proficient in German.

When *r* = *p*, the constraint is *probabilistic*. In this case

$$X \text{ isp } R$$

means that *R* is the probability distribution of *X*. For example

$$X \text{ isp } N(m, \sigma^2)$$

means that *X* is normally distributed with mean *m* and variance σ^2 . Similarly

$$X \text{ isp } (0.2 \setminus a + 0.5 \setminus b + 0.3 \setminus c)$$

means that *X* is a random variable which takes the values, *a*, *b*, and *c* with respective probabilities 0.2, 0.5, and 0.3.

The constraint

$$X \text{ isu } R$$

is an abbreviation for

$$\text{usually}(X \text{ is } R)$$

which in turn means that

$$\text{Prob}\{X \text{ is } R\} \text{ is usually.}$$

In this expression, *X is R* is a fuzzy event and usually is its fuzzy probability; that is, the possibility distribution of its crisp probability.

The constraint

$$X \text{ isrs } P$$

is a random set constraint. This constraint is a combination of probabilistic and possibilistic constraints. More specifically, in a schematic form it is expressed as

$$\frac{X \text{ isp } P}{(X, Y) \text{ is } Q} \text{ is } R$$

where *Q* is a joint possibilistic constraint on *X* and *Y*, and *R* is a random set. It is of interest to note that the Dempster–Shafer theory of evidence is, in essence, a theory of random set constraints.

In computing with words, the starting point is a collection of propositions which play the role of premises. In most cases, the canonical forms of these propositions are constraints of the basic, disjunctive type. In a more general setting, the




Fig. 4. Depth of explication.

constraints are of the generalized type, implying that the explication of a proposition p may be represented as

$$p \rightarrow X \text{ isr } R$$

where $X \text{ isr } R$ is the canonical form of p .

As in the case of basic constraints, the canonical form of a proposition may be derived through the use of test-score semantics. In this context, the depth of p is roughly a measure of the effort that is needed to explicate p , that is, to translate p into its canonical form. In this sense, the proposition $X \text{ isr } R$ is a surface constraint (depth = zero), with the depth of explication increasing in the downward direction (Fig. 4). Thus, a proposition such as "Mary is young" is shallow, whereas, "it is not very likely that there will be a substantial increase in the price of oil in the near future" is not.

Once the propositions in the initial data set are expressed in their canonical forms, the ground work is laid for fuzzy constraint propagation. This is a basic part of CW which is discussed in the following section.

IV. FUZZY CONSTRAINT PROPAGATION AND THE RULES OF INFERENCE IN FUZZY LOGIC

The rules governing fuzzy constraint propagation are, in effect, the rules of inference in fuzzy logic. In addition to these rules, it is helpful to have rules governing fuzzy constraint modification. The latter rules will be discussed later in this section.

In a summarized form, the rules governing fuzzy constraint propagation are the following (A and B are fuzzy relations). Disjunction and conjunction are defined, respectively, as max and min, with the understanding that more generally, they could be defined via t -norms and s -norms [15]).

Conjunctive Rule 1:

$$\frac{X \text{ is } A}{X \text{ is } B} \cdot$$

$$\frac{X \text{ is } A \cap B}{X \text{ is } A \cap B} \cdot$$

Conjunctive Rule 2: ($X \in U, Y \in B, A \subset U, B \subset V$)

$$\frac{X \text{ is } A}{Y \text{ is } B} \cdot$$

$$\frac{(X, Y) \text{ is } A \times B}{(X, Y) \text{ is } A \times B} \cdot$$

Disjunctive Rule 1:

$$X \text{ is } A$$

or

$$\frac{X \text{ is } B}{X \text{ is } A \cup B} \cdot$$

Disjunctive Rule 2: ($A \subset U, B \subset V$)

$$\frac{X \text{ is } A}{Y \text{ is } B} \cdot$$

$$\frac{(X, Y) \text{ is } A \times V \cup U \times B}{(X, Y) \text{ is } A \times V \cup U \times B}$$

where $A \times V$ and $U \times B$ are cylindrical extensions of A and B , respectively.

Conjunctive Rule for isc:

$$\frac{X \text{ isc } A}{X \text{ isc } B} \cdot$$

$$\frac{X \text{ isc } A \cup B}{X \text{ isc } A \cup B}$$

Disjunctive Rule for isc:

$$X \text{ isc } A$$

or

$$\frac{X \text{ isc } B}{X \text{ isc } A \cap B} \cdot$$

Projective Rule:

$$\frac{(X, Y) \text{ is } A}{Y \text{ is } \text{proj}_V A}$$

where $\text{proj}_V A = \sup_u A$.

Surjective Rule:

$$\frac{X \text{ is } A}{(X, Y) \text{ is } A \times V} \cdot$$

A. *Derived Rules*

Compositional Rule:

$$\frac{X \text{ is } A}{(X, Y) \text{ is } B} \cdot$$

$$\frac{Y \text{ is } A \circ B}{Y \text{ is } A \circ B}$$

where $A \circ B$ denotes the composition of A and B .

Extension Principle (Mapping Rule):

$$\frac{X \text{ is } A}{f(X) \text{ is } f(A)}$$

where $f: U \rightarrow V$, and $f(A)$ is defined by

$$\mu_{f(A)}(v) = \sup_{u|v=f(u)} \mu_A(u).$$

Inverse Mapping Rule:

$$\frac{f(X) \text{ is } A}{X \text{ is } f^{-1}(A)}$$

where $\mu_{f^{-1}(A)}(u) = \mu_A(f(u))$.

Generalized Modus Ponens:

$$\frac{X \text{ is } A}{\text{if } X \text{ is } B \text{ then } Y \text{ is } C} \cdot$$

$$\frac{Y \text{ is } A \circ ((\neg B) \oplus C)}{Y \text{ is } A \circ ((\neg B) \oplus C)}$$

where the bounded sum $\neg B \oplus C$ represents Lukasiewicz's definition of implication.

Generalized Extension Principle:

$$\frac{f(X) \text{ is } A}{q(X) \text{ is } q(f^{-1}(A))}$$

where

$$\mu_q(\nu) = \sup_{u|\nu=f(u)} \mu_A(g(u)).$$

The generalized extension principle plays a pivotal role in fuzzy constraint propagation.

Syllogistic Rule [36]:

$$\frac{Q_1 A \text{ 's are } B \text{ 's}}{Q_2 (A \text{ and } B) \text{ 's are } C \text{ 's}} \\ (Q_1 \otimes Q_2) A \text{ 's are } (B \text{ and } C) \text{ 's}$$

where Q_1 and Q_2 are fuzzy quantifiers, A , B , and C are fuzzy relations and $Q_1 \otimes Q_2$ is the product of Q_1 and Q_2 in fuzzy arithmetic.

Constraint Modification Rules [29], [34], [35]:

$$X \text{ is } mA \rightarrow X \text{ is } f(A)$$

where m is a modifier such as *not*, *very*, *more or less*, and $f(A)$ defines the way in which m modifies A . Specifically

$$\text{if } m = \textit{not} \text{ then } f(A) = A' \text{ (complement)} \\ \text{if } m = \textit{very} \text{ then } f(A) = {}^2A \text{ (left square)}$$

where $\mu_{{}^2A}(u) = (\mu_A(u))^2$. This rule is a convention and should not be construed as a realistic approximation to the way in which the modifier *very* functions in a natural language.

Probability Qualification Rule [34], [35]:

$$(X \text{ is } A) \text{ is } \Lambda \rightarrow P \text{ is } \Lambda$$

where X is a random variable taking values in U with probability density $p(u)$, Λ is a linguistic probability expressed in words like *likely*, *not very likely*, etc., and P is the probability of the fuzzy event X is A , expressed as

$$P = \int_U \mu_A(u)p(u) du.$$

The primary purpose of this summary is to underscore the coincidence of the principal rules governing fuzzy constraint propagation with the principal rules of inference in fuzzy logic. Of necessity, the summary is not complete and there are many specialized rules which are not included. Furthermore, most of the rules in the summary apply to constraints which are of the basic, disjunctive type. Further development of the rules governing fuzzy constraint propagation will require an extension of the rules of inference to generalized constraints.

As was alluded to in the summary, the principal rule governing constraint propagation is the generalized extension principle which in a schematic form may be represented as

$$\frac{f(X_1, \dots, X_n) \text{ is } A}{q(X_1, \dots, X_n) \text{ is } q(f^{-1}(A))}$$

In this expression, X_1, \dots, X_n are database variables, the term above the line represents the constraint induced by the IDS, and the term below the line is the TDS expressed as a constraint on the query $q(X_1, \dots, X_n)$. In the latter constraint, $f^{-1}(A)$ denotes the preimage of the fuzzy relation A under the mapping $f: U \rightarrow V$, where A is a fuzzy subset of V and U is the domain of $f(X_1, \dots, X_n)$.

Expressed in terms of the membership functions of A and $q(f^{-1}(A))$, the generalized extension principle reduces the derivation of the TDS to the solution of the constrained maximization problem

$$\mu_{q(X_1, \dots, X_n)}(\nu) = \sup_{(u_1, \dots, u_n)} (\mu_A(f(u_1, \dots, u_n)))$$

in which u_1, \dots, u_n are constrained by

$$\nu = q(u_1, \dots, u_n).$$

The generalized extension principle is simpler than it appears. An illustration of its use is provided by the following example:

The IDS is:

most Swedes are tall

The query is: *What is the average height of Swedes?*

The explanatory database consists of a population of N Swedes, $Name_1, \dots, Name_N$. The database variables are h_1, \dots, h_N , where h_i is the height of $Name_i$, and the grade of membership of $Name_i$ in *tall* is $\mu_{tall}(h_i)$, $i = 1, \dots, n$.

The proportion of Swedes who are tall is given by

$$\frac{1}{N} \sum_i \mu_{tall}(h_i)$$

from which it follows that the constraint on the database variables induced by the IDS is

$$\frac{1}{N} \sum_i \mu_{tall}(h_i) \text{ is } \textit{most}.$$

In terms of the database variables h_1, \dots, h_N , the average height of Swedes is given by

$$h_{ave} = \frac{1}{N} \sum_i h_i.$$

Since the IDS is a fuzzy proposition, h_{ave} is a fuzzy set whose determination reduces to the constrained maximization problem

$$\mu_{h_{ave}}(\nu) = \sup_{h_1, \dots, h_N} \left(\mu_{\textit{most}} \left(\frac{1}{N} \sum_i \mu_{tall}(h_i) \right) \right)$$

subject to the constraint

$$\nu = \frac{1}{N} \sum_i h_i.$$

It is possible that approximate solutions to problems of this type might be obtainable through the use of genetic algorithm-based methods.

A key point, which is brought out by this example and the preceding discussion, is that explicitation and constraint

propagation play pivotal roles in CW. What is important to recognize is that there is a great deal of computing with numbers in CW which takes place behind a curtain, unseen by the user. Thus, what matters is that in CW the IDS is allowed to be expressed in a natural language. No other methodology offers this facility. As an illustration of this point, consider the following problem.

A box contains ten balls of various sizes of which several are large and a few are small. What is the probability that a ball drawn at random is neither large nor small?

To be able to answer this question it is necessary to be able to define the meanings of large, small, several large balls, and neither large nor small. This is a problem in semantics which falls outside of probability theory, neurocomputing, and other methodologies.

There are two observations which are in order. First, in using fuzzy constraint propagation rules in computing with words, application of the extension principle generally reduces to the solution of a nonlinear program. What we need—and do not have at present—are approximate methods of solving such programs which are capable of exploiting the tolerance for imprecision. Without such methods, the cost of solutions may be excessive in relation to the imprecision which is intrinsic in the use of words. In this connection, an intriguing possibility is to use genetic algorithm-based methods to arrive at approximate solutions to constrained maximization problems.

Second, given a collection of premises expressed in a natural language, we can, in principle, express them in their canonical forms and thereby explicitate the implicit fuzzy constraints. For this purpose, we have to employ test-score semantics. However, in test-score semantics we do not presently have effective algorithms for the derivation of canonical forms without human intervention. This is a problem that remains to be addressed.

V. CONCLUSION

The main purpose of this note is to draw attention to the centrality of the role of fuzzy logic in computing with words and vice-versa. In coming years, computing with words is likely to emerge as a major field in its own right. In a reversal of long-standing attitudes, the use of words in place of numbers is destined to gain respectability. This is certain to happen because it is becoming abundantly clear that in dealing with real-world problems there is much to be gained by exploiting the tolerance for imprecision. In the final analysis, it is the exploitation of the tolerance for imprecision that is the prime motivation for CW. The role model for CW is the human mind.

REFERENCES

- [1] H. R. Berenji, "Fuzzy reinforcement learning and dynamic programming," in *Fuzzy Logic Artificial Intell. Proc. IJCAI '93 Workshop*, A. L. Ralescu, Ed. Berlin: Springer-Verlag, 1994, pp. 1-9.
- [2] M. Black, "Reasoning with loose concepts," *Dialog*, vol. 2, pp. 1-12, 1963.
- [3] P. Bosch, "Vagueness, ambiguity and all the rest," in *Sprachstruktur, Individuum und Gesellschaft*, M. Van de Velde and W. Vandeweghe, Eds. Tubingen, Germany: Niemeyer, 1978.
- [4] J. Bowen, R. Lai, and D. Bahler, "Fuzzy semantics and fuzzy constraint networks," in *Proc. 1st IEEE Conf. Fuzzy Syst.*, San Francisco, CA, 1992, pp. 1009-1016.
- [5] ———, "Lexical imprecision in fuzzy constraint networks," in *Proc. Natl. Conf. Artificial Intell.*, San Jose, CA, 1992, pp. 616-620.
- [6] M. J. Cresswell, *Logic and Languages*. London: Methuen, 1973.
- [7] D. Dubois, H. Fargier, and H. Prade, "Propagation and satisfaction of flexible constraints," in *Fuzzy Sets, Neural Networks, and Soft Computing*, R. R. Yager and L. A. Zadeh, Eds. New York: Van Nostrand Reinhold, pp. 166-187, 1994.
- [8] ———, "Possibility theory in constraint satisfaction problems: Handling priority, preference, and uncertainty," *Appl. Intell. J.*, to be published.
- [9] ———, "The calculus of fuzzy restrictions as a basis for flexible constraint satisfaction," in *Proc. 2nd IEEE Int. Conf. Fuzzy Syst.*, San Francisco, CA, 1993, pp. 1131-1136.
- [10] E. C. Freuder and P. Snow, "Improved relaxation and search methods for approximate constraint satisfaction with a maximum criterion," in *Proc. 8th Biennial Conf. Canadian Soc. Computat. Stud. Intell.*, Ontario, Canada, 1990, pp. 227-230.
- [11] J. A. Goguen, "The logic of inexact concepts," *Synthese*, vol. 19, pp. 325-373, 1969.
- [12] J. R. Hobbs, "Making computational sense of Montague's intensional logic," *Artificial Intell.*, vol. 9, pp. 287-306, 1978.
- [13] O. Katai, S. Matsubara, H. Masuichi, and M. Ida, "Synergetic computation for constraint satisfaction problems involving continuous and fuzzy variables by using occam," in *Transput./Occam. Proc. 4th Transput./Occam Int. Conf.*, S. Noguchi and H. Umeo, Eds. Amsterdam: IOS Press, 1992, pp. 146-160.
- [14] A. Kaufmann and M. M. Gupta, *Introduction to Fuzzy Arithmetic: Theory and Applications*. New York: Van Nostrand, 1985.
- [15] G. Klir and B. Yuan, *Fuzzy Sets and Fuzzy Logic*. Englewood Cliffs, NJ: Prentice-Hall, 1995.
- [16] K. Lano, "A constraint-based fuzzy inference system," in *EPIA 91, Portugal. Conf. Artificial Intell.*, P. Barahona, L. M. Pereira, and A. Porto, Eds. Berlin: Springer-Verlag, pp. 45-59, 1991.
- [17] W. A. Lodwick, "Analysis of structure in fuzzy linear programs," *Fuzzy Sets Syst.*, vol. 38, no. 1, pp. 15-26, 1990.
- [18] E. H. Mamdani and B. R. Gaines, Eds., *Fuzzy Reasoning and its Applications*. London: Academic, 1981.
- [19] M. Mares, *Computation Over Fuzzy Quantities*. Boca Raton, FL: CRC, 1994.
- [20] V. Novak, "Fuzzy logic, fuzzy sets, and natural languages," *Int. J. General Syst.*, vol. 20, no. 1, pp. 83-97, 1991.
- [21] V. Novak, M. Ramik, M. Cerny, and J. Nekola, Eds., *Fuzzy Approach to Reasoning and Decision-Making*. Boston: Kluwer, 1992.
- [22] M. S. Oshani, O. M. Saad, and A. G. Hassan, "On the solution of fuzzy multiobjective integer linear programming problems with a parametric study," *Adv. Model. Anal. A*, vol. 24, no. 2, pp. 49-64, 1995.
- [23] B. Partee, *Montague Grammar*. New York: Academic, 1976.
- [24] G. Qi and G. Friedrich, "Extending constraint satisfaction problem solving in structural design," in *Indust. Eng. Applicat. Artificial Intell. Expert Syst., 5th Int. Conf., IEA/AIE '92*, F. Belli and F. J. Radermacher, Eds. Berlin: Springer-Verlag, 1992, pp. 341-350.
- [25] A. Rosenfeld, R. A. Hummel, and S. W. Zucker, "Scene labeling by relaxation operations," *IEEE Trans. Syst. Man, Cybern.*, vol. 6, pp. 420-433, 1976.
- [26] M. Sakawa, K. Sawada, and M. Inuiguchi, "A fuzzy satisfying method for large-scale linear programming problems with block angular structure," *Eur. J. Operat. Res.*, vol. 81, no. 2, pp. 399-409, 1995.
- [27] S. C. Tong, "Interval number and fuzzy number linear programming," *Adv. Model. Anal. A*, vol. 20, no. 2, pp. 51-56, 1994.
- [28] R. R. Yager, "Some extensions of constraint propagation of label sets," *Int. J. Approx. Reasoning*, vol. 3, pp. 417-435, 1989.
- [29] L. A. Zadeh, "A fuzzy-set theoretic interpretation of linguistic hedges," *J. Cybern.*, vol. 2, pp. 4-34, 1972.
- [30] ———, "Outline of a new approach to the analysis of complex system and decision processes," *IEEE Trans. Syst. Man, Cybern.*, vol. SMC-3, pp. 28-44, 1973.
- [31] ———, "On the analysis of large scale systems," *Systems Approaches and Environment Problems*, H. Gottinger, Ed. Gottingen, Germany: Vandenhoeck and Ruprecht, 1974, pp. 23-37.
- [32] ———, "Calculus of fuzzy restrictions," in *Fuzzy Sets and Their Applications to Cognitive and Decision Processes*, L. A. Zadeh, K. S. Fu, M. Shimura, Eds. New York: Academic, 1975, pp. 1-39.

- [33] ———, "PRUF - A meaning representation language for natural languages," *Int. J. Man-Mach. Studies*, vol. 10, pp. 395-460, 1978.
- [34] ———, "Fuzzy sets and information granularity," in *Advances in Fuzzy Set Theory and Applications*, M. Gupta, R. Ragade and R. Yager, Eds. Amsterdam: North-Holland, 1979, pp. 3-18.
- [35] ———, "A theory of approximate reasoning," *Machine Intelligence 9*, J. Hayes, D. Michie, and L. I. Mukulich, Eds. New York: Halstead, 1979, pp. 149-194.
- [36] ———, "Test-score semantics for natural languages and meaning representation via PRUF," *Empirical Semantics*, B. Rieger, Ed. W. Germany: Brockmeyer, 1981, pp. 281-349.
- [37] ———, "Outline of a computational approach to meaning and knowledge representation based on a concept of a generalized assignment statement," in *Proc. Int. Seminar Artificial Intell. Man-Mach. Syst.*, M. Thoma and A. Wyner, Eds. Heidelberg: Springer-Verlag, 1986, pp. 198-211.
- [38] ———, "Fuzzy logic, neural networks and soft computing," *Commun. ACM*, vol. 37, no. 3, pp. 77-84, 1994.
- [39] ———, "Outline of a new approach to the analysis of complex systems and decision processes," *IEEE Trans. Syst., Man, Cybern.*, vol. 3, pp. 28-44, 1973.



Lofti A. Zadeh (S'45-M'47-SM'56-F'58-LF'87) received the B.S. degree, in 1942, from the University of Teheran, Iran, the M.S. degree from the Massachusetts Institute of Technology (MIT), Cambridge, in 1946, and the Ph.D. degree from Columbia University, NY, in 1949.

He is a Professor Emeritus of electrical engineering and computer science at the University of California, Berkeley, and presently serves as the Director of the Berkeley Initiative in Soft Computing (BISC). He was a Member of the Electrical Engineering Department at Columbia University prior to joining the Electrical Engineering Department at University of California, which he chaired from 1963-1968. He held visiting appointments at the Institute for Advanced Study in Princeton, NJ, IBM Research Laboratory, San Jose, CA, Project MAC at MIT, SRI International, Stanford, CA, and the Center for the Study of Language and Information, Stanford University, CA. His current research is focused on fuzzy logic, soft computing, and computing with words.

Dr. Zadeh is a Fellow of the AAAS, ACM, and AAAI. He is also a Member of the National Academy of Engineering and a Foreign Member of the Russian Academy of Natural Sciences. He is the recipient of the ASME Rufus Oldenburger Medal, the Kampe de Fariet Medal, the Grigori Moisel Prize, the Honda Prize, the IEEE Education Medal, the IEEE Richard W. Hamming Medal, the Medal of Honor, and other awards and honorary doctorates.