



Disease Model of Addiction, High Risk Behaviors, Odds and Ends

Tony Claremont, MA, CAC
Program Manager, LRADAC



I have references, but not APA formatted, etc. Send me an email or give me a call and I'll help you out.

aclaremont@lradac.org

803-726-9355

Not acting as a representative of LRADAC, nor am I being compensated in any way other than being provided with the opportunity to talk at you.



Each year:

- ▶ 1825 college students between the ages of 18 and 24 die from alcohol-related unintentional injuries, including motor vehicle crashes.
- ▶ 599,000 college students between the ages of 18 and 24 are unintentionally injured under the influence of alcohol.
- ▶ Each year, 696,000 students between the ages of 18 and 24 are assaulted by another student who has been drinking.
- ▶ Each year, 97,000 students between the ages of 18 and 24 are victims of alcohol-related sexual assault or date rape.



Why are we talking about this?



Why focus on alcohol?

- ▶ Accessible
- ▶ Most commonly abused
- ▶ Lots of easy to find statistics
- ▶ Also is associated with the use of other drugs
 - ▶ 33.7% of heavy drinkers were current illicit drug users
 - ▶ Of persons who were current alcohol users but not binge or heavy drinkers, only 7.3% were current illicit drug users

Addiction as a disease

- ▶ Definition
 - ▶ Stress induced genetically mediated primary, chronic, and relapsing brain disease of reward, memory, motivation, and related circuitry that alters motivational hierarchies such that addictive behaviors supplant healthy, self-care behaviors.
- ▶ Good news?
 - ▶ Most of the people I talk to are not addicted to substance use
- ▶ Bad news?
 - ▶ Addiction starts somewhere

Problematic Substance Use and Mental Health

- ▶ From the Treatment Episode Data Set (TEDS) Report 10/9/2014
 - ▶ 1/3 of substance abuse treatment admissions had a psychiatric problem
 - ▶ Alcohol 56.7%
 - ▶ Marijuana 39.4%
 - ▶ Opiates 37.9%
- ▶ When we do an assessment, this information is collected and shared with the feds, so some degree of self-report, depending on the counselor to obtain and indicate this information, etc.

Problematic Substance Use and Mental Health

- ▶ So we know that there is some degree of co-occurrence between the two, why?
 - ▶ Self-medication
 - ▶ Some individuals are not receiving treatment or are being “incompletely treated”
 - ▶ AOD can worsen an underlying mental illness
 - ▶ AOD can possibly trigger the onset of symptoms for the first time
- ▶ Implications?
 - ▶ People actively engaged in use are less likely to comply with treatment plans, less likely to remain med compliant, etc.

Problematic Substance Use and Mental Health

- ▶ Implications
 - ▶ More likely to attempt suicide and more likely to die from that attempt
 - ▶ For ages 18-24, unintentional injury is the number 1 leading cause of death, number 2 is suicide
 - ▶ As an aside, for ages 10-14, suicide was number 3

Statistics on Substance use

- ▶ Go Google it*
 - ▶ Look for the National Survey on Drug Use and Health
 - ▶ They just released the numbers for the survey completed in 2014
 - ▶ Gist:
 - ▶ Lots of young adults (enrolled full time in college) are currently drinking, of the young adults that are heavy drinkers, 1/3 of them are also current illicit drug users
 - ▶ More likely to be a current drinker if you graduated college (36.5% adults with less than a high school education vs. 69.2% of college graduates)

*Not affiliated with Google, use whatever search engine you like

How do we fix it?

- ▶ I don't know
- ▶ Some recent(ish) info from NIH (summary of a summary)
 - ▶ 3-in-1 approach
 - ▶ Target individual students, student body as a whole, and the greater college community
 - ▶ Skills based interventions, motivational interviewing
 - ▶ Teach students the risks, show students how to monitor, set limits, reduce risky behavior, how to handle high risk situations

How do we fix it?

- ▶ More recent(ish) info from NIH (summary of a summary)
 - ▶ Specifically target students most in need
 - ▶ These are least likely to participate
 - ▶ Deliver the interventions in settings where students are experiencing problems
 - ▶ Partner with someone (like me, law enforcement, etc.) in order to reach students that you may not encounter through student conduct, student health, etc.

How do we fix it?

- ▶ Other ideas (that you may or may not be doing)
 - ▶ Make screening for problematic substance using behaviors a routine event at university health centers
 - ▶ Training in motivational interviewing for individuals that may encounter these students
 - ▶ Provide individualized and personal feedback when utilizing any web-based interventions
 - ▶ I also like small groups, harder for people to hide behind the masses
 - ▶ Social Norms
 - ▶ Most effective when paired with other prevention efforts

Questions?

