

CSC 142

Collections [Reading: Chapter 10]

CSC 142 P 1

What is a collection?

- A number of things that are grouped together in some way, e.g.,
 - A grocery cart contains all of the items that a customer wants to buy
 - A video store contains videos possibly grouped by genre, alphabetical order,...
 - A dictionary lists words along with their definition
 - A class list contains student names
- Different kinds, e.g. duplicates/no duplicates, ordered/non ordered
- Java offers several classes to support the concept of collections

CSC 142 P 2

Some collections in Java

- ArrayList: collection whose elements are in a specific order (given by the index)
- Vector: same as ArrayList, but designed to be used safely in a multithreaded environment (synchronization).
- HashMap: collection of key/value pairs (as in a dictionary). The HashMap uses a hashcode to store the items in the collection (makes the retrieve operation efficient).
- Available in the package java.util

CSC 142 P 3

Typical ArrayList operations (1)

- Items in an ArrayList are ordered by their index value (starts at 0)

```
// append at the end of the list
public boolean add(Object o)
// remove the Object at location index
public Object remove(int index)
// insert at location index
public boolean add(int index, Object o)
```

- Class Object

- The ultimate base class: any class instance is of type Object

```
Object o = new Integer(5); // OK
```

- An ArrayList accepts any type of object. It grows or shrinks as needed.

CSC 142 P 4

Typical ArrayList operations (2)

- Getting an element from an ArrayList

```
public Object get(int index)
```

 - always get an Object (what get returns)
 - To get back an instance with the actual type use a cast:

```
ArrayList l = new ArrayList();
l.add(new String("ABC"));
String s = l.get(0); // Error
String s = (String)l.get(0); // OK
```

- Other common methods

```
public boolean contains(Object o)
public int size()
public boolean isEmpty()
public Iterator iterator() // see next slide
```

CSC 142 P 5

Iterating through an ArrayList

- Using the index value

```
for(int i=0; i<l.size(); i++){
    Object o = l.get(i);
    // process o
}
```

- Using an iterator

```
Iterator i = l.iterator();
while(i.hasNext()){
    Object o = i.next();
    // process o
}
```

- An iterator works with any type of collection

CSC 142 P 6

The Collections class

- A powerful class that contains many static methods to operate on many types of collections (e.g. to synchronize, to make a collection read only, to sort...)
- e.g. to sort

```
// to sort items that can be compared
public static void sort(List list)
// Note: an ArrayList is a List

// to sort items according to some supplied
// comparator
public static void sort(List list,
Comparator c)
```

CSC 142 P 7

ArrayList example

- Input and print a class list in alphabetical order

```
// l is the list of students
ArrayList l = new ArrayList();
// Get the students' names
String s;
do{
    s=JOptionPane.showInputDialog(null,
        "Student Name");

    if (s!=null) l.add(s);
}while(s!=null);
// Sort the list in alphabetical order
Collections.sort(l);
// Print the list
Iterator i = l.iterator();
while(i.hasNext())
    System.out.println(i.next());
```

CSC 142 P 8

HashMap

- Example: the IRS list of taxpayers can be thought of as a map. Two items
 - key: SSN
 - value: taxpayer's info (name, income...)
- Typical HashMap operations

```
//put returns the old value or null if none
public Object put(Object key, Object value)
public Object get(Object key)
public Object remove(Object key)
public int size()
```

- What is a hash?
Store the values in a table. The location of a value in the table is determined by a function (the hash function) applied on the key.

CSC 142 P 9

HashMap example

- A phone book

```
HashMap d = new HashMap();
// Create the phone book
String r,s;
do{
    r=JOptionPane.showInputDialog(null,"Name");
    s=JOptionPane.showInputDialog(null,"Number");
    if (s!=null && r!=null)
        d.put(r,s);
}while(s!=null && r!=null)
// Use the phone book
r=JOptionPane.showInputDialog(null,"Name");
System.out.println("The phone number of " +r+
    " is " + d.get(r));
```

CSC 142 P 10

Other collections

- HashSet
 - for an unordered collection with no duplicates
- TreeMap
 - for an ordered map (the ordering is done on the keys)

CSC 142 P 11