

Thorns, Spines and Prickles

Thorns, spines, and prickles represent growths from the stem, leaf, fruit, or root that are sharp and woody at maturity.

Thorns and spines are modification of existing organs such as stems, leaves or stipules.

Prickles or emergences are outgrowths derived from epidermal and subepidermal layers in locations other than nodes (where stems, leaves or stipules arise).



[Back to stem and leaf modification menu](#)

[Next](#)



[Back to vegetative parts main menu](#)



[Main menu](#)

Thorns, Spines and Prickles

Thorns, spines and prickles can be very formidable and this *Acacia* nicely illustrates how these structure would deter animals from feeding on "thorn"-armed stems.



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles



Thorn - A sharp pointed modified stem.



Spine - A sharp pointed structure that is a modified leaf or stipule.



Prickle - A sharp outgrowth from the epidermis or bark.



[Back to stem and leaf modification menu](#)





[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles

Thorns (stem spine)

A thorn is a modified stem and can be recognized because it is subtended by a leaf.



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles

Thorns (stem spine)

Thorns may be branched or un-branched.



Branched thorns in honeylocust
(*Gleditsia triacanthos*)



[Back to stem and leaf
modification menu](#)



[Back](#)



[Next](#)



[Back to vegetative
parts main menu](#)




[Main menu](#)


Thorns, Spines and Prickles

Thorns (stem spine)

Hawthorn has an un-branched thorn.



Cockspur hawthorn (*Crataegus crus-galli*)



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)




Main menu

Thorns, Spines and Prickles

Thorns (stem spine)

In *Alluaudia*, each pair of leaves subtends a thorn.



[Back to stem and leaf modification menu](#)



[Back](#)



[Next](#)



[Back to vegetative parts main menu](#)




[Main menu](#)

Thorns, Spines and Prickles

Spines

A spine is a sharp pointed structure that is a modified leaf or stipule.



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles

Petiole spines

Ocotillo (*Fouquieria splendens*) produces a spine that is a fusion of the stem and the lower portion of the leaf petiole.



[Back to stem and leaf modification menu](#)



[Back](#)



[Next](#)



[Back to vegetative parts main menu](#)





[Main menu](#)

Thorns, Spines and Prickles

Stipule spines

In many *Euphorbia* species, the spines are modified stipules appearing on either side of the bud and leaf scar.



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)



Main menu

Thorns, Spines and Prickles

Stipule spines

The impressive spines in *Acacia* species are stipule spines.



[Back to stem and leaf modification menu](#)




[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles

In several *Acacia* species, the stipule spines are hollow and provide shelter for *Pseudomyrmex* ants.

The leaves also produce food packets called Beltian bodies for the ants. In return the ants defend the *Acacia* from insect or animal pests.



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles

Cactus spines

Cactus spines are usually modified leaves or shoots located in the axil of a leaf. A group of spines is termed an areole.



[Back to stem and leaf modification menu](#)



[Back](#)



[Next](#)



[Back to vegetative parts main menu](#)




[Main menu](#)

Thorns, Spines and Prickles

Cactus spines

The early development of spines in the leafy cactus *Pereskia grandiflora* shows that the spine originates in the axil of the leaf where the axillary bud would normally produce a shoot.



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles

Cactus spines

Cactus spines provide protection from animal predators and can function to shade the plant from the desert heat.



[Back to stem and leaf modification menu](#)



[Back](#)



[Next](#)



[Back to vegetative parts main menu](#)



[Main menu](#)


Thorns, Spines and Prickles

Prickles (emergences)

Prickles are also called emergences and occur in places other than the stem node like thorns or spines.



Rosa sericea pteracantha



Devil's walkingstick (*Aralia spinosa*)



[Back to stem and leaf modification menu](#)



[Back](#)



[Next](#)



[Back to vegetative parts main menu](#)



[Main menu](#)

Thorns, Spines and Prickles

Prickles (emergences)

Prickles can be very numerous and be fearsome structures.



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles

Prickles (emergences)

On some plants, prickles continue to enlarge into large structures.



[Back to stem and leaf modification menu](#)




[Back to vegetative parts main menu](#)




Thorns, Spines and Prickles

Prickles (emergences)

The prickles formed along the stems and leaves on some palms can be spectacular.



Bactris gasipaes



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles

Prickles (emergences)

Prickles can occur on leaves and may protrude from the main veins.



[Back to stem and leaf modification menu](#)



[Back](#)



[Next](#)



[Back to vegetative parts main menu](#)




Thorns, Spines and Prickles

Prickles (emergences)

Prickles may also arm the edges of a leaf or bract.



Thistle (*Cirsium*)



Holly (*Ilex*)



[Back to stem and leaf modification menu](#)



[Back](#)



[Next](#)



[Back to vegetative parts main menu](#)



[Main menu](#)

Thorns, Spines and Prickles

Prickles (emergences)

Prickles can also occur on fruits.



Thorn apple
(*Datura*)



Ohio buckeye (*Aesculus glabra*)



[Back to stem and leaf
modification menu](#)



[Back to vegetative
parts main menu](#)



Thorns, Spines and Prickles

Prickles (emergences)

Prickles can even be seen on adventitious roots as seen on the prop roots of screw pine (*Pandanus*).



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles

Prickles (emergences)

Similarly, prickles are produced on the prop roots of walking palm (*Socratea exorrhiza*).



[Back to stem and leaf modification menu](#)



[Back to vegetative parts main menu](#)



Thorns, Spines and Prickles

Prickles (emergences)

In some cases, "thorniness" is a juvenile phase characteristic that is lost as plants age and become mature flowering trees.

This occurs in plants like honeylocust (*Gleditsia*) that produces thorns and castor-aralia (*Kalopanax*) that produces prickles.



Castor-aralia
(*Kalopanax*)



[Back to stem and leaf modification menu](#)



[Back](#)



[Back to vegetative parts main menu](#)



[Main menu](#)